



TABLE OF CONTENTS

LUMICOVER™3

LUMICOVER CORE CLASSIC OUTLET NIGHTLIGHT WALLPLATE3

LUMICOVER CORE DECOR OUTLET NIGHTLIGHT WALLPLATE3

LUMICOVER MOTION ACTIVATED NIGHTLIGHT WALLPLATE4

LUMICOVER USB OUTLET NIGHTLIGHT WALLPLATE4

LUMICOVER POWER FAILURE NIGHTLIGHT WALLPLATE4

AMBIANCE5

COLOR-CHANGING SOFT TOUCH LAMP5

NIGHT LIGHTS6

TUPI MANUAL SWITCH LIGHT6

TUPI MANUAL SWITCH LIGHT6

ARIA CURVE LIGHT6

ARIA CURVE LIGHT6

COSMOPOLITAN LIGHT6

360° DIRECTIONAL LIGHT6

EDISON FILAMENT LED LIGHT7

INDUSTRIAL CAGE LIGHT7

CHINOISERIE NIGHT LIGHT7

QUADRA NIGHT LIGHT7

TIN STAR LIGHT7

MICRO FLOODLIGHT8

GEOMETRIC MOTION LIGHT8

MADISON SHADE LIGHT8

SENTI MOTION LIGHT8

SENTI PUSH BUTTON LIGHT8

FOREVER GLO PANEL LIGHT8

ARCH COLOR-CHANGING LIGHT9

VELO COLOR-CHANGING LIGHT9

MODO CURVE LIGHT9

OLA CURVE LIGHT9

ORBIS NEON GUIDE LIGHT9

THEATER PATH LIGHT9

ANELLA SCONCE LIGHT10

DELI SCONCE LIGHT10

TRANSLUCENT SCREEN LIGHT10

WAVE TRANSLUCENT SCREEN LIGHT10

CUBE OUTLET DUAL USB LIGHT10

OUTLET ADAPTER LIGHT10

DECOPLUG™11

POWER FAILURE LIGHT12

3-IN-1 MONTAUK POWER FAILURE LIGHT12

LED ILLUMINATED ADDRESS LIGHT12



LUMICOVER CORE CLASSIC OUTLET NIGHTLIGHT WALLPLATE

Dusk-to-dawn activated night light wallplate that keeps outlets clear for use

	Color Temp			
	3000K			
Finish	White	Almond	Nickel	Bronze
Dimensions	5.00"H x 3.13"W x 1.25"L			
Lumens	1			
Power	120V 60Hz, 0.65W			
Model No. (Qty)	LCR-CCDO-W (1) LCR-CCDO-W2 (2) LCR-CCDO-W4 (4)	LCR-CCDO-AL (1)	LCR-CCDO-N (1)	LCR-CCDO-DB (2)



LUMICOVER CORE DECOR OUTLET NIGHTLIGHT WALLPLATE

Dusk-to-dawn activated night light wallplate that keeps outlets clear for use

	Color Temp			
	3000K			
Finish	White	Almond	Nickel	Bronze
Dimensions	5.00"H x 3.13"W x 1.25"L			
Lumens	1			
Power	120V 60Hz, 0.65W			
Model No. (Qty)	LCR-CDDO-W (1) LCR-CDDO-W2 (2) LCR-CDDO-W4 (4)	LCR-CDDO-AL (1)	LCR-CDDO-N (1)	LCR-CDDO-DB (2)



LUMICOVER MOTION ACTIVATED NIGHTLIGHT WALLPLATE

Motion, dusk-to-dawn activated night light wallplate that keeps outlets clear for use

Color Temp

3000K

Configuration	Classic	Decor
Dimensions	5.75"H x 3.13"W x 1.25"L	
Lumens	1	
Power	120V 60Hz, 0.65W	
Model No. (Qty)	LCR-MCDO-W (1)	LCR-MDDO-W(1)




LUMICOVER USB OUTLET NIGHTLIGHT WALLPLATE

USB charger plus dusk-to-dawn activated night light wallplate that keeps outlets clear for use

Color Temp

3000K

Configuration	Classic	Decor
Dimensions	5.75"H x 3.13"W x 1.25"L	
Lumens	1	
Amperage (USB)	3.1	
Power	120V 60Hz, 20W	
Model No. (Qty)	LCR-UCDO-W (1)	LCR-UDDO-W(1)




LUMICOVER POWER FAILURE NIGHTLIGHT WALLPLATE

Power failure emergency light plus dusk-to-dawn activated night light wallplate that keeps outlets clear for use

Color Temp

3000K

Configuration	Classic	Decor
Dimensions	5.75"H x 3.13"W x 1.25"L	
Lumens	1	
Power	120V 60Hz, 0.65W	
Model No. (Qty)	LCR-PCDO-W (1)	LCR-PDDO-W(1)



COLOR-CHANGING SOFT TOUCH LAMP

Westek Soft Touch Lamps are a fun addition to nurseries, bedrooms and dorm rooms. Child friendly features include multiple color modes, an enclosed light base and BPA free, soft, silicone cover.

Color
Multi-Color
Cool White

Description	Logan the Lion	Finley the Fawn	Holden the Hedgehog
Dimensions	4.88"L x 3.91"W x 3.85"D	5.00"L x 3.60"W x 3.87"D	3.08"L x 4.08"W x 5.10"D
Model No.	NL-RGBLL	NL-RGBFF	NL-RGBHH
Lumens	10 - low 40 - high		
Runtime	24 hours		
Batteries (Qty)	AAA (3)		
CPC Rating	0+		
Modes	Night light mode, slow flash mode, auto fade color mode, single color mode or sleep mode		



NIGHT LIGHTS



TIPI MANUAL
SWITCH LIGHT

Manually operated night light with a frosted lens that projects a soft warm glow

Color Temp
3000K

Description	Night Light
Dimensions	3.15"H x 1.60"W x 1.45"D (w/o plug)
Lumens	1
Bulb Type	LED
Operation	Manual
Model No. (Qty)	NL-TIPI-F (1) NL-TIPI-F2 (2)

TIPI MANUAL
SWITCH LIGHT

Manually operated night light with a clear lens that projects vivid cool light

Color Temp
5000K

Description	Night Light
Dimensions	3.15"H x 1.60"W x 1.45"D (w/o plug)
Lumens	1
Bulb Type	LED
Operation	Manual
Model No. (Qty)	NL-TIPI-C (1) NL-TIPI-C2 (2)

ARIA CURVE
LIGHT

Dusk-to-dawn activation with a frosted lens that projects a warm white glow

Color Temp
3000K

Description	Night Light
Dimensions	3.15"H x 1.75"W x 1.00"D (w/o plug)
Lumens	1
Bulb Type	LED
Operation	Dusk-to-dawn
Model No. (Qty)	NL-ARIA-F (1) NL-ARIA-F2 (2)



ARIA CURVE
LIGHT

Dusk-to-dawn activation with a clear lens that projects vivid cool light

Color Temp
5000K

Description	Night Light
Dimensions	3.15"H x 1.75"W x 1.00"D (w/o plug)
Lumens	1
Bulb Type	LED
Operation	Dusk-to-dawn
Model No. (Qty)	NL-ARIA-C (1) NL-ARIA-C2 (2)

COSMOPOLITAN
LIGHT

Transitional design with dusk-to-dawn activation and a sealed lens that projects a warm glow

Color Temp
3000K

Finish	Bronze	Nickel
Dimensions	2.95"H x 1.45"W x 1.70"D (w/o plug)	
Lumens	5	
Bulb Type	LED	
Operation	Dusk-to-dawn	
Model No.	NL-CSMO-DB	NL-CSMO-N

360°
DIRECTIONAL
LIGHT

Dusk-to-dawn activation with 360° direct light rotation

Color Temp
3000K

Description	Night Light
Dimensions	1.60"H x 1.60"W x 1.65"D (w/o plug)
Lumens	1
Bulb Type	LED
Operation	Dusk-to-dawn
Model No. (Qty)	NL-DRCL-2 (2)



EDISON FILAMENT LED LIGHT

Vintage filament design with dusk-to-dawn activation and three different finishes: Bronze, Nickel and Matte Black

Color Temp

2700K

Description	Night Light			
Dimensions	4.20"H x 1.50"W x 1.50"D (w/o plug)			
Lumens	8			
Bulb Type	LED			
Operation	Dusk-to-dawn			
Finish	Bronze	Bronze	Nickel	Matte Black
Model No. (Qty)	NL-EDSN-DB (1)	NL-EDSN-DB2 (2)	NL-EDSN-DN (1)	NL-EDSN-MB2 (2)



INDUSTRIAL CAGE LIGHT

Retro, vintage design with dusk-to-dawn activation in white or nickel

Color Temp

3000K

Color	White	Nickel
Dimensions	3.50"H x 1.50"W x 1.00"D (w/o plug)	
Lumens	2	
Bulb Type	LED	
Operation	Dusk-to-dawn	
Model No.	NL-CAGE-W	NL-CAGE-N



CHINOISERIE NIGHT LIGHT

Stylish geometric design with dusk-to-dawn activation

Color Temp

3000K

Description	Night Light
Dimensions	1.50"H x 2.56"W x 2.56"D (w/o plug)
Lumens	1
Bulb Type	LED
Operation	Dusk-to-dawn
Model No.	NL-GMET



QUADRA NIGHT LIGHT

Stylish geometric design with dusk-to-dawn activation

Color Temp

3000K

Description	Night Light
Dimensions	1.50"H x 2.56"W x 2.56"D (w/o plug)
Lumens	1
Bulb Type	LED
Operation	Dusk-to-dawn
Model No.	NL-GMQD-W



TIN STAR LIGHT

Dusk-to-dawn activation with incandescent back projected warm white light

Color Temp

3000K

Description	Night Light
Dimensions	1.50"H x 2.56"W x 2.56"D (w/o plug)
Lumens	2
Bulb Type	Incandescent
Operation	Dusk-to-dawn
Model No.	NL-TNST-DB



MICRO FLOODLIGHT

Bright, even COB LED night light with dusk-to-dawn and motion activation

Color Temp
4000K

Description	Night Light
Dimensions	2.62"H x 2.62"W x 1.50"D (w/o plug)
Lumens	150
Bulb Type	LED
Operation	Dusk-to-dawn
Model No.	NL-FDLT



GEOMETRIC MOTION LIGHT

Motion and dusk-to-dawn activation with 60 second auto shut-off

Color Temp
3000K

Description	Night Light
Dimensions	3.15"H x 1.80"W x 0.80"D (w/o plug)
Lumens	10
Bulb Type	LED
Operation	Dusk-to-dawn
Model No.	NL-GEOM



MADISON SHADE LIGHT

Dusk-to-dawn activation with sealed lens projects a warm white glow

Color Temp
3000K

Description	Night Light
Dimensions	3.15"H x 1.80"W x 0.80"D (w/o plug)
Lumens	1
Bulb Type	LED
Operation	Dusk-to-dawn
Model No. (Qty)	NL-MDSN (1) NL-MDSN-2 (2)



SENTI MOTION LIGHT

Dual-brightness night light with motion and dusk-to-dawn activation

Color Temp
3000K

Description	Night Light
Dimensions	2.15"H x 2.50"W x 0.85"D (w/o plug)
Lumens	Night light: 2 Motion detection: 10
Bulb Type	LED
Operation	Motion, dusk-to-dawn
Model No.	NL-SNTI



SENTI PUSH BUTTON LIGHT

Manual On/Off controlled night light

Color Temp
3000K

Description	Night Light
Dimensions	2.15"H x 2.50"W x 0.85"D (w/o plug)
Lumens	10
Bulb Type	LED
Operation	Manual
Model No.	NL-MNTI



FOREVER GLO PANEL LIGHT

Always-on night light with selectable blue or magenta colored glow

Color
Blue
Magenta

Description	Night Light
Dimensions	3.35"H x 2.75"W x 0.50"D (w/o plug)
Lumens	1
Bulb Type	LED
Operation	Always-on
Model No. (Qty)	NL-GLOW-2 (2)



ARCH COLOR-CHANGING LIGHT

Always-on night light cycles through six rainbow colors: Red, Orange, Yellow, Green, Blue and Pink

Color



Multi-Color

Description	Night Light
Dimensions	3.90"H x 1.70"W x 1.10"D (w/o plug)
Lumens	1
Bulb Type	LED
Operation	Always-on
Model No.	NL-ARCH-CL



VELO COLOR-CHANGING LIGHT


Cycle through six rainbow colors: Red, Orange, Yellow, Green, Blue and Pink, or save color

Color



Multi-Color

Description	Night Light
Dimensions	2.50"H x 2.50"W x 0.90"D (w/o plug)
Lumens	1-3
Bulb Type	LED
Operation	Dusk-to-dawn
Model No.	NL-VELO-CL



MODO CURVE LIGHT

Dusk-to-dawn activation projects light forward in white or nickel

Color Temp



3000K

Color	White	Nickel
Dimensions	3.70"H x 1.90"W x 0.70"D (w/o plug)	
Lumens	1	
Bulb Type	LED	
Operation	Dusk-to-dawn	
Model No.	NL-MODO-W	NL-MODO-N



OLA CURVE LIGHT

Dusk-to-dawn activation with a classic white and nickel finish to match decor

Color Temp



5000K

Color	Nickel	White
Dimensions	3.70"H x 2.00"W x 1.00"D (w/o plug)	
Lumens	3	
Bulb Type	LED	
Operation	Dusk-to-dawn	
Model No.	NL-OLAA-N	NL-OLAA-W



ORBIS NEON GUIDE LIGHT

Always-on neon white path light

Color Temp



3000K

Description	Path Light
Dimensions	1.20"H x 1.20"W x 0.75"D (w/o plug)
Lumens	1
Bulb Type	LED
Operation	Always-on
Model No. (Qty)	NL-ORBS-2 (2)



THEATER PATH LIGHT

Dusk-to-dawn activation with downward projected warm white light in white or nickel

Color Temp



3000K

Color	White	Nickel
Dimensions	4.50"H x 3.70"W x 1.65"D (w/o plug)	
Lumens	3	
Bulb Type	LED	
Operation	Dusk-to-dawn	
Model No.	NL-THTR-W	NL-THTR-N




ANELLA
SCONCE LIGHT

Dusk-to-dawn activation with forward projected light

Color Temp
3000K

Description	Sconce Light
Dimensions	1.30"H x 3.00"W x 0.80"D (w/o plug)
Lumens	2
Bulb Type	LED
Operation	Dusk-to-dawn
Model No.	NL-ANLA-N



DELI
SCONCE LIGHT

Dusk-to-dawn activation projects light up and down

Color Temp
3000K

Description	Sconce Light
Dimensions	1.25"H x 2.25"W x 1.05"D (w/o plug)
Lumens	1
Bulb Type	LED
Operation	Dusk-to-dawn
Model No.	NL-DELI-N



TRANSLUCENT
SCREEN LIGHT

Dusk-to-dawn activation with frosted lens projecting a warm white glow

Color Temp
3000K

Description	Night Light
Dimensions	1.30"H x 3.00"W x 0.80"D (w/o plug)
Lumens	2
Bulb Type	LED
Operation	Dusk-to-dawn
Model No.	NL-SCRN



WAVE
TRANSLUCENT
SCREEN LIGHT

Rippled pattern design with dusk-to-dawn activation and three different colors: Blue, Purple and Teal

WHILE SUPPLIES LAST

Color Temp
3000K

Color	Blue	Purple
Dimensions	1.30"H x 3.00"W x 0.80"D	
Lumens	1	
Bulb Type	LED	
Operation	Dusk-to-dawn	
Model No.	NL-WAVE-BL	NL-WAVE-PL



CUBE OUTLET
DUAL USB LIGHT

Dusk-to-dawn activated night light with two USB outlets and one external grounded power outlet

Color Temp
3000K

Description	Night Light/Outlet
Dimensions	1.50"H x 2.75"W x 1.40"D (w/o plug)
Lumens	1
Bulb Type	LED
Operation	Dusk-to-dawn
Amperage (USB)	3.1
Model No.	NL-CUBE-W



OUTLET
ADAPTER LIGHT

Converts one outlet to three grounded outlets with dusk-to-dawn activated night light

Color Temp
3000K

Description	Night Light
Dimensions	7.00"H x 6.00"W x 1.97"D (w/o plug)
Lumens	1
Bulb Type	LED
Operation	Dusk-to-dawn
Model No.	NL-OTAD-W



Use Decoplug to cover unused outlets. Rotate the cover up 180° to use bottom outlet

DECOPLUG™

360° swiveling light head and wide or narrow beam options with four hour auto shut-off

Color Temp

3000K

Design	Tangier	Louver	Floral	Geosquare
Dimensions	4.50"H x 2.75"W x 1.35"L (w/o plug)			
Lumens	2			
Bulb Type	LED			
Operation	Dusk-to-dawn			
Model No. (Finish)	NL-DPTG-W (White) NL-DPTG-N (Nickel) NL-DPTG-DB (Bronze)	NL-DPLV-W (White) NL-DPLV-N (Nickel) NL-DPLV-DB (Bronze)	NL-DPFL-W (White) NL-DPFL-N (Nickel) NL-DPFL-DB (Bronze)	NL-DPGS-W (White) NL-DPGS-N (Nickel)



POWER FAILURE LIGHT

Three-in-one night light, power failure, and flashlight with rechargeable battery, foldable plug, and turns on automatically in low light

Color Temp

3000K

Description	Night Light
Dimensions	5.50"H x 1.95"W x 1.25"D (w/o plug)
Lumens	Night light: 3, Panel light: 40, Flashlight: 20
Bulb Type	LED
Operation	Dusk-to-dawn, manual, power failure
Model No.	NL-PWFL



3-IN-1 MONTAUK
POWER FAILURE LIGHT


An attractive three-in-one night light, power failure, and flashlight with rechargeable battery, foldable plug, that turns on automatically in low light

Color Temp

2700K
Night Light

5000K
Power
Failure

Description	Night Light
Dimensions	4.00"H x 2.67"W x 1.38"D (w/o plug)
Lumens	Night light: 3, Panel light: 100, Flashlight: 100
Bulb Type	LED
Dimming	100% or 50% (In flashlight mode)
Operation	Dusk-to-dawn, manual, power failure
Model No. (Qty)	NL-MNTK-W (1) NL-MNTK-W2 (2)



LED ILLUMINATED ADDRESS LIGHT

Dusk-to-dawn activated address light helps emergency vehicles, guests and delivery drivers find house quickly. Hard wire or use plug-in power adapter (sold separately)

Color Temp

4000K

Description	Address Light	Plug-In Adapter
Dimensions	5.50"L x 10.25"W x 1.10"H	4.00"L x 1.40"W x 1.20"H
Lumens	100	N/A
Voltage	15.25V	15VDC
Mounting	Included mounting screws	N/A
Operation	Dusk-to-dawn	N/A
Model No.	SL-ALWR	SL-ALTR
Included	Vinyl address numbers: 1, 2, 3 (4 each) 4, 5, 6, 7, 8, 9 (3 each), mounting screws	N/A





250 Boulder Drive
Breinigsville, PA 18031
610-336-1330
www.amertac.com

NL_CAT_01_0222_Westek Night Light Catalog