



LIGHTING CATALOG
2022

TABLE OF CONTENTS

BATTERY OPERATED LIGHTING

| | |
|--|-----------|
| PUCK AND BAR LIGHTS | 5 |
| MULTI-COLOR ADJUSTABLE WHITE PUCK & LIGHT BAR..... | 5 |
| ADJUSTABLE WHITE MOTION PUCK & LIGHT BAR..... | 5 |
| ADJUSTABLE WHITE PUCK & LIGHT BAR | 6 |
| COMPACT LED PUCK & LIGHT BAR | 6 |
| USB RECHARGEABLE LIGHT BARS..... | 7 |
| PIVOTING LED REMOTE CONTROLLED PUCK LIGHT..... | 8 |
| PIVOTING LED PUCK LIGHT..... | 8 |
| PIVOTING LED PUCK LIGHT WITH SENSOR..... | 8 |
| GLARE FREE LED PUCK LIGHT WITH REMOTE..... | 8 |
| RUGGED LED PUCK LIGHT..... | 9 |
| LED C.O.B. TASK LIGHT | 9 |
| EVERYWHERE LIGHT | 9 |
| | |
| UTILITY LIGHTS | 10 |
| LED TAP UTILITY LIGHT..... | 10 |
| PULL STRING UTILITY LIGHT | 10 |
| ADJUSTABLE WHITE MOTION CEILING LIGHT..... | 10 |
| MOTION ACTIVATED CEILING LIGHT | 11 |
| MOTION ACTIVATED PATH LIGHT..... | 11 |
| TWO-IN-ONE LED UTILITY LIGHT | 11 |
| | |
| AMBIENCE | 12 |
| COLOR-CHANGING SOFT TOUCH LAMP | 12 |
| DECORATIVE WALL SCONCE WITH REMOTE..... | 13 |
| SWIVELING SPOTLIGHT..... | 13 |
| PICTURE LIGHT WITH REMOTE | 14 |
| FLIPLIGHT | 15 |
| | |
| SECURITY | 16 |
| MOTION SECURITY LIGHT..... | 16 |

NIGHT LIGHTS

| | |
|--|-----------|
| LUMICOVER™ | 18 |
| LUMICOVER CORE CLASSIC OUTLET NIGHTLIGHT WALLPLATE | 18 |
| LUMICOVER CORE DECOR OUTLET NIGHTLIGHT WALLPLATE | 18 |
| LUMICOVER MOTION ACTIVATED NIGHTLIGHT WALLPLATE | 19 |
| LUMICOVER USB OUTLET NIGHTLIGHT WALLPLATE | 19 |
| LUMICOVER POWER FAILURE NIGHTLIGHT WALLPLATE | 19 |
| | |
| NIGHT LIGHTS | 20 |
| TIPI MANUAL SWITCH LIGHT..... | 20 |
| TIPI MANUAL SWITCH LIGHT..... | 20 |
| ARIA CURVE LIGHT..... | 20 |
| ARIA CURVE LIGHT..... | 20 |
| COSMOPOLITAN LIGHT..... | 20 |
| 360° DIRECTIONAL LIGHT | 20 |
| EDISON FILAMENT LED LIGHT..... | 21 |
| INDUSTRIAL CAGE LIGHT..... | 21 |
| CHINOISERIE NIGHT LIGHT..... | 21 |
| QUADRA NIGHT LIGHT | 21 |
| TIN STAR LIGHT..... | 21 |
| MICRO FLOODLIGHT..... | 22 |
| GEOMETRIC MOTION LIGHT | 22 |
| MADISON SHADE LIGHT..... | 22 |
| SENTI MOTION LIGHT | 22 |
| SENTI PUSH BUTTON LIGHT | 22 |
| FOREVER GLO PANEL LIGHT..... | 22 |
| ARCH COLOR-CHANGING LIGHT | 23 |
| VELO COLOR-CHANGING LIGHT | 23 |
| MODO CURVE LIGHT | 23 |
| OLA CURVE LIGHT | 23 |
| ORBIS NEON GUIDE LIGHT | 23 |
| THEATER PATH LIGHT | 23 |
| ANELLA SCONCE LIGHT | 24 |
| DELI SCONCE LIGHT | 24 |
| TRANSLUCENT SCREEN LIGHT | 24 |
| WAVE TRANSLUCENT SCREEN LIGHT | 24 |
| CUBE OUTLET DUAL USB LIGHT | 26 |
| OUTLET ADAPTER LIGHT | 26 |
| DECOPUG™ | 25 |
| POWER FAILURE LIGHT | 26 |
| 3-IN-1 MONTAUK POWER FAILURE LIGHT | 26 |
| LED ILLUMINATED ADDRESS LIGHT | 26 |

UNDER CABINET LIGHTING

UNDER CABINET LIGHT FIXTURES 28

| | |
|---------------------------------------|----|
| WIFI PRO PIVOT..... | 28 |
| LED UNDER CABINET PUCK LIGHT KIT..... | 29 |
| PRO PIVOT..... | 29 |
| ADJUSTABLE WHITE GROW LIGHT..... | 30 |
| PIVOT SERIES..... | 31 |
| CITRO..... | 31 |
| ZIO..... | 31 |
| DECO GLOW..... | 32 |
| SENA..... | 32 |
| MARGO..... | 32 |
| TAVO LIGHT PANEL..... | 33 |
| SELTA..... | 33 |
| LED ULTRA THIN STRIP..... | 33 |

UNDER CABINET PUCK LIGHTS 34

| | |
|--|----|
| WIFI MULTI-COLOR PLUG-IN PUCK..... | 34 |
| ADJUSTABLE WHITE PLUG-IN PUCK WITH REMOTE..... | 35 |
| KBLD..... | 35 |

ROPE & TAPE LIGHTS

ROPE LIGHTS 36

| | |
|---|----|
| LED COLOR-CHANGING ROPE LIGHT KIT..... | 36 |
| LED COOL WHITE ROPE LIGHT KIT..... | 37 |
| INCANDESCENT WARM WHITE ROPE LIGHT KIT..... | 37 |
| LED FLEXIBLE NEON ROPE LIGHT..... | 37 |

TAPE LIGHTS 38

| | |
|--|----|
| WIFI COLOR-CHANGING LIGHT STRIP KIT..... | 38 |
| LED GROW LIGHT STRIP KIT..... | 39 |
| LED COLOR-CHANGING TAPE LIGHT KIT..... | 39 |
| LED WARM WHITE TAPE LIGHT KIT..... | 40 |

TAPE LIGHT ACCESSORIES 40

| | |
|--|----|
| WHITE LED TAPE LIGHT 24 KEY IR REMOTE CONTROL..... | 40 |
| TAPE LIGHT CHANNEL..... | 40 |

MISCELLANEOUS

FLUORESCENT 41

| | |
|----------------------------|----|
| 18" FLUORESCENT LIGHT..... | 41 |
|----------------------------|----|

REPLACEMENT BULBS 41

| | |
|--------------------------------|----|
| 8W FLUORESCENT BULB..... | 41 |
| HALOGEN REPLACEMENT BULBS..... | 41 |
| XENON REPLACEMENT BULBS | 41 |




BATTERY OPERATED
L I G H T I N G

PUCK AND BAR LIGHTS

MULTI-COLOR ADJUSTABLE WHITE PUCK & LIGHT BAR

These color-changing adjustable white puck and bar lights offer multiple features with the ability to choose from nine different colors and three white color temperatures (CCT settings) for optimal customization. Add light in and under cabinets, closets, pantries, laundry rooms, hallways, garages, shelving and more.




| Description | Light Bar | Puck Light |
|-------------------------|--|--|
| Dimensions | 2.85"W x 10.20"H x 1.05"D | 3.37"W x 3.37"H x 1.05"D |
| Lumens | 150 | 80 |
| Runtime | 100 hours | 70 hours |
| Dimming | 100% to 10% | 100% to 10% |
| Batteries (Qty) | AA (6) | AA (3) |
| Mounting | Magnets and steel plates, mounting screws (not included) | Magnets and steel plates |
| Model No. (Qty) | BL-BCLR-W (1) | BL-PCLR-W2 (2) BL-PCLR-W3 (3) BL-PCLR-W6 (6) |
| Remote Control Features | On/off, dimming, timers, color/CCT control | On/off, dimming, timers, color/CCT control |
| Included | Built-in magnet, 3M adhesive backed metal plates, remote control | Built-in magnet, 3M adhesive backed metal plates, remote control |



ADJUSTABLE WHITE MOTION PUCK & LIGHT BAR

These motion activated adjustable white puck and bar lights offer the ability to customize the color temperature of the light with the added convenience of being motion activated. Add light in and under cabinets, closets, pantries, laundry rooms, hallways, garages, shelving and more.



| Description | Light Bar | Puck Light |
|-------------------|--|---|
| Dimensions | 2.85"W x 10.20"H x 1.50"D | 3.37"W x 3.37"H x 1.25"D |
| Lumens | 150 | 80 |
| Runtime | 160 hours | 70 hours |
| Dimming | 100% to 10% | 100% to 10% |
| Batteries (Qty) | AA (6) | AA (3) |
| Mounting | Magnets and steel plates, mounting screws (not included) | Magnets and steel plates |
| Motion Activation | Auto Shut-off, dusk-to-dawn, 12' detection range, pivoting motion sensor | Auto Shut-off, dusk-to-dawn, 12' detection range |
| Model No. (Qty) | BL-BMTN-W (1) | BL-PMTN-W1T (1) BL-PMTN-W2 (2) BL-PMTN-W3 (3) BL-PMTN-W6 (6) |
| Included | Built-in magnet, 3M adhesive backed metal plates | Built-in magnet, 3M adhesive backed metal plates |



ADJUSTABLE WHITE PUCK & LIGHT BAR

These adjustable white puck and bar lights offer the ability to customize the color temperature of the light with the added convenience of an IR remote. Add light in and under cabinets, closets, pantries, laundry rooms, hallways, garages, shelving and more.

| Color Temp |
|------------|
| 3000K |
| 4000K |
| 5000K |



| Description | Light Bar | Puck Light | Remote |
|-------------------------|--|---|-----------------------------|
| Dimensions | 2.85" W x 10.20" H x 1.05" D | 3.37" W x 3.37" H x 1.05" D | 1.25" W x 3.38" H x 0.19" D |
| Lumens | 150 | 80 | - |
| Runtime | 160 hours | 70 hours | - |
| Dimming | 100% to 10% | 100% to 10% | - |
| Batteries (Qty) | AA (6) | AA (3) | CR2025 (1) |
| Mounting | Magnets and steel plates, mounting screws (not included) | Magnets and steel plates | - |
| Model No. (Qty) | BL-BCCT-W (1) | BL-PCCT-W1 (1) BL-PCCT-W2 (2) BL-PCCT-W3 (3) BL-PCCT-W6 (6) | BL-RCCT (1) |
| Remote Control Features | On/off, dimming, timers, adjustable white control | On/off, dimming, timers, adjustable white control | - |
| Included | Built-in magnet, 3M adhesive backed metal plates, remote control | Built-in magnet, 3M adhesive backed metal plates, remote control (not included with BL-PCCT-W1) | - |


COMPACT LED PUCK & LIGHT BAR

These compact puck and bar lights are bright, long lasting, and install quickly and easily for instant light to enhance small spaces. Add light in and under cabinets, closets, pantries, laundry rooms, hallways, garages, shelving and more.

| Color Temp |
|------------|
| 3000K |



| Description | Light Bar | Puck Light |
|-----------------|--|---|
| Dimensions | 8.00" L x 1.80" W x 1.20" H | 2.87" L x 2.87" W x 0.75" H |
| Lumens | 120 | 50 |
| Runtime | 140 hours | 70 hours |
| Dimming | Bright (100%) or dim (50%) | Bright (100%) or dim (50%) |
| Batteries (Qty) | AA (4) | AAA (3) |
| Mounting | 3M tape, included mounting screws | 3M tape, included mounting screws |
| Model No. (Qty) | BL-BUTN-W (1) | BL-PUTN-W2 (2) BL-PUTN-W3 (3) BL-PUTN-W6 (6) |
| Included | 3M adhesive backed metal plates, mounting screws | 3M adhesive backed metal plates, mounting screws, batteries (included with BL-PUTN-W6 ONLY) |



USB RECHARGEABLE LIGHT BARS

The LED USB rechargeable light series offers slim, feature-rich and customizable lighting options at a cost-effective price. Use to enhance small spaces, add light inside, under and above cabinetry, or brighten up work areas.

| Color Temp |
|------------|
| 3000K |
| 4000K |
| 5000K |

| Description | 4" Light Bar | 5" Light Bar | 12" Light Bar |
|-------------------|---|---|---|
| Dimensions | 2.25"W x 4.25"H x 0.73"D | 5.00"W x 5.00"H x 0.75"D | 2.40"W x 11.85"H x 0.73"D |
| Lumens | 65 | 160 | 210 |
| Runtime | 6 hours | 10 hours | 3.2 hours |
| Dimming | Continuous touch 100% to 10% | Continuous touch 100% to 10% | Continuous touch 100% to 10% |
| Batteries | USB rechargeable lithium-ion | USB rechargeable lithium-ion | USB rechargeable lithium-ion |
| Mounting | Magnets and steel plates, included mounting screws | Magnets and steel plates, included mounting screws | Magnets and steel plates, included mounting screws |
| Motion Activation | Auto shut-off, dusk-to-dawn, 12' detection range | Auto shut-off, dusk-to-dawn, 12' detection range | Auto shut-off, dusk-to-dawn, 12' detection range |
| Model No. (Qty) | BL-BAR4RC-2PK (2) | BL-BAR5RC (1) BL-BAR5RC-2PK (2) | BL-BAR12RC (1) BL-BAR12RC-2PK (2) |
| Included | 39" USB micro B charging cables (one cable per light), built-in magnets, metal plates with 3M tape, and mounting screws | 39" USB micro B charging cables (one cable per light), built-in magnets, metal plates with 3M tape, and mounting screws | 39" USB micro B charging cables (one cable per light), built-in magnets, metal plates with 3M tape, and mounting screws |



PIVOTING LED REMOTE CONTROLLED PUCK LIGHT

| Color Temp |
|------------|
| 3000K |

| Description | Puck Light |
|-------------------------|---|
| Dimensions | 3.54" L x 3.54" W x 1.26" H |
| Lumens | 55 |
| Runtime | 18 hours |
| Dimming | 100% to 10% |
| Batteries (Qty) | AAA (3) |
| Mounting | Included mounting screw, hook and loop tape |
| Model No. (Qty) | LPL622WRC (2) |
| Remote Control Features | Timers, dimming |
| Included | Mounting screw, hook and loop tape for mounting, remote control |



PIVOTING LED PUCK LIGHT

| Color Temp |
|------------|
| 3000K |

| Description | Puck Light |
|------------------------|--|
| Dimensions | 3.54" L x 3.54" W x 1.26" H |
| Lumens | 55 |
| Runtime | 18 hours |
| Dimming | 100% to 10% |
| Batteries (Qty) | AAA (3) |
| Mounting | Included mounting screw, hook and loop tape |
| Model No. (Color, Qty) | LPL623 (Grey, 3) LPL623W (White, 3) LPL620 (Grey, 1) LPL620W (White, 1) |
| Included | Mounting screw, hook and loop tape for mounting |



PIVOTING LED PUCK LIGHT WITH SENSOR

| Color Temp |
|------------|
| 3000K |

| Description | Puck Light |
|------------------------|---|
| Dimensions | 3.54" L x 3.54" W x 1.26" H |
| Lumens | 55 |
| Runtime | 18 hours |
| Dimming | 100% to 10% |
| Batteries (Qty) | AAA (3) |
| Mounting | Included mounting screw, hook and loop tape |
| Model No. (Color, Qty) | LPL623XLL (Grey, 3) LPL623WXLL (White, 3) |
| Features | Ambient light sensor |
| Included | Mounting screw, hook and loop tape for mounting |



GLARE FREE LED PUCK LIGHT WITH REMOTE

| Color Temp |
|------------|
| 3000K |

| Description | Puck Light |
|-------------------------|--|
| Dimensions | 3.00" L x 3.00" W x 1.00" H |
| Lumens | 45 |
| Runtime | 18 hours |
| Dimming | 100% to 10% |
| Batteries (Qty) | AAA (3) |
| Mounting | Included mounting screw, double-sided tape |
| Model No. (Qty) | LW2205W-N2 (2) |
| Remote Control Features | Timers |
| Included | Mounting screw, double-sided tape for mounting, remote control |

RUGGED LED PUCK LIGHT


| Color Temp |
|------------|
| 5000K |

| Description | Puck Light |
|-----------------|---|
| Dimensions | 3.60" L x 3.60" W x 1.20" H |
| Lumens | 50 |
| Runtime | 20 hours |
| Dimming | 100% to 10% |
| Batteries (Qty) | AAA (3) |
| Mounting | Rare-earth magnet, included mounting screws |
| Model No. (Qty) | LW2002B-N1 (1) LWRUGGED2-T (2) |
| Features | Tap operation, heavy-duty construction, sure grip coating |
| Included | Mounting screws |

**LED C.O.B. TASK LIGHT**

| Color Temp |
|------------|
| 6000K |

| Description | Dual Light |
|-----------------|----------------------------------|
| Dimensions | 6.89" L x 1.17" W x 0.90" H |
| Lumens | 160 |
| Runtime | 15 hours |
| Batteries (Qty) | AAA (3) |
| Mounting | Magnet, included mounting screws |
| Model No. (Qty) | BARCOB2-T (2) |
| Features | Extra bright COB technology |
| Included | Magnet and mounting screws |

**EVERWHERE LIGHT**

| Color Temp |
|------------|
| 5000K |

| Description | Dual Light |
|-----------------|----------------------------|
| Dimensions | 6.3" L x 1.54" W x 1.06" H |
| Lumens | 45 |
| Runtime | 25 hours |
| Dimming | 100% to 10% |
| Batteries (Qty) | AAA (3) |
| Mounting | Included mounting screws |
| Model No. (Qty) | LW1001W-N1 |
| Features | Three sided lens |
| Included | Mounting screws |



UTILITY LIGHTS



LED TAP UTILITY LIGHT

Color Temp

3000K

| Description | Utility Light |
|-----------------|-----------------------------|
| Dimensions | 3.95" L x 3.95" W x 1.35" H |
| Lumens | 60 |
| Runtime | 100 hours |
| Batteries (Qty) | AA (3) |
| Mounting | Keyhole screw mount |
| Model No. (Qty) | BL-PTAP-W2 (2) |



PULL STRING UTILITY LIGHT

Color Temp

4000K

| Description | Utility Light |
|-----------------|-----------------------------|
| Dimensions | 4.13" L x 4.13" W x 1.25" H |
| Lumens | 90 |
| Runtime | 70 hours |
| Batteries (Qty) | AA (4) |
| Mounting | Included mounting screws |
| Model No. (Qty) | BL-PSTG-W |
| Included | Mounting screws |

ADJUSTABLE WHITE MOTION CEILING LIGHT

The motion activated, adjustable white ceiling light offers the ability to customize the color temperature of the light with the added convenience of being motion activated and remote controlled. Add light to closets, pantries, laundry rooms, garages, sheds, and more.

Color Temp

3000K

4000K

5000K

| Description | Ceiling Light |
|-------------------------|---|
| Dimensions | 5.75" W x 5.75" H x 3.06" D |
| Lumens | 400 |
| Runtime | 2+ years |
| Batteries (Qty) | D (3) |
| Mounting | Included mounting screws and detachable mounting wallplate |
| Motion Activation | Auto shut-off, dusk-to-dawn sensor |
| Model No. (Qty) | BL-CMTN-W (1) |
| Outdoor Rating | IP65 rating, UV resistant |
| Remote Control Features | Dimming, adjustable white color temperature, on/off, timers |
| Included | Mounting screws, remote control |



MOTION ACTIVATED CEILING LIGHT

| Color Temp |
|------------|
| 3000K |

| Description | Ceiling Light |
|-------------------|-------------------------------|
| Dimensions | 5.10" L x 5.10" W x 1.90" H |
| Lumens | 150 |
| Runtime | 45 hours |
| Batteries (Qty) | C (3) |
| Mounting | Included mounting screws |
| Motion Activation | Auto-off, 12' detection range |
| Model No. (Qty) | LG3101W-N1 |
| Included | Mounting screws |



MOTION ACTIVATED PATH LIGHT

| Color Temp |
|------------|
| 3000K |

| Description | Path Light |
|-------------------|----------------------------------|
| Dimensions | 3.03" L x 1.77" W x 2.17" H |
| Lumens | 40 |
| Runtime | 12 months |
| Outdoor Rating | IP44 rating, weather resistant |
| Batteries (Qty) | AAA (3) |
| Mounting | Included mounting screws |
| Motion Activation | Auto-off, dusk-to-dawn |
| Model No. (Qty) | LG3104W-N1 (1) LG3104W-N2 (2) |
| Included | Mounting screws |



2-IN-1 LED UTILITY LIGHT

Use the Work Light setting for illuminating broad areas and switch to Flashlight mode for a functional, tight beam of light.

| Color Temp |
|------------|
| 8500K |

| Description | Utility Light |
|-----------------|-----------------------------------|
| Dimensions | 4.13" L x 2.36" W x 1.50" H |
| Lumens | Work light: 100 Flashlight: 15 |
| Runtime | 15-20 hours |
| Batteries (Qty) | AAA (3) |
| Mounting | Magnet or collapsible hook |
| Model No. (Qty) | LBUTIL1000 (1) |
| Included | 3 AAA batteries |



COLOR-CHANGING SOFT TOUCH LAMP

Westek Soft Touch Lamps are a fun addition to nurseries, bedrooms and dorm rooms. Child friendly features include multiple color modes, an enclosed light base and BPA free, soft, silicone cover.



| Description | Logan the Lion | Finley the Fawn | Holden the Hedgehog |
|-----------------|--|-----------------------------|-----------------------------|
| Dimensions | 4.88" L x 3.91" W x 3.85" D | 5.00" L x 3.60" W x 3.87" D | 3.08" L x 4.08" W x 5.10" D |
| Model No. | NL-RGBLL | NL-RGBFF | NL-RGBHH |
| Lumens | 10 - low 40 - high | | |
| Runtime | 24 hours | | |
| Batteries (Qty) | AAA (3) | | |
| CPC Rating | 0+ | | |
| Modes | Night light mode, slow flash mode, auto fade color mode, single color mode or sleep mode | | |



DECORATIVE WALL SCONCE WITH REMOTE

| Color Temp |
|------------|
| 3000K |
| 4000K |
| 5000K |

| Description | Wall Sconce |
|-------------------------|---|
| Dimensions | 8.00"W x 5.00"H x 4.40"D |
| Lumens | 60 |
| Dimming | 100% to 10% |
| Runtime | 70 hours |
| Batteries (Qty) | AA (6) |
| Mounting | Included mounting screws and detachable wallplate |
| Motion Activation | 4 hour auto shut-off |
| Model No. (Color, Qty) | BL-SCDF-DB2 (Satin bronze, 2) BL-SCDF-MB2 (Matte black, 2) |
| Remote Control Features | Dimming, adjustable white color temperature, on/off, timers |
| Included | Mounting screws, remote control |



Matte Black

Satin Bronze




SWIVELING SPOTLIGHT

360° swiveling light head and wide or narrow beam options with four hour auto shut-off

| Color Temp |
|------------|
| 4000K |

| Description | Spot Light |
|-------------------------|---------------------------------|
| Dimensions | 2.00"W x 3.50"H x 3.50"D |
| Lumens | 100 |
| Runtime | 60 hours |
| Batteries (Qty) | AA (4) |
| Mounting | Included mounting screws |
| Dimming | 100% to 10% |
| Model No. (Qty) | BL-SWVL-W (1) BL-SWVL-W2 (2) |
| Remote Control Features | Dimming, timers |
| Included | Mounting screws, remote control |



PICTURE LIGHT WITH REMOTE

Sold in craft packaging

| Description | 8 Inch Picture Light | 16 Inch Picture Light |
|-------------------------|--|---|
| Dimensions | 8.00" L x 1.63" W x 3.88" H | 16.00" L x 1.63" W x 3.88" H |
| Lumens | 100 | 130 |
| Runtime | 40 hours | 33 hours |
| Dimming | 100%, 80%, 40%, 10% | 100%, 80%, 40%, 10% |
| Batteries (Qty) | C (3) | C (3) |
| Mounting | Included mounting screws | Included mounting screws |
| Remote Control Features | Dimming, timers | Dimming, timers |
| Model No. (Color) | BL-PL8-BK (Satin black) BL-PL8-GD (Satin gold) BL-PL8-N (Satin nickel) | BL-PL16-BK (Satin black) BL-PL16-GD (Satin gold) BL-PL16-N (Satin nickel) |
| Included | Mounting screws, remote control | Mounting screws, remote control |

Color Temp

4000K

16" Satin Black


8" Satin Gold

16" Satin Gold

8" Satin Nickel

16" Satin Nickel





FLIPLIGHT

With patented Low Glow technology and clean, modern style, the FlipLight is ideal for a variety of uses. Use it to cast a soft glow at parties, or keep it bedside as a dual purpose night light. The FlipLight is also a handy travel light, useful in case of emergencies or on the next camping adventure.

| Color Temp |
|------------|
| 3000K |

| Description | FlipLight | Compact FlipLight |
|-----------------|--|--|
| Dimensions | 2.56" L x 2.56" W x 6.65" H | 2.13" L x 2.13" W x 5.67" H |
| Lumens | 200 | 100 |
| Runtime | 1+ year (Low glow mode) | 1+ year (Low glow mode) |
| Dimming | Four preset levels, continuous touch, or low glow mode | Four preset levels, continuous touch, or low glow mode |
| Outdoor Rating | IP44 rating, weather resistant | IP44 rating, weather resistant |
| Modes | Low glow mode, bright task light mode | Low glow mode, bright task light mode |
| Batteries (Qty) | C (3) | AA (3) |
| Model No. | BL-LOFLC | BL-LOFLAA |





MOTION SECURITY LIGHT

Dusk-to-dawn activated motion security lights with auto shut-off after 20 seconds

| Color Temp |
|------------|
| 6000K |

| Description | Compact | Standard |
|-----------------|--------------------------------------|--------------------------------------|
| Dimensions | 4.75" L x 3.50" W x 3.50" D | 7.00" L x 3.50" W x 3.50" D |
| Lumens | 120 | 400/250 |
| Runtime | 44 hours | 20/30 hours |
| Batteries (Qty) | D (2) | D (4) |
| Mounting | Included mounting screws | Included mounting screws |
| Model No. | BL-CMSL | BL-SMSL |
| Outdoor Rating | IP65 rating, water and UV resistance | IP65 rating, water and UV resistance |
| Included | Mounting screws | Mounting screws |





NIGHT LIGHTS



LUMICOVER™
NIGHTLIGHT WALLPLATE

INSTALLS IN SECONDS!

NO WIRING NEEDED!

LUMICOVER CORE CLASSIC OUTLET NIGHTLIGHT WALLPLATE

Dusk-to-dawn activated night light wallplate that keeps outlets clear for use

Color Temp

3000K

| Finish | White | Almond | Nickel | Bronze |
|-----------------|--|-----------------|----------------|-----------------|
| Dimensions | 5.00"H x 3.13"W x 1.25)L | | | |
| Lumens | 1 | | | |
| Power | 120V 60Hz, 0.65W | | | |
| Model No. (Qty) | LCR-CCDO-W (1) LCR-CCDO-W2 (2) LCR-CCDO-W4 (4) | LCR-CCDO-AL (1) | LCR-CCDO-N (1) | LCR-CCDO-DB (2) |



LUMICOVER CORE DECOR OUTLET NIGHTLIGHT WALLPLATE

Dusk-to-dawn activated night light wallplate that keeps outlets clear for use

Color Temp

3000K

| Finish | White | Almond | Nickel | Bronze |
|-----------------|--|-----------------|----------------|-----------------|
| Dimensions | 5.00"H x 3.13"W x 1.25)L | | | |
| Lumens | 1 | | | |
| Power | 120V 60Hz, 0.65W | | | |
| Model No. (Qty) | LCR-CDDO-W (1) LCR-CDDO-W2 (2) LCR-CDDO-W4 (4) | LCR-CDDO-AL (1) | LCR-CDDO-N (1) | LCR-CDDO-DB (2) |



LUMICOVER MOTION ACTIVATED NIGHTLIGHT WALLPLATE

Motion, dusk-to-dawn activated night light wallplate that keeps outlets clear for use




| Configuration | Classic | Decor |
|-----------------|--------------------------|---------------|
| Dimensions | 5.75"H x 3.13"W x 1.63"L | |
| Lumens | 1 | |
| Power | 120V 60Hz, 0.65W | |
| Model No. (Qty) | LCR-MCDO-W (1) | LCR-MDDO-W(1) |



LUMICOVER USB OUTLET NIGHTLIGHT WALLPLATE

USB charger plus dusk-to-dawn activated night light wallplate that keeps outlets clear for use




| Configuration | Classic | Decor |
|-----------------|--------------------------|---------------|
| Dimensions | 5.75"H x 3.13"W x 1.63"L | |
| Lumens | 1 | |
| Amperage (USB) | 3.1 | |
| Power | 120V 60Hz, 20W | |
| Model No. (Qty) | LCR-UCDO-W (1) | LCR-UDDO-W(1) |



LUMICOVER POWER FAILURE NIGHTLIGHT WALLPLATE

Power failure emergency light plus dusk-to-dawn activated night light wallplate that keeps outlets clear for use



| Configuration | Classic | Decor |
|-----------------|--------------------------|---------------|
| Dimensions | 5.75"H x 3.13"W x 1.63"L | |
| Lumens | 1 | |
| Power | 120V 60Hz, 0.65W | |
| Model No. (Qty) | LCR-PCDO-W (1) | LCR-PDDO-W(1) |



NIGHT LIGHTS



TIPI MANUAL SWITCH LIGHT

Manually operated night light with a frosted lens that projects a soft warm glow

| Description | Night Light |
|-----------------|--|
| Dimensions | 3.15" H x 1.60" W x 1.45" D (w/o plug) |
| Lumens | 1 |
| Bulb Type | LED |
| Operation | Manual |
| Model No. (Qty) | NL-TIPI-F (1) NL-TIPI-F2 (2) |



TIPI MANUAL SWITCH LIGHT

Manually operated night light with a clear lens that projects vivid cool light

| Description | Night Light |
|-----------------|--|
| Dimensions | 3.15" H x 1.60" W x 1.45" D (w/o plug) |
| Lumens | 1 |
| Bulb Type | LED |
| Operation | Manual |
| Model No. (Qty) | NL-TIPI-C (1) NL-TIPI-C2 (2) |



ARIA CURVE LIGHT

Dusk-to-dawn activation with a frosted lens that projects a warm white glow

| Description | Night Light |
|-----------------|--|
| Dimensions | 3.15" H x 1.75" W x 1.00" D (w/o plug) |
| Lumens | 1 |
| Bulb Type | LED |
| Operation | Dusk-to-dawn |
| Model No. (Qty) | NL-ARIA-F (1) NL-ARIA-F2 (2) |



ARIA CURVE LIGHT

Dusk-to-dawn activation with a clear lens that projects vivid cool light

| Description | Night Light |
|-----------------|--|
| Dimensions | 3.15" H x 1.75" W x 1.00" D (w/o plug) |
| Lumens | 1 |
| Bulb Type | LED |
| Operation | Dusk-to-dawn |
| Model No. (Qty) | NL-ARIA-C (1) NL-ARIA-C2 (2) |



COSMOPOLITAN LIGHT

Transitional design with dusk-to-dawn activation and a sealed lens that projects a warm glow

| Finish | Bronze | Nickel |
|------------|--|--------------|
| Dimensions | 2.95" H x 1.45" W x 1.70" D (w/o plug) | |
| Lumens | | 5 |
| Bulb Type | | LED |
| Operation | | Dusk-to-dawn |
| Model No. | NL-CSMO-DB | NL-CSMO-N |



360° DIRECTIONAL LIGHT

Dusk-to-dawn activation with 360° direct light rotation

| Description | Night Light |
|-----------------|--|
| Dimensions | 1.60" H x 1.60" W x 1.65" D (w/o plug) |
| Lumens | 1 |
| Bulb Type | LED |
| Operation | Dusk-to-dawn |
| Model No. (Qty) | NL-DRCL-2 (2) |



Color Temp

3000K



Color Temp

3000K



EDISON FILAMENT LED LIGHT

Vintage filament design with dusk-to-dawn activation and three different finishes: Bronze, Nickel and Matte Black

| Color Temp |
|------------|
| 2700K |

| Description | Night Light | Night Light | Night Light | Night Light |
|-----------------|-------------------------------------|-----------------|----------------|-----------------|
| Dimensions | 4.20"H x 1.50"W x 1.50"D (w/o plug) | | | |
| Lumens | 8 | | | |
| Bulb Type | LED | | | |
| Operation | Dusk-to-dawn | | | |
| Finish | Bronze | Bronze | Nickel | Matte Black |
| Model No. (Qty) | NL-EDSN-DB (1) | NL-EDSN-DB2 (2) | NL-EDSN-DN (1) | NL-EDSN-MB2 (2) |

INDUSTRIAL CAGE LIGHT

Retro, vintage design with dusk-to-dawn activation in white or nickel

| Color Temp |
|------------|
| 3000K |

| Color | White | Nickel |
|------------|-------------------------------------|-----------|
| Dimensions | 3.50"H x 1.50"W x 1.00"D (w/o plug) | |
| Lumens | 2 | |
| Bulb Type | LED | |
| Operation | Dusk-to-dawn | |
| Model No. | NL-CAGE-W | NL-CAGE-N |

CHINOISERIE NIGHT LIGHT

Stylish geometric design with dusk-to-dawn activation

| Color Temp |
|------------|
| 3000K |



QUADRA NIGHT LIGHT

Stylish geometric design with dusk-to-dawn activation

| Color Temp |
|------------|
| 3000K |

| Description | Night Light |
|-------------|-------------------------------------|
| Dimensions | 1.50"H x 2.56"W x 2.56"D (w/o plug) |
| Lumens | 1 |
| Bulb Type | LED |
| Operation | Dusk-to-dawn |
| Model No. | NL-GMET |

| Description | Night Light |
|-------------|-------------------------------------|
| Dimensions | 1.50"H x 2.56"W x 2.56"D (w/o plug) |
| Lumens | 1 |
| Bulb Type | LED |
| Operation | Dusk-to-dawn |
| Model No. | NL-GMQD-W |

TIN STAR LIGHT

Dusk-to-dawn activation with incandescent back projected warm white light

| Color Temp |
|------------|
| 3000K |

| Description | Night Light |
|-------------|-------------------------------------|
| Dimensions | 1.50"H x 2.56"W x 2.56"D (w/o plug) |
| Lumens | 2 |
| Bulb Type | Incandescent |
| Operation | Dusk-to-dawn |
| Model No. | NL-TNST-DB |



MICRO FLOODLIGHT

Bright, even COB LED night light with dusk-to-dawn and motion activation

| | Color Temp |
|-------------|-------------------------------------|
| | 4000K |
| Description | Night Light |
| Dimensions | 2.62"H x 2.62"W x 1.50"D (w/o plug) |
| Lumens | 150 |
| Bulb Type | LED |
| Operation | Dusk-to-dawn |
| Model No. | NL-FDLT |



GEOMETRIC MOTION LIGHT

Motion and dusk-to-dawn activation with 60 second auto shut-off

| | Color Temp |
|-------------|-------------------------------------|
| | 3000K |
| Description | Night Light |
| Dimensions | 3.15"H x 1.80"W x 0.80"D (w/o plug) |
| Lumens | 10 |
| Bulb Type | LED |
| Operation | Dusk-to-dawn |
| Model No. | NL-GEOM |



MADISON SHADE LIGHT

Dusk-to-dawn activation with sealed lens projects a warm white glow

| Description | Night Light |
|-----------------|-------------------------------------|
| Dimensions | 3.15"H x 1.80"W x 0.80"D (w/o plug) |
| Lumens | 1 |
| Bulb Type | LED |
| Operation | Dusk-to-dawn |
| Model No. (Qty) | NL-MDSN (1) NL-MDSN-2 (2) |



SENTI MOTION LIGHT

Dual-brightness night light with motion and dusk-to-dawn activation

| | Color Temp |
|-------------|--|
| | 3000K |
| Description | Night Light |
| Dimensions | 2.15"H x 2.50"W x 0.85"D (w/o plug) |
| Lumens | Night light: 2 Motion detection: 10 |
| Bulb Type | LED |
| Operation | Motion, dusk-to-dawn |
| Model No. | NL-SNTI |



SENTI PUSH BUTTON LIGHT

Manual On/Off controlled night light

| | Color Temp |
|-------------|-------------------------------------|
| | 3000K |
| Description | Night Light |
| Dimensions | 2.15"H x 2.50"W x 0.85"D (w/o plug) |
| Lumens | 10 |
| Bulb Type | LED |
| Operation | Manual |
| Model No. | NL-MNTI |



FOREVER GLO PANEL LIGHT

Always-on night light with selectable blue or magenta colored glow



| Color |
|-------|
| Blue |


| Description | Night Light |
|-----------------|-------------------------------------|
| Dimensions | 3.35"H x 2.75"W x 0.50"D (w/o plug) |
| Lumens | 1 |
| Bulb Type | LED |
| Operation | Always-on |
| Model No. (Qty) | NL-GLOW-2 (2) |



ARCH COLOR-CHANGING LIGHT

Always-on night light cycles through six rainbow colors: Red, Orange, Yellow, Green, Blue and Pink


| Description | Night Light |
|-------------|-------------------------------------|
| Dimensions | 3.90"H x 1.70"W x 1.10"D (w/o plug) |
| Lumens | 1 |
| Bulb Type | LED |
| Operation | Always-on |
| Model No. | NL-ARCH-CL |



VELO COLOR-CHANGING LIGHT

Cycle through six rainbow colors: Red, Orange, Yellow, Green, Blue and Pink, or save color

| Description | Night Light |
|-------------|-------------------------------------|
| Dimensions | 2.50"H x 2.50"W x 0.90"D (w/o plug) |
| Lumens | 1-3 |
| Bulb Type | LED |
| Operation | Dusk-to-dawn |
| Model No. | NL-VELO-CL |



MODO CURVE LIGHT

Dusk-to-dawn activation projects light forward in white or nickel

| Color Temp |
|------------|
| 3000K |

| Color | White | Nickel |
|------------|-------------------------------------|-----------|
| Dimensions | 3.70"H x 1.90"W x 0.70"D (w/o plug) | |
| Lumens | 1 | |
| Bulb Type | LED | |
| Operation | Dusk-to-dawn | |
| Model No. | NL-MODO-W | NL-MODO-N |



OLA CURVE LIGHT

Dusk-to-dawn activation with a classic white and nickel finish to match decor

| Color | Nickel | White |
|------------|-------------------------------------|-----------|
| Dimensions | 3.70"H x 2.00"W x 1.00"D (w/o plug) | |
| Lumens | 3 | |
| Bulb Type | LED | |
| Operation | Dusk-to-dawn | |
| Model No. | NL-OLAA-N | NL-OLAA-W |

ORBIS NEON GUIDE LIGHT

Always-on neon white path light

| Color Temp |
|------------|
| 3000K |

| Description | Path Light |
|-----------------|-------------------------------------|
| Dimensions | 1.20"H x 1.20"W x 0.75"D (w/o plug) |
| Lumens | 1 |
| Bulb Type | LED |
| Operation | Always-on |
| Model No. (Qty) | NL-ORBS-2 (2) |

THEATER PATH LIGHT

Dusk-to-dawn activation with downward projected warm white light in white or nickel

| Color Temp |
|------------|
| 3000K |



ANELLA SCONCE LIGHT

Dusk-to-dawn activation with forward projected light

| Description | Sconce Light |
|-------------|-------------------------------------|
| Dimensions | 1.30"H x 3.00"W x 0.80"D (w/o plug) |
| Lumens | 2 |
| Bulb Type | LED |
| Operation | Dusk-to-dawn |
| Model No. | NL-ANLA-N |

DELI SCONCE LIGHT

Dusk-to-dawn activation projects light up and down

| Description | Sconce Light |
|-------------|-------------------------------------|
| Dimensions | 1.25"H x 2.25"W x 1.05"D (w/o plug) |
| Lumens | 1 |
| Bulb Type | LED |
| Operation | Dusk-to-dawn |
| Model No. | NL-DELI-N |

TRANSLUCENT SCREEN LIGHT

Dusk-to-dawn activation with frosted lens projecting a warm white glow

| Description | Night Light |
|-------------|-------------------------------------|
| Dimensions | 1.30"H x 3.00"W x 0.80"D (w/o plug) |
| Lumens | 2 |
| Bulb Type | LED |
| Operation | Dusk-to-dawn |
| Model No. | NL-SCRN |



WAVE TRANSLUCENT SCREEN LIGHT

Rippled pattern design with dusk-to-dawn activation and three different colors: Blue, Purple and Teal

WHILE SUPPLIES LAST

| Color | Blue | Purple |
|------------|--------------------------|------------|
| Dimensions | 1.30"H x 3.00"W x 0.80"D | |
| Lumens | 1 | |
| Bulb Type | LED | |
| Operation | Dusk-to-dawn | |
| Model No. | NL-WAVE-BL | NL-WAVE-PL |



CUBE OUTLET DUAL USB LIGHT

Dusk-to-dawn activated night light with two USB outlets and one external grounded power outlet

| Description | Night Light/Outlet |
|----------------|-------------------------------------|
| Dimensions | 1.50"H x 2.75"W x 1.40"D (w/o plug) |
| Lumens | 1 |
| Bulb Type | LED |
| Operation | Dusk-to-dawn |
| Amperage (USB) | 3.1 |
| Model No. | NL-CUBE-W |



OUTLET ADAPTER LIGHT

Converts one outlet to three grounded outlets with dusk-to-dawn activated night light

| Description | Night Light |
|-------------|-------------------------------------|
| Dimensions | 7.00"H x 6.00"W x 1.97"D (w/o plug) |
| Lumens | 1 |
| Bulb Type | LED |
| Operation | Dusk-to-dawn |
| Model No. | NL-OTAD-W |

Use Decoplug to cover unused outlets. Rotate the cover up 180° to use bottom outlet




Tangier



Louver



Floral



Geosquare

DECOPUG™

360° swiveling light head and wide or narrow beam options with four hour auto shut-off

| |
|------------|
| Color Temp |
| 3000K |

| Design | Tangier | Louver | Floral | Geosquare |
|--------------------|--|--|--|---|
| Dimensions | | 4.50"H x 2.75"W x 1.35"L (w/o plug) | | |
| Lumens | | | 2 | |
| Bulb Type | | | LED | |
| Operation | | | Dusk-to-dawn | |
| Model No. (Finish) | NL-DPTG-W (White) NL-DPTG-N (Nickel) NL-DPTG-DB (Bronze) | NL-DPLV-W (White) NL-DPLV-N (Nickel) NL-DPLV-DB (Bronze) | NL-DPFL-W (White) NL-DPFL-N (Nickel) NL-DPFL-DB (Bronze) | NL-DPGS-W (White) NL-DPGS-N (Nickel) |



POWER FAILURE LIGHT

Three-in-one night light, power failure, and flashlight with rechargeable battery, foldable plug, and turns on automatically in low light

| Color Temp |
|------------|
| 3000K |

| Description | Night Light |
|-------------|---|
| Dimensions | 5.50" H x 1.95" W x 1.25" D (w/o plug) |
| Lumens | Night light: 3, Panel light: 40, Flashlight: 20 |
| Bulb Type | LED |
| Operation | Dusk-to-dawn, manual, power failure |
| Model No. | NL-PWFL |



3-IN-1 MONTAUK POWER FAILURE LIGHT

An attractive three-in-one night light, power failure, and flashlight with rechargeable battery, foldable plug, that turns on automatically in low light

| Color Temp |
|------------------------|
| 2700K Night Light |
| 5000K Power Failure |

| Description | Night Light |
|-----------------|---|
| Dimensions | 4.00" H x 2.67" W x 1.38" D (w/o plug) |
| Lumens | Night light: 3, Panel light: 100, Flashlight: 100 |
| Bulb Type | LED |
| Dimming | 100% or 50% (In flashlight mode) |
| Operation | Dusk-to-dawn, manual, power failure |
| Model No. (Qty) | NL-MNTK (1) NL-MNTK-2 (2) |




LED ILLUMINATED ADDRESS LIGHT

Dusk-to-dawn activated address light helps emergency vehicles, guests and delivery drivers find house quickly. Hard wire or use plug-in power adapter (sold separately)

| Color Temp |
|------------|
| 4000K |

| Description | Address Light | Plug-In Adapter |
|-------------|---|-----------------------------|
| Dimensions | 5.50" L x 10.25" W x 1.10" H | 4.00" L x 1.40" W x 1.20" H |
| Lumens | 100 | N/A |
| Voltage | 15.25V | 15VDC |
| Mounting | Included mounting screws | N/A |
| Operation | Dusk-to-dawn | N/A |
| Model No. | SL-ALWR | SL-ALTR |
| Included | Vinyl address numbers: 1, 2, 3 (4 each) 4, 5, 6, 7, 8, 9 (3 each), mounting screws | N/A |





UNDER CABINET L I G H T I N G

UNDER CABINET LIGHT FIXTURES

NEW
FOR
2022



WIFI PRO PIVOT

The WiFi Pro Pivot fills the need for a customizable under cabinet lighting solution. The WiFi app is used to adjust the color temperature to the perfect warm or cool light setting. Paired with the 60° pivoting lens that perfectly positions the beam, customization is easy. Aluminum housing and the hard wire option round out the premium feature set.

| Color Temp |
|------------|
| 3000K |
| 4000K |
| 5000K |

| Model No. | PPCCT-L12W-WIFI | PPCCT-L18W-WIFI |
|--------------|---|-----------------|
| Length | 12" | 18" |
| Lumens | 700 | 1080 |
| Linking | Up to 15 units | |
| Dimming | 100% to 10% | |
| Installation | Direct wire or plug-in | |
| Mounting | Included mounting screws | |
| Housing | Powder-coated aluminum | |
| WIFI | Wireless Type 2.4 GHz, 802.11b/g/n Compatible with Apple iOS 8 or higher and Android 4.1 or higher Not compatible with 5GHz network | |
| Included | Mounting hardware, 5' power cord, 12" linking cord, and hardwire kit | |

Download the Westek App:



Works with Hey Google or
Amazon Alexa





PRO PIVOT

Featuring a 60° pivoting lens, durable aluminum housing, adjustable white control, and the option for hard wiring, the Pro Pivot under cabinet light offers a high-lumen solution to suit any application

| Color Temp |
|------------|
| 3000K |
| 4000K |
| 5000K |

| Model No. | PPCCT-L09W | PPCCT-L12W | PPCCT-L18W | PPCCT-L24W | PPCCT-L36W |
|--------------|--|------------|------------|------------|------------|
| Length | 9.5" | 12" | 18" | 24" | 36" |
| Lumens | 485 | 700 | 1080 | 1290 | 1940 |
| Linking | 15 Units | 15 Units | 15 Units | 10 Units | 10 Units |
| Dimming | 100% to 10% with external dimmer (not included) | | | | |
| Installation | Direct wire or plug-in | | | | |
| Mounting | Included mounting screws | | | | |
| Housing | Powder-coated aluminum | | | | |
| Included | Mounting hardware, 5' power cord, 12" linking cord, and hardwire kit | | | | |

KERN

Direct wire to house's power or plugged in with the included cords if a wall outlet is more convenient. The slotted holes allow for easy and seamless mounting directly through the housing and the included linking cords and end-to-end connector allow you to link units for longer stretches of cabinetry

| Color Temp |
|------------|
| 3000K |

| Model No. | KERN-L12W-N1 | KERN-L16W-N1 | KERN-L22W-N1 | KERN-L30W-N1 |
|--------------|---|--------------|--------------|--------------|
| Length | 12" | 16" | 22" | 30" |
| Lumens | 212 | 351 | 707 | 884 |
| Linking | 60 Units | 30 Units | 20 Units | 15 Units |
| Dimming | 100% to 10% with external dimmer (not included) | | | |
| Installation | Direct wire or plug-in | | | |
| Mounting | Included mounting screws | | | |
| Housing | Powder-coated aluminum | | | |
| Included | Mounting hardware, 5' power cord, 12" linking cord, and electrical wire fitting | | | |




**NEW
FOR
2022**




ADJUSTABLE WHITE GROW LIGHT

- Full spectrum 4000K white grow light fuels plant growth without the harsh red and blue colors of traditional grow lights
- Additionally, the 4000K grow light mode also functions as a standard white under cabinet light
- The 3000K mode functions strictly as a traditional under cabinet light and does not support plant growth
- Pivots 60° front to back to allow for precise positioning of the lens angle



HOW IT WORKS




Traditional grow lights utilize blue light waves to promote foliage growth and red waves to promote flowering

Traditional under cabinet lights use the middle of the spectrum to provide either cool or warm white lighting.

*Not exact or specific. For general illustration purposes only.


WESTEK FULL SPECTRUM GROW LIGHT**



Westek grow lights offer a full spectrum option that looks like a standard white light while providing the growth benefits of both red and blue light waves at the same time.

**Actual test results

| Model No. | GROWCCT-L12-L | GROWCCT-L18-L |
|--------------|--|---------------|
| Length | 12" | 18" |
| Lumens | 400 | 650 |
| Watts | 5 | 8 |
| Linking | 240 watts max | |
| Installation | Plug-in | |
| Mounting | Included mounting screws | |
| Included | Mounting hardware, 5' power cord, 12" linking cord | |



PIVOT SERIES

Pivot series under cabinet lights pivots 60° front to back, to allow for precise positioning of the light, and can be set to full or half brightness

| Color Temp |
|------------|
| 3000K |
| 4000K |
| 5000K |

| Model No. | PIV85CCT-L09 | PIV85CCT-L12 | PIV85CCT-L18 | PIV85CCT-L22 | PIV85CCT-L32 |
|--------------|--------------|--------------|--|--------------|--------------|
| Length | 9.5" | 12" | 18" | 22" | 32" |
| Lumens | 290 | 375 | 645 | 810 | 1185 |
| Linking | 20 Units | 20 Units | 15 Units | 10 Units | 10 Units |
| Dimming | | | 100% or 50% | | |
| Installation | | | Plug-in | | |
| Mounting | | | Included mounting screws | | |
| Housing | | | Plastic | | |
| Included | | | Mounting hardware, 5' power cord, 12" linking cord | | |



CITRO

The Citro under cabinet light features a slim, 3/4" profile, bar-to-bar linking, and dimming capabilities through an external dimmer making it ideal for workshops, garages, cabinetry, and more

| Color Temp |
|------------|
| 3000K |

| Model No. | CTRO2-L12W | CTRO2-L16W | CTRO2-L22W | CTRLINK12 | CTRLINK24 | Accessories compatible with Citro under cabinet light bars only | |
|--------------|---|------------|------------|-----------|-----------|---|--|
| Length | 12" | 16" | 22" | 12" | 24" | | |
| Lumens | 300 | 400 | 700 | - | - | | |
| Linking | 28 Units | 20 Units | 12 Units | | | | |
| Dimming | 100% to 10% with external dimmer (not included) | | | | | | |
| Installation | Plug-in | | | | | | |
| Mounting | Included mounting screws | | | | | | |
| Housing | Plastic | | | | | | |
| Included | Mounting hardware, 5' power cord, 8" linking cord, and end-to-end connector | | | | | | |



ZIO

| Color Temp |
|------------|
| 3000K |

| Model No. | ZIO-L15W-N1 |
|--------------|--|
| Length | 15" |
| Lumens | 420 |
| Linking | 20 units |
| Dimming | 100% to 10% with external dimmer (not included) |
| Installation | Plug-in |
| Mounting | Included mounting screws |
| Housing | Plastic |
| Included | Mounting hardware, 5' power cord, 12" linking cord |

DECO GLOW

Add a designer touch to kitchens and bar areas with the Deco Glow under cabinet light. The unique dropped lens incorporates contemporary design while dispersing a soft glow, and a range of five white temperature settings will satisfy a range of lighting requirements.

| Model No. | DWSNCCT-L12 | DWSNCCT-L18 |
|--------------|--|-------------|
| Length | 12" | 18" |
| Lumens | 420 | 620 |
| Linking | 240 watts (up to 43 12" units) | |
| Dimming | 100% to 10% continuous | |
| Installation | Plug-in | |
| Mounting | Included mounting screws | |
| Housing | Plastic | |
| Included | Mounting hardware, 5' power cord, 12" linking cord | |

| Color Temp |
|------------|
| 2700K |
| 3000K |
| 3500K |
| 4000K |
| 5000K |



SENA

| Model No. | SENA-L12W-N1 | SENA-L18W-N1 | SENA-L24W-N1 |
|--------------|---|--------------|--------------|
| Length | 12" | 18" | 24" |
| Lumens | 719 | 1056 | 1453 |
| Dimming | 100% to 10% with external dimmer (not included) | | |
| Installation | Plug-in | | |
| Mounting | Included mounting screws | | |
| Housing | Plastic | | |
| Included | Mounting hardware, 5' power cord | | |

| Color Temp |
|------------|
| 3000K |

MARGO

| Model No. | MRGO-L12W-N1 | MRGO-L16W-N1 | MRGO-L24W-N1 |
|--------------|--|--------------|--------------|
| Length | 12" | 16" | 24" |
| Lumens | 402 | 612 | 776 |
| Linking | 32 Units | 20 Units | 16 Units |
| Dimming | 100% to 10% with external dimmer (not included) | | |
| Installation | Plug-in | | |
| Mounting | Included mounting screws | | |
| Housing | Aluminum | | |
| Included | Mounting hardware, 5' power cord, 12" linking cord | | |

| Color Temp |
|------------|
| 3000K |

TAVO LIGHT PANEL

WaveOn technology turns light on/off and controls dimming. Smart controller remembers dim setting.

| Color Temp |
|------------|
| 3000K |



| Model No. | TAVO-L09W-N2 | TAVO-L18W-N1 | TAVO-L09S-N2 | TAVO-L18S-N1 |
|--------------|--|--------------|--------------|--------------|
| Length | 9" | 18" | 9" | 18" |
| Lumens | 250 | 550 | 250 | 550 |
| Quantity | 2 | 1 | 2 | 1 |
| Color | White | White | Silver | Silver |
| Linking | 3 units | | | |
| Dimming | 100% to 50% | | | |
| Installation | Plug-in | | | |
| Mounting | Included mounting screws | | | |
| Housing | Plastic | | | |
| Included | Mounting hardware, 6' power cord, 20" linking cord | | | |



SELTA

WaveOn technology turns light on/off and controls dimming. Smart controller remembers dim setting.

| Color Temp |
|------------|
| 4000K |

| Model No. | SLTA-L09S-N2 | SLTA-L18S-N1 |
|--------------|--|--------------|
| Length | 9" | 18" |
| Lumens | 360 | 720 |
| Quantity | 2 | 1 |
| Linking | Up to 27" or 54" | |
| Dimming | 100% to 50% | |
| Installation | Plug-in | |
| Mounting | Included mounting screws | |
| Housing | Plastic | |
| Included | Mounting hardware, 6' power cord, 20" linking cord | |

LED ULTRA THIN STRIP

| Color Temp |
|------------|
| 3000K |

| Model No. | USL30HBCC | USL11HBCC |
|--------------|----------------------------------|-----------|
| Length | 30 in | 11 in |
| Lumens | 184 | 184 |
| Quantity | 3 | 1 |
| Linking | Up to 6 strips | |
| Installation | Plug-in | |
| Mounting | Included mounting screws | |
| Housing | Plastic | |
| Included | Mounting hardware, 6' power cord | |

UNDER CABINET PUCK LIGHTS

NEW
FOR
2022



WIFI MULTI-COLOR PLUG-IN PUCK

- Wave sensor allows you to turn on/off and set brightness with the wave of a hand
- Manage WiFi operation via the Westek app, including infinite color selection
- Each light includes 3 interchangeable colored rings to match your decor (white, black, and bronze)

| Color Temp |
|-------------|
| 2700K |
| 3000K |
| 3500K |
| 4000K |
| 5000K |
| Multi-Color |



Black Bronze White
Choose the color that matches your decor

Download the Westek App:




Works with Hey Google or Amazon Alexa



- Create customized programs & schedules
- Adjust brightness and color temperature

Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates. Google and Google Play are trademarks of Google LLC.

| Model No. | PIP-RGB-WIFI | PIP-RGB-A (EXPANSION) |
|------------|---|--|
| Dimensions | 4.00"W x 4.00"H x 0.70"D | 4.00"W x 4.00"H x 0.70"D |
| Lumens | 300 per puck | 300 |
| Quantity | 3 | 1 |
| Dimming | 100% to 1% | |
| Linking | Up to 6 pucks | |
| WIFI | Wireless Type 2.4 GHz, 802.11b/g/n Compatible with Apple iOS 8 or higher and Android 4.1 or higher Not compatible with 5GHz network | |
| Mounting | 3M adhesive tape | |
| Motion | Wave to activate/set brightness | |
| Included | 3 puck lights, power adapter, white, bronze, and black bezel options, WiFi module with wave sensor | 1 puck light, white, bronze, and black bezel options |



ADJUSTABLE WHITE PLUG-IN PUCK WITH REMOTE

- Dual-Control: Wave your hand to power the lights on/off or set brightness, or use the included RF remote control to control your lights through walls and around corners
- Each light includes 3 interchangeable colored rings to match your decor (white, black, and bronze)

| Color Temp |
|------------|
| 2700K |
| 3000K |
| 3500K |
| 4000K |
| 5000K |

| Model No. | USLM-PIP-RF | PIP-RGB-A (EXPANSION) |
|-------------------------|---|--|
| Dimensions | 4.00"W x 4.00"H x 0.70"D | 4.00"W x 4.00"H x 0.70"D |
| Lumens | 300 per puck | 300 |
| Quantity | 3 | 1 |
| Dimming | 100% to 10% | |
| Linking | Up to 6 pucks | |
| Mounting | 3M adhesive tape | |
| Motion | Wave to activate/set brightness | |
| Remote Control Features | Dimming, timers, adjustable white color temperature | |
| Included | 3 puck lights, power adapter, white, bronze, and black bezel options, remote control, wave sensor | 1 puck light, white, bronze, and black bezel options |



LED UNDER CABINET PUCK LIGHT KIT

| Color Temp |
|------------|
| 3000K |

| Model No. | KBLD-L3B-N1 | KBLD-L5B-N1 | KBLD-L3W-N1 | KBLD-L5W-N1 |
|--------------|--|--------------------------|--------------------------|--------------------------|
| Dimensions | 2.70"W x 2.70"H x 1.00"D | 2.70"W x 2.70"H x 1.00"D | 2.70"W x 2.70"H x 1.00"D | 2.70"W x 2.70"H x 1.00"D |
| Lumens | 710 | 1190 | 710 | 1190 |
| Quantity | 3 | 5 | 3 | 5 |
| Color | Black | Black | White | White |
| Linking | Up to 60 pucks | | | |
| Installation | Plug-in | | | |
| Mounting | Included mounting screws | | | |
| Housing | Plastic | | | |
| Included | Mounting hardware, 6' power cord, 12" linking cord | | | |



LED COLOR-CHANGING ROPE LIGHT KIT

- 17 Key IR Remote
- Eight colors plus multi-color
- Four motion modes
- Speed control



| Model No. | LROPE12RGB |
|----------------|---|
| Length | 12' |
| Outdoor Rating | IP44 rating, weather resistant |
| Linking | Up to 180ft |
| Installation | Plug-in |
| Mounting | Included mounting clips and cable ties |
| Housing | Heavy duty clear PVC tubing |
| Included | Remote control, 12' LED rope light with 2' power cord with 5A fuse and spare, mounting clips and cable ties |



LED COOL WHITE ROPE LIGHT KIT

| Model No. | LROPE6W | LROPE12W | LROPE24W | LROPE48W | Color Temp |
|----------------|---|----------|----------|----------|------------|
| | | | | | 4500K |
| Length | 6' | 12' | 24' | 48' | |
| Lumens | 67 | 140 | 280 | 565 | |
| Outdoor Rating | IP44 rating, weather resistant | | | | |
| Linking | Up to 300ft | | | | |
| Installation | Plug-in | | | | |
| Mounting | Included mounting clips and cable ties | | | | |
| Housing | Heavy duty clear PVC tubing | | | | |
| Included | LED rope light with 2' power cord with 5A fuse and spare, mounting clips and cable ties | | | | |



INCANDESCENT WARM WHITE ROPE LIGHT KIT

| Model No. | ROPE6WW | ROPE12WW | ROPE24WW | ROPE48WW | Color Temp |
|----------------|---|----------|----------|----------|------------|
| | | | | | 2000K |
| Length | 6' | 12' | 24' | 48' | |
| Lumens | 20 | 40 | 80 | 160 | |
| Outdoor Rating | IP44 rating, weather resistant | | | | |
| Linking | Up to 186ft | | | | |
| Installation | Plug-in | | | | |
| Mounting | Included mounting clips and cable ties | | | | |
| Housing | Heavy duty clear PVC tubing | | | | |
| Included | LED rope light with 6' power cord with 5A fuse and spare, mounting clips and cable ties | | | | |



LED FLEXIBLE NEON ROPE LIGHT


| Model No. | NEONBL4M | NEONR4M | NEONW4M | NEONWW4M |
|----------------|---|---------|------------|------------|
| Length | 13' | 13' | 13' | 13' |
| Lumens | 700 | 700 | 700 | 700 |
| Color/Temp | Blue | Red | Cool White | Warm White |
| Outdoor Rating | IP44 rating, weather resistant | | | |
| Linking | Up to 180ft | | | |
| Installation | Plug-in | | | |
| Mounting | Included mounting clips and cable ties | | | |
| Housing | Heavy duty tubing | | | |
| Included | LED rope light with 2' power cord with 5A fuse and spare, mounting clips and cable ties | | | |





WIFI COLOR-CHANGING LIGHT STRIP KIT

- Control from the included 24 key IR remote, or pair to WiFi and use the Westek App via your smart device
- Motion modes include 8 presets plus audio sensitive music mode that reacts to sound and the pulse of music



| Model No. | TAPE10RCWF-T |
|----------------|---|
| Length | 32.8' (2+16.4') |
| Dimming | 100% to 1% |
| Installation | Plug-in/cuttable |
| Mounting | 3M adhesive backed |
| WIFI | Wireless Type 2.4 GHz, 802.11b/g/n Compatible with Apple iOS8 or higher and Android 4.1 or higher Not compatible with 5GHz networks |
| Outdoor Rating | IP44 rating, weather resistant (Tape only) |
| Included | (2) 16.4' light strips, remote control, dual-outlet WiFi controller, plug-in power adapter with 5' cord |

Download the Westek App:



Works with Hey Google or
Amazon Alexa





- Create customized programs & schedules
- Adjust brightness and color temperature

Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates. Google and Google Play are trademarks of Google LLC.

LED GROW LIGHT STRIP KIT

- Full-spectrum grow light
- Growth augmenting red and blue lights
- Promotes flowers and foliage growth



NEW
FOR
2022



| Model No. | TAPE4GROW-T |
|----------------|---|
| Length | 12' |
| Installation | Plug-in/cuttable |
| Mounting | 3M adhesive back |
| Outdoor Rating | IP65 rating, water and UV resistance (Tape only) |
| Included | 12' tape light, plug-in power adapter |



LED COLOR-CHANGING TAPE LIGHT KIT

- 15 colors plus white
- Four motion modes



| Model No. | LTAPE2MRGB-T | LTAPE4MRGB-T |
|----------------|---|--|
| Length | 6.6' | 13' |
| Dimming | 100% to 10% with remote | |
| Installation | Plug-in/cuttable | |
| Mounting | 3M adhesive back | |
| Outdoor Rating | IP44 rating, weather resistant (Tape only) | |
| Included | 6.6' tape light, remote control, linking connector, power splitter, IR controller, plug-in power adapter with 5' cord | 13' tape light, remote control, linking connector, power splitter, IR controller, plug-in power adapter with 5' cord |



LED WARM WHITE TAPE LIGHT KIT


- High density lighting for more lumens per meter
- Optional remote control is available for a more custom lighting experience (LTAPEREMW)

| Color |
|-------|
| 3000K |



| Model No. | LTAPE2M-T | LTAPE4M-T |
|----------------|--|---|
| Length | 6.6' | 13' |
| Dimming | 100% to 10% with remote (not included) | |
| Installation | Plug-in/cuttable | |
| Mounting | 3M adhesive back | |
| Outdoor Rating | IP44 rating, weather resistant (Tape Only) | |
| Included | 6.6' tape light, linking connector, power splitter, plug-in power adapter with 5' cord | 13' tape light, linking connector, power splitter, plug-in power adapter with 5' cord |

TAPE LIGHT ACCESSORIES



WHITE LED TAPE LIGHT 24 KEY IR REMOTE CONTROL

| Model No. | LTAPEREMW |
|---------------|-------------------------------------|
| Compatibility | LTAPE2M-T, LTAPE4M-T |
| Dimming | 10 dimming modes |
| Motion | 10 motion modes |
| Included | Remote control, dual power splitter |



ALUMINUM TAPE LIGHT CHANNEL

Flexible, aluminum light channel offers a more durable mounting solution while diffusing harsh light and dissipating heat, extending LED life.

| Model No. | CHNL20X4-T |
|---------------|--|
| Compatibility | Compatible with all Westek tape lights and other tape lights up to 0.45" width |
| Length | 20" |
| Quantity | 4 pack |
| Included | (4) 20" tape light channels, (8) stainless steel brackets, (8) mounting screws, (8) end caps |

FLUORESCENT



18" FLUORESCENT LIGHT

- Plug-in application
- Simple on/off switch operation
- Dimmable (by external fixtures)
- Frosted diffuser
- Replaceable 15W, F15 T8 bulb
- Integrated 5' power cord
- Warm white (2700K) light
- Includes mounting hardware

| Model No. |
|------------|
| FA356HBWCC |

REPLACEMENT BULBS



8W FLUORESCENT BULB

- T8 bulb type
- 3000K warm white light

| Model No. | Watts | Length | Lumens |
|-----------|-------|--------|--------|
| FA100WBC | 8 | 10.5" | 465 |
| FA200WBC | 16 | 17" | 860 |

ALV00XB DIMENSIONS



LB25B DIMENSIONS



HALOGEN REPLACEMENT BULBS

| • 120V | Model No. | Watts | Qty |
|---------------|-----------|-------|-----|
| • JCDGY8 type | ALV00XB | 20 | 2 |
| • G8 base | LB25B | 25 | 1 |



XENON REPLACEMENT BULBS

| • 20W | Model No. | Volts | Qty |
|-----------|-----------|-------|-----|
| • Type 3 | XC300XW | 12 | 1 |
| • G4 base | XP02XB | 12 | 2 |



250 Boulder Drive
Breinigsville, PA 18031
610-336-1330
www.amertac.com