



HALEX®

BEYOND THE CURRENT

Full-Line Catalog



PRODUCT CATALOG

JANUARY 2026

TABLE OF CONTENTS

Catalog Parts Numbering System	1
Online Features.....	2

UNIVERSAL STRAPS

One and Two Hole Straps	4
-------------------------------	---

ELECTRICAL METALLIC TUBING FITTINGS

Set-Screw Connectors	6-7
Set-Screw Couplings	8-9
Compression Connectors.....	10-11
Compression Couplings.....	12-13
Rain Tight Compression Connectors	14
Rain Tight Compression Couplings.....	15
EMT-To-Flex Combination Couplings.....	16
EMT Insulation Bushings.....	16
EMT-To-Rigid Combination Couplings	16
EMT-To-Non-Metallic Combination Couplings ...	17
EMT-To-Box Offset Connectors - Set-Screw Type	17
EMT-To-Box Offset Connectors - Compression Type.....	17
EMT-To-EMT Pull Elbows.....	18
EMT-To-Box Pull Elbows	18
EMT / Rigid-To-EMT / Rigid Combination Elbows.....	18
EMT / Rigid-To-Box Combination Elbows	18
EMT-To-EMT Inside-Corner Pull Elbows	19
90° Compression Elbows - Short Radius.....	19
90° Compression Elbows - Large Radius.....	19
90° Set-Screw Elbows - Large Radius	19
90° Elbows.....	20
45° Elbows.....	20
Speed Thread One Hole Strap	21
One-Hole Straps.....	22
Two-Hole Straps.....	23
Drive Straps	24
EMT / Rigid Combo Conduit Bodies.....	25-26

FLEXIBLE METALLIC CONDUIT FITTINGS

Screw-In Connectors	28
Screw-In Couplings	29
Set-Screw Connectors	29
Saddle Connectors.....	29
Squeeze Connectors	30
AC (BX) Connectors	31
Clamp-Combination Connectors	31
Duplex Connectors.....	31
Flex-To-EMT Combination Couplings	32
MC Snap-In Connectors	32
MC Snap-In Duplex Connector	32
Cut-In Snap Lock Connector.....	32
MC-AC-Flex Double Snap Connector	33
90° Connectors.....	33
AC / MC One-Hole Strap.....	34
Anti-Short Bushings	34

NON-METALLIC SHEATHED CABLE FITTINGS

Push-In Cable Connectors.....	36
Plastic Cable Connectors.....	36
Clamp Connectors.....	37
Clamp Connectors - Service Entrance.....	37
Clamp Connectors - Snap-In	38
Clamp Connectors - Two-Piece	38
Clamp Connectors - Combination	38
Saddle Connectors.....	39
Duplex Connectors.....	39
Water-Tight UF Connectors.....	39
EMT-To-Non-Metallic Combination Couplings ...	40
One-Hole Straps.....	40

LIQUID-TIGHT CONDUIT FITTINGS

Straight Liquid Tight Connectors - One-Piece	42
Straight Liquid Tight Connectors - Multi-Piece....	42

90° Liquid Tight Connectors - One-Piece	43
90° Liquid Tight Connectors - Multi-Piece	43
Straight Liquid Tight Connectors	44
45° Liquid Tight Connectors	44
90° Liquid Tight Connectors	45
Straight Quick-Set Liquid Tight Connectors	45
90° Quick-Set Liquid Tight Connectors	46
Screw-In Couplings	46

RIGID CONDUIT FITTINGS

AC Whip	46
Set-Screw Connectors	48
Set-Screw Couplings	49
Compression Connectors.....	49-50
Compression Couplings.....	50-51
Rigid-To-EMT Couplings	51
Rigid Three-Piece Couplings	51
Aluminum Couplings.....	52
Rigid Couplings.....	52
Rigid To Rigid Pull Elbows	52
EMT/Rigid-To-EMT/Rigid Combo Elbows.....	52
EMT/Rigid-To-Box Combo Elbow	53
Rigid-To-Box Pull Elbows	53
90° Large Radius Elbows.....	53
90° Short Radius Elbows	53
45° Rigid Elbows.....	54
90° Rigid Elbows.....	54
90° Elbows - Aluminum.....	54
Offset Nipples	55
Chase Nipples	55
Conduit Nipples	56-57
Water-Tight Conduit Hubs.....	58
Box Spacers.....	58
Conduit Bushings.....	58
Plastic Bushings	59
Insulated Metallic Grounding Bushing	60
Conduit Locknuts	61-62
Sealing Conduit Locknuts	62
Grounding Locknuts.....	62
Reducing Washers.....	63
Reducing Bushings.....	64
One-Hole Strap Malleable Iron.....	64
Clamp Backs	64
Clamp Back And One Hole Strap.....	65
Speed Thread One Hole Strap	65
One-Hole Straps.....	66
Two-Hole Straps	66
Rigid / EMT Combo Conduit Bodies.....	67
Mogul Pulling Elbows - Type LB.....	67
Threaded Conduit Bodies - No Cover.....	68
Threaded Conduit Bodies - With Stamped Cover.....	68-69
Service Entrance ELL	70
Conduit Body Covers.....	70
Conduit Body Gaskets	70

SERVICE ENTRANCE FITTINGS

One Hole Ground Strap	72
One-Hole Straps (SE & SEU Cable).....	72
Two-Hole Straps (SE & SEU Cable).....	72
Water-Tight Connectors	73
Service Entrance Caps	73-74
Oval Service Entrance Cable Hoods	74
Slip-Fit Mast Heads.....	75
Service Cable Sill Plates	75
Conduit Sill Plates	75
Clamp Connectors - Service Entrance.....	75
Offset Bottom Reducers	76
Conduit Supports (Lag Screw)	76
Conduit Supports (Bolt Nut Washer).....	76

Service Drop Brackets.....	76
Fork Bolts	77
Adjustable Porcelain Wireholder	77
Porcelain Wireholders	77
Service Clevis.....	77
Service Entrance ELL	78
Wedge Clamp Connectors	78
Roof Flashings	78
Electric Pane Washers.....	78

ACCESSORIES

Cable Staples For SEU and Range Cable	80
Plastic Insulating Staples.....	80
Strain Relief Cord Connector	81
Non-Metallic Strain Relief Cord Connector	81
Knockout Seals	82
3 Piece Knockout Seals.....	82
Switch Box Supports	82
Snap In Bushings.....	83
Universal Snap In Bushings	83
Nail Plates	83
Jack Chain	84
"S" Hook	84
"Sky Tie" Cable Clamps.....	84
Extension Springs.....	84
Duct Seal	84
Fixture Hangers	85
Conduit Hangers	85
Beam Clamps	86

GROUNDING AND BONDING FITTINGS

Ground Clamps (Bare Wire)	88-89
Ground Clamps (Bare Wire) - For Direct Burial ..	88
Ground Clamps (Armored Cable).....	89
Ground Rod Clamps.....	90
Ground Screws	90
Ground Wires.....	90
Ground Clips.....	91
Split Bolt Connectors.....	92
Split Bolt Connectors (With Spacer Bar).....	92
Solderless Terminal Lugs.....	92

DISCONNECT

Non-Fused AC Disconnects.....	94
AC Whips.....	94
Corrosion Resistant ACD	100
Fused ACD	101

INDEX

.....	96-100
-------	--------

There are four CCPs/Carlton

Halex uses UL ratings

1.800.749.3261

halexco.com

INTRODUCTION: PARTS NUMBERING SYSTEM

Halex uses a part numbering system that allows users to quickly distinguish three key pieces of information: **Material Type, Trade Size, and Pack Format**. The first digit of our part number defines material type. The last two numerals define the trade size. Finally, if there is a B at the end of a part number it identifies it as a bulk or high-count item. Below is a key and an example so you can familiarize yourself with the numbering system:

12105B

1 = Zinc 05 = 1/2" B = BULK

First Digit	Material Type
0, 1	Zinc
3	Brass, Bronze, Copper, Malleable Iron
5	Zinc Die Cast or Stamped Aluminum
7	Plastic
8, 9	Zinc with Insulated Throat or Gasket

At Halex, our packaging system is meticulously crafted to ensure the highest quality and convenience for our customers and end users. Below, you'll find an overview of our packaging and how it is presented in our catalog.

- **PCS/PKG Column:** Indicates the number of individual pieces in one sellable pack.
- **TOTAL CTN QTY Column:** Indicates the number of sellable packs in one carton.

A sellable unit can be an individually labeled piece, or multiple pieces inside a bag, box, or Contractor Clear Pack. A carton contains multiple sellable units grouped together. Please see the example below for further clarification.

Last Digits	Trade Size
03	3/8"
05	1/2"
07	3/4"
10	1"
12	1 1/4"
15	1 1/2"
20	2"
25	2 1/2"
30	3"
35	3 1/2"
40	4"

Example: ONE-HOLE STRAPS

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/4"	96112	4 / BAG	10 BAGS	2.54
	1 1/4"	96114	1 / BAG	10 BAGS	1.12

In this scenario, part number **96114** is an *individually labeled* piece and sold separately, and there are **10 pieces in the carton**. In comparison, part number **96112** is a *bagged item* that has **4 pieces per package** and a **total of 40 pieces in the carton** (4 pieces per bag x 10 bags = 40 total pieces).

Corrosion Resistant Air Conditioner Disconnects


ABOUT THE NMHNF60R

The 60 AMP Non Metallic Non-Fusible ACD is the latest in a line of innovative products from Halex. This ACD is made with the electrical and HVAC professionals in mind. The patent pending knock out seals are easier to take out so installers remove the right size faster and with less effort. In addition this product uses a proprietary material to extend the products life in costal applications. Easy to stock. Easy to sell. Easy to install. Halex is proud to take these products Beyond the Current.

PRODUCT BENEFITS

- **Designed for costal applications:** Innovative corrosion resistant material. PPE-PS (polyphenylene- poly-styrene) resist the effects of coastal salt air better than anything on the market
- **NEMA 3 Rating**
- **Concentric Knock Outs:** Knock out the correct size with less effort and more accuracy
- **Built in security:** The disconnect has a durable pad-lock feature for securing the box after installation
- **Easier installation:** Durable 180° swing hinge makes working within the disconnect box easier
- **Simplify mounting:** Requires just 2 points for safe secure mounting to walls

60 AMP Non-Fusible



NMHNF60R

SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
60 AMP	NMHNF60R	Single Box	1 BOX	0.75
60 AMP	NMHNF60R10	MasterPack	10 BOXES	7.50

Speed Thread One Hole Conduit Straps

PRODUCT BENEFITS

Speed Thread conduit straps come pre-threaded with a captive screw. They are easier to install, reducing installation time by up to 30%. Never lose a screw again because these screws are captive and will not fall out during installation. Simplify your job, and your parts list, by having both the screw and strap all in one.



NEW CONTRACTOR CLEAR PACKS



RGD

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	61705B	40 / CCP	4 CCP's	7.4
	3/4"	61707B	20 / CCP	4 CCP's	5.3

EMT

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	61305B	50 / CCP	4 CCP's	6.3
	3/4"	61307B	40 / CCP	4 CCP's	7.8

BEST SELLERS

EMT SET SCREW CONNECTORS

12101B Page 10



FLEX CLAMP COMBINATION CONNECTORS

05711B Page 41



FLEX AC/MC ONE-HOLE STRAPS

62180B Page 43



NM PUSH-IN CONNECTORS

75105B Page 48





NM CLAMP CONNECTORS

05103B Page 49

05107B Page 49







• *Universal Straps 8*

UNIVERSAL ONE AND TWO HOLE STRAPS

UNIVERSAL ONE AND TWO HOLE STRAPS

UNV

UNIVERSAL ONE-HOLE STRAPS

Steel

- **APPLICATION:** Use to support EMT, RGD, FMC, or LQD conduit. Indoors or outdoors.
- **FEATURES:**
 - 1/2" Fits - EMT, RGD, FMC, LQD
 - 3/4" Fits - EMT, RGD, FMC, LQD



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	22105	4 / BAG	25 BAGS	2.6
	3/4"	22107	4 / BAG	20 BAGS	3.4
CCP	1/2"	62105B	75 / CCP	4 CCP's	8.4
	3/4"	62107B	50 / CCP	4 CCP's	9.6

UNIVERSAL TWO-HOLE STRAPS

Steel

- **APPLICATION:** Use to support EMT, RGD, FMC, or LQD conduit. Indoors or outdoors.
- **FEATURES:**
 - 1/2" Fits - EMT, RGD, FMC, LQD
 - 3/4" Fits - EMT, RGD, FMC, LQD



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	92205	4 / BAG	25 BAGS	1.8
	3/4"	92207	4 / BAG	20 BAGS	1.8
CCP	1/2"	62205B	80 / CCP	4 CCP's	7.0
	3/4"	62207B	80 / CCP	4 CCP's	8.4



- Set-Screw Connectors..... 10-11
- Set-Screw Couplings..... 12-13
- Compression Connectors/ Couplings..... 14-19
- Combination Couplings..... 17-21
- Insulation Bushings..... 20
- Offset Connectors 21
- Elbows..... 21-25
- Clampbacks..... 26
- Straps..... 25-28
- Conduit Hangers 28
- Strut Clamps 27
- Conduit Bodies 29-35
- Conduit Body Cover..... 35

ELECTRICAL METALLIC TUBING FITTINGS

**** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-rated, meaning they are approved for use in both EMT and RGD conduit systems.****

SET-SCREW CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect EMT conduit to steel outlet box, load center, or other metal enclosure. Indoors only. Not rated for burial.
- **FEATURES:**
 - 1/2" and 3/4" Concrete tight
 - 1"- 4" Concrete tight when taped
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	23210	5 / BAG	30 BAGS	8.60
	3/4"	23212	5 / BAG	10 BAGS	4.38
	1"	12310	1 / BAG	15 BAGS	2.29
	1 1/4"	12312	1 / BAG	8 BAGS	2.34
	1 1/2"	12315	1 / BAG	5 BAGS	1.89
	2"	12320	1 / BAG	4 BAGS	2.03
	2 1/2"	12125	1 / BAG	12 BAGS	3.95
CCP	1/2"	12101B	50 / CCP	4 CCP's	32.71
	3/4"	12301B	25 / CCP	4 CCP's	28.21
	3/4"	12111B	20 / CCP	4 CCP's	28.76
BULK	1"	12110B	20 / BOX	1 BOX	31.25
	1 1/4"	12112B	25 / BOX	1 BOX	26.29
	1 1/2"	12115B	15 / BOX	1 BOX	22.51
	2"	12120B	10 / BOX	1 BOX	21.57
	2 1/2"	12125B	12 / BOX	1 BOX	9.82
	3"	12130B	12 / BOX	1 BOX	12.73
	3 1/2"	12135B	10 / BOX	1 BOX	12.29
	4"	12140B	6 / BOX	1 BOX	9.24

WITH INSULATED THROAT



UPC	1/2"	99105	1 / BAG	20 BAGS	1.33
	3/4"	99107	1 / BAG	15 BAGS	1.57
BULK	1/2"	92105B	50 / BOX	1 BOX	31.55
	3/4"	92107B	25 / BOX	1 BOX	
	1"	92110B	20 / BOX	1 BOX	23.31
	1 1/4"	92112B	25 / BOX	1 BOX	
	1 1/2"	92115B	15 / BOX	1 BOX	16.95
	2"	92120B	10 / BOX	1 BOX	
	2 1/2"	92125B	12 / BOX	1 BOX	
	3"	92130B	12 / BOX	1 BOX	
	3 1/2"	92135B	10 / BOX	1 BOX	
	4"	92140B	6 / BOX	1 BOX	

SET-SCREW CONNECTORS

Steel

- **APPLICATION:** Used to connect EMT conduit to steel outlet box, load center, or other metal enclosure. Indoors only.
- **FEATURES:** Concrete tight when taped
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	96271	1 / BAG	25 BAGS	2.17
	1/2"	26270	5 / BAG	15 BAGS	6.80
	1/2"	26271	10 / BAG	5 BAGS	4.94
	3/4"	26272	5 / BAG	10 BAGS	5.97
	1"	62710	1 / BAG	10 BAGS	2.00
	1 1/4"	62712	1 / BAG	3 BAGS	1.17
	1 1/2"	62715	1 / BAG	2 BAGS	1.24
	2"	62720	1 / BAG	2 BAGS	1.28
CCP	2 1/2"	62725	1 / BAG	3 BAGS	3.95
	1/2"	62705B	50 / CCP	4 CCP's	48.98
	3/4"	62707B	25 / CCP	4 CCP's	28.52
BULK	1"	62710B	20 / BOX	1 BOX	45.41
	1"	62770B	15 / BOX	1 BOX	
	1 1/4"	62712B	25 / BOX	1 BOX	9.12
	1 1/2"	62715B	25 / BOX	1 BOX	6.32
	2"	62720B	20 / BOX	1 BOX	12.70
	2 1/2"	62725B	12 / BOX	1 BOX	15.22
	3"	62730B	12 / BOX	1 BOX	10.64
	3 1/2"	62735B	6 / BOX	1 BOX	
	4"	62740B	6 / BOX	1 BOX	15.19



WITH INSULATED THROAT

UPC	1/2"	28271	3 / BAG	15 BAGS	1.98
	3/4"	28272	3 / BAG	6 BAGS	2.33
	1"	82710	1 / BAG	12 BAGS	2.74
	1 1/4"	82712	1 / BAG	3 BAGS	1.32
	1 1/2"	82715	1 / BAG	3 BAGS	1.52
	2"	82720	1 / BAG	3 BAGS	1.79
CCP	1/2"	82705B	50 / CCP	4 CCP's	51.66
	3/4"	82707B	25 / CCP	4 CCP's	39.66
BULK	1"	82710B	20 / BOX	1 BOX	45.41
	1 1/4"	82712B	25 / BOX	1 BOX	9.09
	1 1/2"	82715B	25 / BOX	1 BOX	11.52
	2"	82720B	20 / BOX	1 BOX	
	2 1/2"	82725B	12 / BOX	1 BOX	
	3"	82730B	12 / BOX	1 BOX	
	3 1/2"	82735B	6 / BOX	1 BOX	
	4"	82740B	6 / BOX	1 BOX	15.16



SET-SCREW COUPLINGS

Zinc Die Cast

- **APPLICATION:** Used to join two lengths of EMT conduit together. Use one coupling for every 10" of pipe Indoors only.
- **FEATURES:**
 - 1/2" and 3/4" Concrete tight
 - 1"- 4" Concrete tight when taped
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	23220	5 / BAG	25 BAGS	8.04
	3/4"	23222	5 / BAG	10 BAGS	4.48
	1"	12410	1 / BAG	20 BAGS	2.80
	1 1/4"	12412	1 / BAG	10 BAGS	2.93
	1 1/2"	12415	1 / BAG	5 BAGS	1.95
	2"	12420	1 / BAG	4 BAGS	2.09
CCP	1/2"	12201B	50 / CCP	4 CCP's	34.81
	3/4"	12401B	25 / CCP	4 CCP's	26.91
	1"	12211B	15 / CCP	4 CCP's	22.36
BULK	1"	12210B	20 / BOX	1 BOX	29.65
	1 1/4"	12212B	25 / BOX	1 BOX	30.14
	1 1/2"	12215B	15 / BOX	1 BOX	23.95
	2"	12220B	5 / BOX	1 BOX	12.92
	2 1/2"	12225B	12 / BOX	1 BOX	10.28
	3"	12230B	12 / BOX	1 BOX	13.10
	3 1/2"	12235B	10 / BOX	1 BOX	
	4"	12240B	6 / BOX	1 BOX	10.43



SET-SCREW COUPLINGS

Steel

- **APPLICATION:** Used to join two lengths of EMT conduit together. Indoors only.
- **FEATURES:** Concrete tight when taped
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	26280	5 / BAG	15 BAGS	5.78
	1/2"	26281	10 / BAG	10 BAGS	4.18
	3/4"	26282	5 / BAG	6 BAGS	3.01
	1"	62810	1 / BAG	12 BAGS	2.19
	1 1/4"	62812	1 / BAG	5 BAGS	2.37
	1 1/2"	62815	1 / BAG	3 BAGS	1.82
	2"	62820	1 / BAG	3 BAGS	2.18
	3"	62830	1 / BAG	3 BAGS	5.45
CCP	1/2"	62805B	50 / CCP	4 CCP's	43.10
	3/4"	62807B	25 / CCP	4 CCP's	36.66
	1"	62809B	10 / CCP	4 CCP's	19.96
BULK	1"	62810B	10 / BOX	1 BOX	27.20
	1 1/4"	62812B	25 / BOX	1 BOX	11.02
	1 1/2"	62815B	25 / BOX	1 BOX	14.14
	2"	62820B	20 / BOX	1 BOX	13.78
	2 1/2"	62825B	12 / BOX	1 BOX	20.74
	3"	62830B	12 / BOX	1 BOX	21.93
	3 1/2"	62835B	6 / BOX	1 BOX	13.64
	4"	62840B	6 / BOX	1 BOX	



COMPRESSION CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect EMT conduit to steel outlet box, load center, or other metal enclosure. Indoors only.
- **FEATURES:** Concrete tight
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	22210	5 / BAG	20 BAGS	8.65
	3/4"	22212	5 / BAG	10 BAGS	6.35
	1"	02310	1 / BAG	15 BAGS	3.36
	1 1/4"	02312	1 / BAG	8 BAGS	2.89
	1 1/2"	02315	1 / BAG	5 BAGS	2.82
	2"	02320	1 / BAG	4 BAGS	3.15
CCP	1/2"	02101B	50 / CCP	4 CCP's	46.56
	3/4"	02301B	25 / CCP	4 CCP's	34.31
	1"	02111B	15 / CCP	4 CCP's	45.76
BULK	1"	02110B	20 / BOX	1 BOX	45.45
	1 1/4"	02112B	25 / BOX	1 BOX	36.66
	1 1/2"	02115B	15 / BOX	1 BOX	34.36
	2"	02120B	10 / BOX	1 BOX	32.03
	2 1/2"	02125B	12 / BOX	1 BOX	13.84
	3"	02130B	12 / BOX	1 BOX	16.86
	3 1/2"	02135B	10 / BOX	1 BOX	17.63
	4"	02140B	6 / BOX	1 BOX	12.49

WITH INSULATED THROAT



UPC	1/2"	28211	3 / BAG	15 BAGS	4.24
	3/4"	28212	3 / BAG	10 BAGS	3.97
	1"	82110	1 / BAG	15 BAGS	3.33
	1 1/4"	82112	1 / BAG	8 BAGS	2.83
	2"	82120	1 / BAG	5 BAGS	3.03
BULK	1/2"	82105B	25 / BOX	4 BOXES	36.66
	3/4"	82107B	25 / BOX	1 BOX	
	1"	82110B	20 / BOX	1 BOX	
	1 1/4"	82112B	25 / BOX	1 BOX	
	1 1/2"	82115B	15 / BOX	1 BOX	
	2"	82120B	10 / BOX	1 BOX	
	2 1/2"	82125B	12 / BOX	1 BOX	
	3"	82130B	12 / BOX	1 BOX	
	3 1/2"	82135B	10 / BOX	1 BOX	
	4"	82140B	6 / BOX	1 BOX	

2-PIECE DESIGN

UPC	1/2"	02005	1 / BAG	10 BAGS	1.04
	3/4"	02007	1 / BAG	10 BAGS	1.04
BULK	3/4"	02007B	25 / BOX	1 BOX	2.37

COMPRESSION CONNECTORS

Steel

- **APPLICATION:** Used to connect EMT conduit to steel outlet box, load center, or other metal enclosure. Indoors only.
- **FEATURES:** Concrete tight
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	26230	5 / BAG	15 BAGS	10.45
	3/4"	26232	5 / BAG	5 BAGS	4.59
	1"	62310	1 / BAG	5 BAGS	1.67
	1 1/4"	62312	1 / BAG	3 BAGS	1.50
	1 1/2"	62315	1 / BAG	2 BAGS	1.14
	2"	62320	1 / BAG	2 BAGS	1.63
	2 1/2"	63525	1 / BAG	2 BAGS	2.81
	3"	63530	1 / BAG	2 BAGS	3.09
CCP	1/2"	62305B	25 / CCP	4 CCP's	33.68
	3/4"	62307B	25 / CCP	4 CCP's	51.76
	1"	62311B	10 / CCP	4 CCP's	27.86
BULK	1"	62310B	10 / BOX	1 BOX	21.45
	1 1/4"	62312B	25 / BOX	1 BOX	5.34
	1 1/2"	62315B	20 / BOX	1 BOX	11.25
	2"	62320B	15 / BOX	1 BOX	11.44
	2 1/2"	62325B	12 / BOX	1 BOX	21.96
	3"	62330B	12 / BOX	1 BOX	
	3 1/2"	62335B	6 / BOX	1 BOX	
	4"	62340B	6 / BOX	1 BOX	



WITH INSULATED THROAT

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	28231	3 / BAG	15 BAGS	4.67
	3/4"	28232	3 / BAG	10 BAGS	5.84
	1"	82310	1 / BAG	15 BAGS	3.84
	1 1/4"	82312	1 / BAG	4 BAGS	1.95
	1 1/2"	82315	1 / BAG	5 BAGS	2.56
	2"	82320	1 / BAG	4 BAGS	3.07
	2 1/2"	82325	1 / BAG	3 BAGS	5.77
	3"	82330	1 / BAG	2 BAGS	10.45
CCP	1/2"	82305B	25 / CCP	4 CCP's	28.42
	3/4"	82307B	25 / CCP	4 CCP's	51.76
BULK	1"	82310B	10 / BOX	1 BOX	21.45
	1 1/4"	82312B	25 / BOX	1 BOX	5.34
	1 1/2"	82315B	20 / BOX	1 BOX	11.25
	2"	82320B	15 / BOX	1 BOX	11.44
	2 1/2"	82325B	12 / BOX	1 BOX	22.52
	3"	82330B	12 / BOX	1 BOX	23.04
	3 1/2"	82335B	6 / BOX	1 BOX	
	4"	82340B	6 / BOX	1 BOX	



COMPRESSION COUPLINGS

Zinc Die Cast

- **APPLICATION:** Used to join two lengths of EMT conduit together. Indoors only.
- **FEATURES:** Concrete tight
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	22221	5 / BAG	15 BAGS	8.73
	3/4"	22222	5 / BAG	5 BAGS	4.43
	1"	02410	1 / BAG	10 BAGS	2.97
	1 1/4"	02412	1 / BAG	6 BAGS	2.83
	1 1/2"	02415	1 / BAG	5 BAGS	3.51
	2"	02420	1 / BAG	4 BAGS	3.42
CCP	1/2"	22205B	45 / CCP	4 CCP's	55.78
	3/4"	02401B	25 / CCP	4 CCP's	46.19
	1"	02211B	12 / CCP	4 CCP's	36.40
BULK	1"	02210B	20 / BOX	1 BOX	54.15
	1 1/4"	02212B	25 / BOX	1 BOX	46.08
	1 1/2"	02215B	15 / BOX	1 BOX	42.14
	2"	02220B	10 / BOX	1 BOX	36.07
	2 1/2"	02225B	12 / BOX	1 BOX	15.95
	3"	02230B	12 / BOX	1 BOX	21.11
	3 1/2"	02235B	10 / BOX	1 BOX	
	4"	02240B	6 / BOX	1 BOX	15.12



COMPRESSION COUPLINGS

Steel

- **APPLICATION:** Used to join two lengths of EMT conduit together. Indoors only.
- **FEATURES:** Concrete tight
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	26241	5 / BAG	6 BAGS	4.91
	3/4"	26242	5 / BAG	3 BAGS	3.09
	1"	62410	1 / BAG	4 BAGS	1.38
	1 1/4"	62412	1 / BAG	2 BAGS	1.23
	1 1/2"	62415	1 / BAG	2 BAGS	1.35
	2"	62420	1 / BAG	2 BAGS	1.64
	2 1/2"	63625	1 / BAG	3 BAGS	4.68
	3"	63630	1 / BAG	2 BAGS	4.32
CCP	1/2"	62401B	35 / CCP	4 CCP's	55.91
	3/4"	62402B	20 / CCP	4 CCP's	41.71
	1"	62411B	10 / CCP	4 CCP's	31.16



CONTINUATION FROM PREVIOUS PAGE

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1"	62410B	10 / BOX	1 BOX	33.60
	1 1/4"	62412B	25 / BOX	1 BOX	12.28
	1 1/2"	62415B	20 / BOX	1 BOX	11.75
	2"	62420B	15 / BOX	1 BOX	11.41
	2 1/2"	62425B	12 / BOX	1 BOX	31.22
	3"	62430B	6 / BOX	1 BOX	16.59
	3 1/2"	62435B	6 / BOX	1 BOX	
	4"	62440B	6 / BOX	1 BOX	28.91

**EMT TO RGD SET-SCREW COMBINATION COUPLINGS**

- **APPLICATION:** Used to join EMT conduit to Rigid metal conduit. Indoors only.

*SET-SCREW**Steel*

Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"-1/2"	91534	1 / BAG	10 BAGS	1.68
	3/4-3/4"	91536	1 / BAG	10 BAGS	2.70
BULK	1/2" - 1/2"	15304B	25 / BOX	1 BOX	3.96
	3/4" - 3/4"	15306B	25 / BOX	1 BOX	5.06
	1"	17310B	10 / BOX	1 BOX	

**EMT TO LQD COMPRESSION COUPLINGS**

- **APPLICATION:** Used to join EMT and LQD conduit together. Indoors only.
- **FEATURES:** Concrete tight

Steel

Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	60105B	25 / BOX	1 BOX	
	3/4"	60107B	20 / BOX	1 BOX	
	1"	60110B	10 / BOX	1 BOX	



RAIN TIGHT COMPRESSION CONNECTORS

Steel

- **APPLICATION:** Used to connect EMT conduit to steel outlet box, load center, or other metal enclosure in a wet location. Outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	26250	5 / BAG	15 BAGS	10.00
	3/4"	26252	5 / BAG	5 BAGS	4.50
	1"	62511	1 / BAG	5 BAGS	1.48
	1 1/4"	62512	1 / BAG	3 BAGS	1.52
	1 1/2"	62515	1 / BAG	2 BAGS	1.12
	2"	62520	1 / BAG	2 BAGS	1.47
CCP	1/2"	62501B	45 / CCP	4 CCP's	44.56
	3/4"	62502B	25 / CCP	4 CCP's	35.44
	1"	62570B	10 CCP	4 CCP's	39.91
BULK	1/2"	62505B	50 / BOX	1 BOX	6.43
	3/4"	62507B	25 / BOX	1 BOX	4.14
	1"	62510B	15 / BOX	1 BOX	4.06
	1 1/4"	62512B	20 / BOX	1 BOX	8.58
	1 1/2"	62515B	10 / BOX	1 BOX	4.95
	2"	62520B	10 / BOX	1 BOX	6.52
	2 1/2"	62525B	6 / BOX	1 BOX	11.74
	3"	62530B	6 / BOX	1 BOX	11.87
	3 1/2"	62535B	6 / BOX	1 BOX	
	4"	62540B	6 / BOX	1 BOX	16.04

WITH INSULATED THROAT



UPC	1/2"	29251	3 / BAG	15 BAGS	5.94
	3/4"	29252	3 / BAG	10 BAGS	5.41
	1"	92510	1 / BAG	15 BAGS	3.57
	1 1/4"	92512	1 / BAG	4 BAGS	1.81
	1 1/2"	92515	1 / BAG	5 BAGS	2.49
	2"	92520	1 / BAG	4 BAGS	2.71
	3"	92530	1 / BAG	3 BAGS	6.13
BULK	1/2"	92505B	50 / BOX	1 BOX	6.43
	3/4"	92507B	25 / BOX	1 BOX	4.28
	1"	92510B	15 / BOX	1 BOX	4.06
	1 1/4"	92512B	20 / BOX	1 BOX	4.95
	1 1/2"	92515B	10 / BOX	1 BOX	
	2"	92520B	10 / BOX	1 BOX	
	2 1/2"	92525B	6 / BOX	1 BOX	
	3"	92530B	6 / BOX	1 BOX	
	3 1/2"	92535B	6 / BOX	1 BOX	
	4"	92540B	6 / BOX	1 BOX	

RAIN TIGHT COMPRESSION COUPLINGS

Steel

- **APPLICATION:** Used to connect two lengths of EMT conduit together in a wet location. Outdoors.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	26261	5 / BAG	6 BAGS	5.18
	3/4"	26262	5 / BAG	3 BAGS	3.55
	1"	62610	1 / BAG	4 BAGS	1.48
	1 1/4"	62612	1 / BAG	2 BAGS	1.17
	1 1/2"	62615	1 / BAG	2 BAGS	1.34
	2"	62620	1 / BAG	2 BAGS	1.66
	3"	62630	1 / BAG	3 BAGS	7.49
CCP	1/2"	62670B	30 / CCP	4 CCP's	
	3/4"	62602B	20 / CCP	4 CCP's	36.56
	1"	62603B	10 / CCP	4 CCP's	33.16
	1"	62610B	15 / BOX	1 BOX	4.91
	1 1/4"	62612B	20 / BOX	1 BOX	9.30
	1 1/2"	62615B	10 / BOX	1 BOX	5.54
	2"	62620B	10 / BOX	1 BOX	7.29
	2 1/2"	62625B	6 / BOX	1 BOX	12.21
	3"	62630B	6 / BOX	1 BOX	14.84
	4"	62640B	6 / BOX	1 BOX	21.88



FLEX-TO-EMT COUPLINGS

Zinc Die Cast

- **APPLICATION:** Used to join EMT conduit to flexible metal conduit. Indoors only.
- **SUITABLE FOR:**
 - 1/2" steel, steel reduced wall and aluminum flexible metal conduit to EMT
 - 3/4" - 1" flexible metal conduit to EMT



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
<i>SET-SCREW TYPE</i>					
UPC	1/2"	91531	1 / BAG	15 BAGS	1.51
	3/4"	91532	1 / BAG	10 BAGS	1.52
BULK	1/2" - 3/8"	15105B	25 / BOX	1 BOX	
	1/2" - 1/2"	15305B	25 / BOX	1 BOX	21.75
	3/4" - 3/4"	15307B	25 / BOX	1 BOX	27.51

*COMPRESSION TO SCREW-IN TYPE*

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	20491	2 / BAG	10 BAGS	1.83
	3/4"	20492	2 / BAG	8 BAGS	1.99
	1" - 1"	04910	1 / BAG	10 BAGS	0.96
BULK	1/2"	04905B	50 / BOX	1 BOX	41.95
	3/4"	04907B	25 / BOX	1 BOX	28.95
	1"	04910B	25 / BOX	1 BOX	



FLEX TO EMT COUPLINGS CONTINUED FROM PREVIOUS PAGE



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
<i>CLAMP TYPE</i>					
BULK	1/2"	90605B	25 / BOX	1 BOX	

INSULATION BUSHINGS

PVC

- **APPLICATION:** Used to protect cables from abrasion from edge of EMT. Installed directly onto conduit. Indoors only.



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	27501	4 / BAG	20 BAGS	0.51
	3/4"	27502	4 / BAG	15 BAGS	0.55
	1"	27503	2 / BAG	15 BAGS	0.46
	1 1/4"	27504	2 / BAG	15 BAGS	0.49
	1 1/2"	27505	2 / BAG	10 BAGS	0.44
	2"	27506	2 / BAG	10 BAGS	0.44
BULK	1/2"	75005B	100 / BOX	1 BOX	5.63
	3/4"	75007B	75 / BOX	1 BOX	5.13
	1"	75010B	50 / BOX	1 BOX	4.15
	1 1/4"	75012B	25 / BOX	1 BOX	3.20
	1 1/2"	75015B	25 / BOX	1 BOX	3.20
	2"	75020B	25 / BOX	1 BOX	3.46
	2 1/2"	27625B	25 / BOX	1 BOX	
	3"	27630B	25 / BOX	1 BOX	
	3 1/2"	27635B	25 / BOX	1 BOX	
	4"	27640B	25 / BOX	1 BOX	

EMT-TO-NON-METALLIC COMBINATION COUPLINGS

Zinc Die Cast

- APPLICATION:** Used to join EMT conduit to non-metallic sheathed cable, fits 12/2 or equivalent size and should be limited to one cable per coupling for optimal performance. Indoors only.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2" - NM	91530	1 / BAG	15 BAGS	1.25
CCP	1/2" - NM	15301B	25 / CCP	4 CCP's	17.58
BULK	1/2" - NM	15303B	50 / BOX	10 BOXES	32.25



EMT-TO-BOX OFFSET CONNECTORS

Zinc Die Cast

- APPLICATION:** Used to connect EMT conduit to a metal outlex box or enclosure where an offset is desired. Indoors only.



Contact us for Canadian regulatory listings

SET-SCREW TYPE

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	90371	1 / BAG	20 BAGS	2.11
	3/4"	90372	1 / BAG	10 BAGS	1.99
BULK	1/2"	03705B	10 / BOX	10 BOXES	12.27
	3/4"	03707B	10 / BOX	10 BOXES	17.85



COMPRESSION TYPE

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	03905	1 / BAG	20 BAGS	2.50
	3/4"	03907	1 / BAG	10 BAGS	2.22
BULK	1/2"	03905B	20 / BOX	1 BOX	
	3/4"	03907B	10 / BOX	1 BOX	
	1"	13905B	10 / BAG	1 BOX	



EMT-TO-EMT PULL ELBOWS

Zinc Die Cast

- APPLICATION:** Used to connect EMT conduit together at a 90° bend. Dry location.

Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
WITHOUT GASKET					
UPC	1/2"	14405	1 / BAG	15 BAGS	2.29
	3/4"	14407	1 / BAG	10 BAGS	3.11

WITH NEOPRENE GASKET

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	94405	1 / BAG	10 BAGS	2.10
	3/4"	94407	1 / BAG	5 BAGS	1.72
	1"	94410	1 / BAG	5 BAGS	3.36





EMT-TO-BOX PULL ELBOW

Zinc Die Cast

- APPLICATION:** Used to connect EMT conduit to a metal box or enclosure to form a 90° bend. Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
<i>WITHOUT NEOPRENE GASKET</i>					
UPC	1/2"	14305	1 / BAG	10 BAGS	2.12
	3/4"	14307	1 / BAG	5 BAGS	1.39
BULK	1/2"	14305B	10 / BOX	1 BOX	
	3/4"	14307B	5 / BOX	1 BOX	



EMT TO RIGID COMBINATION ELBOW

Zinc Die Cast

- APPLICATION:** Use as a wire pulling elbow to facilitate wire pulling through a sharp bend in a run of threaded Rigid or IMC conduit. Rain tight when used with Rigid conduit. Indoors or outdoors. Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	94505	1 / BAG	10 BAGS	1.85
	3/4"	94507	1 / BAG	10 BAGS	3.01
	1"	94510	1 / BAG	5 BAGS	3.03
BULK	1/2"	94505B	10 / BOX	1 BOX	
	3/4"	94507B	5 / BOX	1 BOX	
	1"	94510B	25 / BOX	1 BOX	
	1 1/4"	94512B	20 / BOX	1 BOX	



EMT TO RIGID-TO BOX COMBINATION ELBOW

Zinc Die Cast

- APPLICATION:** Used to connect a run of threaded rigid or IMC conduit to an outlet box or other metal enclosure. Suitable for outdoor locations when protected by overhead cover. Indoors or outdoors. Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	94705	1 / BAG	10 BAGS	1.99
	3/4"	94707	1 / BAG	5 BAGS	1.54
BULK	1/2"	94705B	10 / BOX	1 BOX	
	3/4"	94707B	5 / BOX	1 BOX	
	1"	94710B	25 / BOX	1 BOX	
	1 1/4"	94712B	20 / BOX	1 BOX	



EMT-TO-EMT INSIDE CORNER ELBOW

Zinc Die Cast

- APPLICATION:** Used to connect EMT conduit together on a 90° Inside corner. Indoors only. Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	14605	1 / BAG	15 BAGS	2.82
	3/4"	14607	1 / BAG	8 BAGS	2.07
BULK	1/2"	14605B	10 / BOX	1 BOX	
	3/4"	14607B	5 / BOX	1 BOX	

90° COMPRESSION ELBOWS - SHORT RADIUS*Zinc Die Cast*

- APPLICATION:** Used to connect EMT conduit to steel outlet box or enclosure where a close radius is desired. Indoors or outdoors.

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	90291	1 / BAG	15 BAGS	3.09
	3/4"	90292	1 / BAG	10 BAGS	2.89
	1"	02910	1 / BAG	5 BAGS	2.38
BULK	1/2"	02905B	25 / BOX	1 BOX	50.88
	3/4"	02907B	20 / BOX	1 BOX	55.21

**90° COMPRESSION ELBOWS - LARGE RADIUS***Zinc Die Cast*

- APPLICATION:** Used to connect EMT conduit to a steel outlet box or enclosure where a close radius is desired. Indoors or outdoors.

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	90281	1 / BAG	15 BAGS	2.10
	3/4"	90282	1 / BAG	10 BAGS	2.14
BULK	1/2"	02805B	20 / BOX	10 BOXES	29.77
	3/4"	02807B	10 / BOX	10 BOXES	22.19

**90° COMPRESSION CONNECTOR***Zinc Die Cast*

- APPLICATION:** Used to connect EMT conduit to a steel outlet box or enclosure where a close radius is desired. Indoors or outdoors.

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1"	18810B	10 / BOX	1 BOX	

**90° SET-SCREW ELBOWS - LARGE RADIUS***Zinc Die Cast*

- APPLICATION:** Used to connect EMT conduit to a steel outlet box or enclosure where a large radius is desired. Indoors only.

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	90271	1 / BAG	10 BAGS	1.25
BULK	1/2"	02705B	20 / BOX	1 BOX	24.43
	3/4"	02707B	10 / BOX	1 BOX	19.59



90° ELBOWS

Steel

- **APPLICATION:** Used to connect EMT conduit together to allow for 90° bends. Indoors or outdoors.



Contact us for Canadian
regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	64405	1 / BAG	20 BAGS	5.74
	3/4"	64407	1 / BAG	10 BAGS	4.99
	1"	64410	1 / BAG	10 BAGS	9.47
	1 1/4"	64412	1 / BAG	5 BAGS	8.48
	1 1/2"	64415	1 / BAG	4 BAGS	8.99
	2"	64420	1 / BAG	2 BAGS	7.09
	2 1/2"	64425	1 / BAG	1 BAG	5.34
	3"	64430	1 / BAG	1 BAG	9.00
	3 1/2"	64435	1 / BAG	1 BAG	10.58
	4"	64440	1 / BAG	1 BAG	13.00
BULK	1/2"	64405B	50 / BOX	1 BOX	14.09
	3/4"	64407B	50 / BOX	1 BOX	25.91
	1"	64410B	25 / BOX	1 BOX	13.41
	1 1/4"	64412B	20 / BOX	1 BOX	15.55
	1 1/2"	64415B	15 / BOX	1 BOX	31.26
	2"	64420B	10 / BOX	1 BOX	33.67
	2 1/2"	64425B	1 / BOX	1 BOX	
	3"	64430B	1 / BOX	1 BOX	
	3 1/2"	64435B	1 / BOX	1 BOX	
	4"	64440B	1 / BOX	1 BOX	

45° ELBOWS

Steel

- APPLICATION:** Used to connect EMT conduit together to allow for 45° bends. Indoors or outdoors.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	64505	1 / BAG	10 BAGS	1.90
	3/4"	64507	1 / BAG	10 BAGS	3.56
	1"	64510	1 / BAG	25 BAGS	14.79
	1 1/4"	64512	1 / BAG	20 BAGS	27.59
	1 1/2"	64515	1 / BAG	15 BAGS	20.37
	2"	64520	1 / BAG	10 BAGS	28.85
	2 1/2"	64525	1 / BAG	1 BAG	3.58
	3"	64530	1 / BAG	1 BAG	4.33
	3 1/2"	64535	1 / BAG	1 BAG	8.50
	4"	64540	1 / BAG	1 BAG	10.00
BULK	1/2"	64505B	50 / BOX	1 BOX	
	3/4"	64507B	50 / BOX	1 BOX	
	1"	64510B	35 / BOX	1 BOX	
	1 1/4"	64512B	30 / BOX	1 BOX	
	1 1/2"	64515B	15 / BOX	1 BOX	
	2"	64520B	15 / BOX	1 BOX	
	2 1/2"	64525B	1 / BOX	1 BOX	
	3"	64530B	1 / BOX	1 BOX	
	3 1/2"	64535B	1 / BOX	1 BOX	
	4"	64540B	1 / BOX	1 BOX	



SPEED THREAD™

EMT ONE HOLE STRAP SPEED THREAD

Steel

- APPLICATION:** Used to connect two lengths of EMT conduit together in a dry location. Indoors.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	21305	4 / BAG	25 BAGS	3.5
	3/4"	21307	4 / BAG	20 BAGS	3.7
CCP	1/2"	61305B	50 / CCP	4 CCP's	6.3
	3/4"	61307B	40 / CCP	4 CCP's	7.8



ONE-HOLE STRAPS

Steel

- APPLICATION:** To support EMT conduit where greater load bearing is required. Both one-hole straps and two-hole straps are rated for the same weight and are pull tested to the same standards. Indoors or outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	96151	4 / BAG	25 BAGS	2.75
	1/2"	26151	25 / BAG	20 BAGS	12.59
	3/4"	96152	4 / BAG	15 BAGS	2.47
	3/4"	26152	20 / BAG	15 BAGS	11.50
	1"	26153	4 / BAG	20 BAGS	5.23
	1 1/4"	26154	4 / BAG	10 BAGS	4.39
	1 1/2"	91515	1 / BAG	10 BAGS	1.66
	1 1/2"	26155	2 / BAG	10 BAGS	3.18
	2"	26156	2 / BAG	5 BAGS	2.31
	2 1/2"	61125*	1 / BAG	10 BAGS	4.38
	3"	61130*	1 / BAG	10 BAGS	5.08
CCP	1/2"	61505B	100 / CCP	4 CCP's	48.28
	3/4"	61507B	100 / CCP	4 CCP's	34.40
	1"	61511B	50 / CCP	4 CCP's	26.08
BULK	1 1/4"	61512B	50 / BOX	1 BOX	41.81
	1 1/2"	61515B	25 / BOX	1 BOX	38.91
	2"	61520B	20 / BOX	1 BOX	47.83
	2 1/2"	61125B	50 / BOX	1 BOX	
	3"	61130B	25 / BOX	1 BOX	
	3 1/2"	61135B*	25 / BOX	1 BOX	20.23
	4"	61140B*	20 / BOX	1 BOX	16.33

*Both EMT and RGD

EMT/RGD COMBINATION CLAMPBACKS

Malleable Iron

- APPLICATION:** Used to provide spacing between mounting surface and conduit. Indoors or outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1"	33210B	25 / BOX	1 BOX	
	1 1/4"	33212B	10 / BOX	1 BOX	
	1 1/2"	33215B	10 / BOX	1 BOX	
	2"	33220B	5 / BOX	1 BOX	
	2 1/2"	33225B	25 / BOX	1 BOX	
	3"	33230B	10 / BOX	1 BOX	
	3 1/2"	33235B	10 / BOX	1 BOX	
	4"	33240B	10 / BOX	1 BOX	

TWO-HOLE STRAP

Steel

- **APPLICATION:** To support EMT conduit where greater load bearing is required. Both one-hole straps and two-hole straps are rated for the same weight and are pull tested to the same standards. Indoors or outdoors.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	96161	4 / BAG	15 BAGS	1.18
	1/2"	26161	25 / BAG	15 BAGS	6.44
	3/4"	96162	4 / BAG	10 BAGS	1.11
	3/4"	26162	20 / BAG	10 BAGS	5.02
	1"	26163	4 / BAG	15 BAGS	2.20
	1 1/4"	26164	4 / BAG	10 BAGS	2.49
	1 1/2"	26165	2 / BAG	15 BAGS	2.63
	2"	26166	2 / BAG	15 BAGS	4.18
	2 1/2"	61225	1 / BAG	7 BAGS	1.68
	3"	61230	1 / BAG	10 BAGS	2.69
	4"	61240	1 / BAG	6 BAGS	2.21
CCP	1/2"	61605B	100 / CCP	4 CCP's	19.58
	1"	61610B	50 / CCP	4 CCP's	14.70
BULK	1 1/4"	61612B	25 / BOX	1 BOX	16.80
	1 1/2"	61615B	25 / BOX	1 BOX	16.93
	2"	61620B	50 / BOX	1 BOX	26.39
	2 1/2"	61225B	25 / BOX	1 BOX	4.07
	3"	61230B	25 / BOX	1 BOX	
	3 1/2"	61235B	25 / BOX	1 BOX	7.00
	4"	61240B	20 / BOX	1 BOX	6.60



EMT / RGD STRUT CLAMPS

Steel

- **APPLICATION:** Used to secure conduit to strut. Indoors and outdoors.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	18705B	100 / BOX	1 BOX	
	3/4"	18707B	100 / BOX	1 BOX	
BULK	1/2"	18705B	100 / BOX	1 BOX	
	3/4"	18707B	100 / BOX	1 BOX	
	1"	18710B	100 / BOX	1 BOX	
	1 1/4"	18712B	100 / BOX	1 BOX	
	1 1/2"	18715B	50 / BOX	1 BOX	
	2"	18720B	50 / BOX	1 BOX	
	2 1/2"	18725B	50 / BOX	1 BOX	
	3"	18730B	25 / BOX	1 BOX	
	3 1/2"	18735B	25 / BOX	1 BOX	
	4"	18740B	25 / BOX	1 BOX	



DRIVE STRAPS

Steel

- **APPLICATION:** To secure EMT conduit to a wood or masonry surface. Indoors or outdoors.



Contact us for Canadian
regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	91405	3 / BAG	75 BAGS	2.48
	1/2"	96141	4 / BAG	75 BAGS	3.23
	1/2"	26141	25 / BAG	20 BAGS	6.96
	3/4"	91407	3 / BAG	75 BAGS	4.73
	3/4"	96142	4 / BAG	75 BAGS	3.98
	3/4"	26142	25 / BAG	15 BAGS	7.37
CCP	1/2"	61401B	200 / CCP	4 CCP's	74.16
	3/4"	61402B	150 / CCP	4 CCP's	61.96
BULK	1"	61410B	100 / BOX	10 BOXES	21.83



CONDUIT HANGERS

Steel

- **APPLICATION:** Use to secure and suspend conduit from overhead supports. Indoors or outdoors. Faster and easy installation, captive screw is included. Indoors or outdoors. Refer to chart below to match the appropriate conduit size with the corresponding product trade size.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT	EMT	RGD	CONDUIT SIZE
UPC	#2	67820	1 / BAG	20 BAGS	2.21	1"	1"	
	#2 1/2	67825	1 / BAG	15 BAGS	1.85	1 1/4"		
	#3	67830	1 / BAG	15 BAGS	1.97	1 1/2"	1 1/4"	
	#4	67840	1 / BAG	10 BAGS	1.49		1 1/2"	
	#5	67850	1 / BAG	20 BAGS	4.21	2"	2"	
	#6	67860	1 / BAG	10 BAGS	3.71	2 1/2"	2 1/2"	
	#7	67870	1 / BAG	5 BAGS	2.18	3 1/2"	3 1/2"	
BULK	#0	67800B	100 / BOX	1 BOX	7.39	1/2"	1/2"	
	#1	67810B	100 / BOX	1 BOX	8.09	3/4"	3/4"	
	#2	67820B	100 / BOX	1 BOX	10.32	1"	1"	
	#2	67821B	100 / BOX	1 BOX	10.30			
	#2 1/2	67825B	100 / BOX	1 BOX				
	#3	67830B	100 / BOX	1 BOX	11.56	1 1/2"	1 1/2"	
	#4	67840B	100 / BOX	1 BOX	13.99		1 1/2"	
	#5	67850B	50 / BOX	1 BOX	10.37	2"	2"	
	#6	67860B	50 / BOX	1 BOX	18.11	2 1/2"	2 1/2"	
	#7	67870B	50 / BOX	1 BOX	20.41	3 1/2"	3 1/2"	
	#8	67880B	25 / BOX	1 BOX	10.99			
	#9	67890B	10 / BOX	1 BOX	6.04	4"	4"	

*Conduit hangers featuring our **SPEED THREAD** technology are also available. Designed with a captive screw for quicker, easier installation. See page 113 for details.*

EMT / RIGID CONDUIT BODIES

Aluminum

WITH COVER AND GASKET ASSEMBLED

Contact us for Canadian
regulatory listings 

- **APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by NEC), and maintenance. Suitable for outdoor locations when protected by overhead cover.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: LL WITH GASKET & COVER					
BULK	1/2"	56205B	10 / BOX	1 BOX	
	3/4"	56207B	10 / BOX	1 BOX	
	1"	56210B	5 / BOX	1 BOX	
	1 1/4"	56212B	2 / BOX	1 BOX	
	1 1/2"	56215B	2 / BOX	1 BOX	
	2"	56220B	5 / BOX	1 BOX	



TYPE: C WITH COVER AND GASKET					
UPC	1/2"	56405	1 / BOX	10 BOXES	3.24
	3/4"	56407	1 / BOX	10 BOXES	2.70
BULK	1/2"	56405B	10 / BOX	1 BOX	
	3/4"	56407B	10 / BOX	1 BOX	
	1"	56410B	5 / BOX	1 BOX	
	1 1/4"	56412B	2 / BOX	1 BOX	
	1 1/2"	56415B	2 / BOX	1 BOX	
	2"	56420B	5 / BOX	1 BOX	



TYPE: LB WITH COVER AND GASKET					
UPC	1/2"	56605	1 / BOX	10 BOXES	3.12
	3/4"	56607	1 / BOX	10 BOXES	4.68
BULK	1/2"	57505B	10 / BOX	1 BOX	
	3/4"	57507B	10 / BOX	1 BOX	
	1"	57510B	5 / BOX	1 BOX	
	1 1/4"	57512B	2 / BOX	1 BOX	
	1 1/2"	57515B	2 / BOX	1 BOX	
	2"	57520B	5 / BOX	1 BOX	



TYPE: T WITH COVER AND GASKET					
UPC	1/2"	56805	1 / BOX	10 BOXES	3.48
	3/4"	56807	1 / BOX	5 BOXES	2.35
BULK	1/2"	56805B	10 / BOX	1 BOX	
	3/4"	56807B	10 / BOX	1 BOX	
	1"	56810B	5 / BOX	1 BOX	
	1 1/4"	56812B	2 / BOX	1 BOX	
	1 1/2"	56815B	2 / BOX	1 BOX	
	2"	56820B	5 / BOX	1 BOX	



ELECTRICAL METALLIC TUBING FITTINGS

EMT



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: LR WITH COVER AND GASKET					
UPC	1/2"	56905	1 / BOX	10 BOXES	3.34
BULK	1/2"	56505B	10 / BOX	1 BOX	
	3/4"	56507B	10 / BOX	1 BOX	
	1"	56510B	5 / BOX	1 BOX	
	1 1/4"	56512B	2 / BOX	1 BOX	
	1 1/2"	56515B	2 / BOX	1 BOX	
	2"	56520B	5 / BOX	1 BOX	



TYPE: X WITH COVER AND GASKET					
BULK	1/2"	55505B	5 / BOX	1 BOX	
	3/4"	55507B	5 / BOX	1 BOX	
	1"	55510B	2 / BOX	1 BOX	
	1 1/4"	55512B	1 / BOX	1 BOX	
	1 1/2"	55515B	1 / BOX	1 BOX	
	2"	55520B	1 / BOX	1 BOX	

EMT / RIGID CONDUIT BODIES

Aluminum

WITHOUT COVER AND GASKET ASSEMBLED

- APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by NEC), and maintenance. Suitable for outdoor locations when protected by overhead cover.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE LL: WITHOUT COVER AND GASKET					
BULK	1/2"	57305B	10 / BOX	1 BOX	
	3/4"	57307B	10 / BOX	1 BOX	
	1"	57310B	5 / BOX	1 BOX	
	1 1/4"	57312B	2 / BOX	1 BOX	
	1 1/2"	57315B	2 / BOX	1 BOX	
	2"	57320B	5 / BOX	1 BOX	



TYPE: C WITHOUT COVER AND GASKET					
BULK	1/2"	57905B	10 / BOX	1 BOX	
	3/4"	57907B	10 / BOX	1 BOX	
	1"	57910B	5 / BOX	1 BOX	
	1 1/4"	57912B	2 / BOX	1 BOX	
	1 1/2"	57915B	2 / BOX	1 BOX	
	2"	57920B	5 / BOX	1 BOX	

EMT/RGD CONDUIT BODIES ALUMINUM CONTINUED FROM PREVIOUS PAGE

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: LB WITHOUT COVER AND GASKET					
BULK	1/2"	57605B	10 / BOX	1 BOX	
	3/4"	57607B	10 / BOX	1 BOX	
	1"	57610B	5 / BOX	1 BOX	
	1 1/4"	57612B	2 / BOX	1 BOX	
	1 1/2"	57615B	2 / BOX	1 BOX	
	2"	57620B	5 / BOX	1 BOX	



TYPE: T WITHOUT COVER AND GASKET					
BULK	1/2"	55805B	10 / BOX	1 BOX	
	3/4"	55807B	10 / BOX	1 BOX	
	1"	55810B	5 / BOX	1 BOX	
	1 1/4"	55812B	2 / BOX	1 BOX	
	1 1/2"	55815B	2 / BOX	1 BOX	
	2"	55820B	5 / BOX	1 BOX	



TYPE: LR WITHOUT COVER AND GASKET					
BULK	1/2"	57705B	10 / BOX	1 BOX	
	3/4"	57707B	10 / BOX	1 BOX	
	1"	57710B	5 / BOX	1 BOX	
	1 1/4"	57712B	2 / BOX	1 BOX	
	1 1/2"	57715B	2 / BOX	1 BOX	
	2"	57720B	5 / BOX	1 BOX	



SET SCREW CONDUIT BODIES

WITH COVER AND GASKET ASSEMBLED

Aluminum

- APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by NEC), and maintenance. Suitable for outdoor locations when protected by overhead cover.



Contact us for Canadian
regulatory listings

SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
------	--------	-----------	---------------	--------

TYPE: LL WITH COVER AND GASKET

BULK	1/2"	57005B	10 / BOX	1 BOX	
	3/4"	57007B	10 / BOX	1 BOX	
	1"	57010B	5 / BOX	1 BOX	
	1 1/4"	57012B	2 / BOX	1 BOX	
	1 1/2"	57015B	2 / BOX	1 BOX	
	2"	57020B	1 / BOX	1 BOX	
	2 1/2"	57025B	1 / BOX	1 BOX	
	3"	57030B	1 / BOX	1 BOX	
	3 1/2"	57035B	1 / BOX	1 BOX	
	4"	57040B	1 / BOX	1 BOX	

TYPE: C WITH COVER AND GASKET

BULK	1/2"	57105B	10 / BOX	1 BOX	
	3/4"	57107B	10 / BOX	1 BOX	
	1"	57110B	5 / BOX	1 BOX	
	1 1/4"	57112B	2 / BOX	1 BOX	
	1 1/2"	57115B	2 / BOX	1 BOX	
	2"	57120B	1 / BOX	1 BOX	
	2 1/2"	57125B	1 / BOX	1 BOX	
	3"	57130B	1 / BOX	1 BOX	
	3 1/2"	57135B	1 / BOX	1 BOX	
	4"	57140B	1 / BOX	1 BOX	

TYPE: LB WITH COVER AND GASKET

BULK	1/2"	58705B	10 / BOX	1 BOX	
	3/4"	58707B	10 / BOX	1 BOX	
	1"	58710B	5 / BOX	1 BOX	
	1 1/4"	58712B	2 / BOX	1 BOX	
	1 1/2"	58715B	2 / BOX	1 BOX	
	2"	58720B	1 / BOX	1 BOX	
	2 1/2"	58725B	1 / BOX	1 BOX	
	3"	58730B	1 / BOX	1 BOX	
	3 1/2"	58735B	1 / BOX	1 BOX	
	4"	58740B	1 / BOX	1 BOX	



SET SCREW CONDUIT BODIES ALUMINUM CONTINUED FROM PREVIOUS PAGE

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: T WITH COVER AND GASKET					
BULK	1/2"	56705B	10 / BOX	1 BOX	
	3/4"	56707B	10 / BOX	1 BOX	
	1"	56710B	5 / BOX	1 BOX	
	1 1/4"	56712B	2 / BOX	1 BOX	
	1 1/2"	56715B	2 / BOX	1 BOX	
	2"	56720B	1 / BOX	1 BOX	
	2 1/2"	56725B	1 / BOX	1 BOX	
	3"	56730B	1 / BOX	1 BOX	
	3 1/2"	56735B	1 / BOX	1 BOX	
	4"	56740B	1 / BOX	1 BOX	



TYPE: LR WITH COVER AND GASKET					
BULK	1/2"	58505B	10 / BOX	1 BOX	
	3/4"	58507B	10 / BOX	1 BOX	
	1"	58510B	5 / BOX	1 BOX	
	1 1/4"	58512B	2 / BOX	1 BOX	
	1 1/2"	58515B	2 / BOX	1 BOX	
	2"	58520B	1 / BOX	1 BOX	
	2 1/2"	58525B	1 / BOX	1 BOX	
	3"	56930B	1 / BOX	1 BOX	
	3 1/2"	56935B	1 / BOX	1 BOX	
	4"	56940B	1 / BOX	1 BOX	



SET SCREW CONDUIT BODIES

WITHOUT COVER AND GASKET ASSEMBLED

Aluminum

- APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by NEC), and maintenance. Suitable for outdoor locations when protected by overhead cover.



Contact us for Canadian regulatory listings

SIZE PART # PCS / PKG TOTAL CTN QTY CTN WT

TYPE: LL WITHOUT COVER AND GASKET

BULK	1/2"	59305B	10 / BOX	1 BOX	
	3/4"	59307B	10 / BOX	1 BOX	
	1"	59310B	5 / BOX	1 BOX	
	1 1/4"	59312B	2 / BOX	1 BOX	
	1 1/2"	59315B	2 / BOX	1 BOX	
	2"	59320B	1 / BOX	1 BOX	
	2 1/2"	59325B	1 / BOX	1 BOX	
	3"	59330B	1 / BOX	1 BOX	
	3 1/2"	59335B	1 / BOX	1 BOX	
	4"	59340B	1 / BOX	1 BOX	

**TYPE: C WITHOUT COVER AND GASKET**

BULK	1/2"	59005B	10 / BOX	1 BOX	
	3/4"	59007B	10 / BOX	1 BOX	
	1"	59010B	5 / BOX	1 BOX	
	1 1/4"	59012B	2 / BOX	1 BOX	
	1 1/2"	59015B	2 / BOX	1 BOX	
	2"	59020B	1 / BOX	1 BOX	
	2 1/2"	59025B	1 / BOX	1 BOX	
	3"	59030B	1 / BOX	1 BOX	
	3 1/2"	59035B	1 / BOX	1 BOX	
	4"	59040B	1 / BOX	1 BOX	

**TYPE: LB WITHOUT COVER AND GASKET**

BULK	1/2"	58105B	10 / BOX	1 BOX	
	3/4"	58107B	10 / BOX	1 BOX	
	1"	58110B	5 / BOX	1 BOX	
	1 1/4"	58112B	2 / BOX	1 BOX	
	1 1/2"	58115B	2 / BOX	1 BOX	
	2"	58120B	1 / BOX	1 BOX	
	2 1/2"	58125B	1 / BOX	1 BOX	
	3"	58130B	1 / BOX	1 BOX	
	3 1/2"	58135B	1 / BOX	1 BOX	
	4"	58140B	1 / BOX	1 BOX	



SET SCREW CONDUIT BODIES ALUMINUM CONTINUED FROM PREVIOUS PAGE

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: T WITHOUT COVER AND GASKET					
BULK	1/2"	57405B	10 / BOX	1 BOX	
	3/4"	57407B	10 / BOX	1 BOX	
	1"	57410B	5 / BOX	1 BOX	
	1 1/4"	57412B	2 / BOX	1 BOX	
	1 1/2"	57415B	2 / BOX	1 BOX	
	2"	57420B	1 / BOX	1 BOX	
	2 1/2"	57425B	1 / BOX	1 BOX	
	3"	57430B	1 / BOX	1 BOX	
	3 1/2"	57435B	1 / BOX	1 BOX	
	4"	57440B	1 / BOX	1 BOX	



TYPE: LR WITHOUT COVER AND GASKET					
BULK	1/2"	57805B	10 / BOX	1 BOX	
	3/4"	57807B	10 / BOX	1 BOX	
	1"	57810B	5 / BOX	1 BOX	
	1 1/4"	57812B	2 / BOX	1 BOX	
	1 1/2"	57815B	2 / BOX	1 BOX	
	2"	57820B	1 / BOX	1 BOX	
	2 1/2"	57825B	1 / BOX	1 BOX	
	3"	57830B	1 / BOX	1 BOX	
	3 1/2"	57835B	1 / BOX	1 BOX	
	4"	57840B	1 / BOX	1 BOX	



CONDUIT BODY COVER

Aluminum

- **APPLICATION:** Used to replace broken or missing covers on conduit bodies to keep them sealed and secure.




Contact us for Canadian regulatory listings

BULK	1/2"	19305B	25 / BOX	1 BOX	
	3/4"	19307B	25 / BOX	1 BOX	
	1"	19310B	25 / BOX	1 BOX	
	1 1/4" - 1 1/2"	19315B	25 / BOX	1 BOX	
	2"	19320B	25 / BOX	1 BOX	
	2 1/2" - 3"	19330B	25 / BOX	1 BOX	
	3 1/2" - 4"	19340B	10 / BOX	1 BOX	







FLEXIBLE METALLIC CONDUIT FITTINGS

- Screw-In Connectors..... 38
- Screw-In Couplings..... 39
- Set-Screw Connectors..... 39
- Saddle Connectors 39
- Squeeze Connectors 40
- AC (BX) Connectors..... 41
- Clamp Connectors 41
- Duplex Connectors 41
- Flex-to-EMT Combination Couplings..... 42
- MC Snap-In Connectors..... 42
- MC Snap-In Duplex Connectors..... 42
- Cut-In Snap Lock Connector 43
- MC-AC-FLEX Double Snap Connector 43
- AC / MC One-Hole Strap..... 43
- BX Straps.....44
- 90° Connectors..... 44-45
- Anti-Short Bushings 45

SCREW-IN CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect flexible metallic conduit to steel outlet box, load center or other metal enclosure. Indoors only.

SUITABLE FOR:

- 1/2" - Steel, reduced wall steel and aluminum flexible metal conduit
- 3/8", 3/4" to 1 1/4" and 2" - Flexible metal conduit
- 1 1/2" - Steel and reduced wall flexible metal conduit



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/8" (1/2" KO)	90440	1 / BAG	25 BAGS	1.53
	1/2"	20440	5 / BAG	20 BAGS	4.85
	3/4"	20442	5 / BAG	10 BAGS	4.71
	1"	04410	1 / BAG	15 BAGS	2.64
	1 1/4"	04412	1 / BAG	10 BAGS	2.80
	1 1/2"	04415	1 / BAG	5 BAGS	2.06
	2"	04420	1 / BAG	4 BAGS	2.41
CCP	3/8" (1/2" KO)	04403B	50 / CCP	4 CCP's	28.08
	1/2"	04405B	50 / CCP	4 CCP's	28.90
BULK	3/4"	04407B	25 / BOX	1 BOX	24.81
	1"	04410B	25 / BOX	1 BOX	41.19
	1 1/4"	04412B	10 / BOX	1 BOX	28.99
	1 1/2"	04415B	10 / BOX	1 BOX	15.19
	2"	04420B	10 / BOX	1 BOX	24.31

WITH INSULATED THROAT



UPC	3/8" (1/2" KO)	28440	5 / BAG	15 BAGS	3.98
	1/2"	28441	5 / BAG	30 BAGS	7.82
	3/4"	28442	5 / BAG	15 BAGS	7.00
	1"	84410	1 / BAG	15 BAGS	2.68
BULK	3/8" (1/2" KO)	84403B	50 / BOX	1 BOX	27.35
	1/2"	84405B	50 / BOX	1 BOX	27.25
	3/4"	84407B	25 / BOX	1 BOX	
	1"	84410B	25 / BOX	1 BOX	
	1 1/4"	84412B	10 / BOX	1 BOX	
	1 1/2"	84415B	10 / BOX	1 BOX	
	2"	84420B	10 / BOX	1 BOX	

SCREW-IN COUPLINGS

Zinc Die Cast

- **APPLICATION:** Used to join two pieces of flexible metallic conduit. Indoors only.
- **SUITABLE FOR:**
 - 1/2" - Steel, reduced wall steel and aluminum flexible metal conduit
 - 3/8", 3/4" to 1 1/4" and 2" - Flexible metal conduit
 - 1 1/2" - Steel and reduced wall flexible metal conduit



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	90451	1 / BAG	25 BAGS	1.57
	3/4"	90452	1 / BAG	15 BAGS	1.44
	1"	04510	1 / BAG	15 BAGS	2.11
	1 1/4"	04512	1 / BAG	10 BAGS	2.49
	1 1/2"	04515	1 / BAG	5 BAGS	1.85
	2"	04520	1 / BAG	4 BAGS	2.07
BULK	1/2"	04505B	50 / BOX	1 BOX	28.45
	3/4"	04507B	25 / BOX	1 BOX	21.50
	1"	04510B	100 / BOX	1 BOX	
	1 1/4"	04512B	50 / BOX	1 BOX	
	1 1/2"	04515B	25 / BOX	1 BOX	
	2"	04520B	25 / BOX	1 BOX	



SET-SCREW CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect steel or aluminum flexible metallic conduit to a steel outlet box or other metal enclosure. Indoors only.

Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	90481	1 / BAG	15 BAGS	1.60
	1/2"	04805B	25 / BOX	1 BOX	26.08
	3/4"	04807B	25 / BOX	1 BOX	40.01

WITH INSULATED THROAT

BULK	1/2"	84805B	25 / BOX	1 BOX	27.25
	3/4"	84807B	25 / BOX	1 BOX	40.01



SADDLE CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect flexible metallic conduit, AC, MC and NM sheathed cable to a steel outlet box or other metal enclosure. Indoors only.
- **SUITABLE FOR:**
 - #14-2 to the largest size fittable NM sheathed cable
 - #14-2 with ground steel and aluminum armored cable -.470" diameter,
 - 3/8" steel flexible metal conduit, aluminum cont. corrugated metal clad cable 0.510-0.620" diameter
 - Aluminum smooth sheath metal clad cable 0.410-0.500" diameter
 - Aluminum interlocked metal clad cable 0.462-0.548" diameter
 - Steel interlocked metal clad cable 0.422-0.552" diameter

Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/8" (1/2" KO)	20670	5 / BAG	10 BAGS	3.58
CCP	3/8" (1/2" KO)	06703B	50 / CCP	4 CCP's	37.06

WITH INSULATED THROAT

BULK	3/8" (1/2" KO)	86703B	50 / BOX	1 BOX	37.15
------	----------------	---------------	----------	-------	-------



SQUEEZE CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect flexible metallic conduit and steel AC cable to a steel outlet box, load center or other metal enclosure. All sizes up to 1" are compatible with AC, MC, and FMC. Sizes 1 1/4" and larger exclusively compatible with FMC. Indoors only.
- **SUITABLE FOR:**
 - 3/8" steel flexible conduit,
 - .561 steel and .538 - .599
 - Aluminum interlocked metal clad cable
 - 1/2" steel flexible metal conduit and #4-2 wire steel armored cable
 - 3/4" steel flexible metal conduit and #6-3 wire steel armored cable
 - 1" steel and reduced wall steel flexible metal conduit and #2-2 wire steel armored cable



Contact us for Canadian regulatory listings



	SIZE	1 1/4" PAR steel flexible metal conduit	1 1/2" PAR steel flexible metal conduit	TOTAL CTN QTY	CTN WT
UPC	3/8" (1/2" KO)	20420	3 / BAG	10 BAGS	2.05
	1/2"	20421	3 / BAG	15 BAGS	3.86
	3/4"	20422	3 / BAG	5 BAGS	2.03
	1"	04210	1 / BAG	10 BAGS	1.91
	1 1/4"	04212	1 / BAG	5 BAGS	1.52
	1 1/2"	04215	1 / BAG	10 BAGS	3.40
	2"	04220	1 / BAG	4 BAGS	1.96
CCP	1/2"	04205B	25 / CCP	4 CCP's	23.60
BULK	3/8" (1/2" KO)	04203B	50 / BOX	1 BOX	32.86
	3/4"	04207B	25 / BOX	1 BOX	33.30
	1"	04210B	10 / BOX	1 BOX	20.54
	1 1/4"	04212B	10 / BOX	1 BOX	28.63
	1 1/2"	04215B	5 / BOX	1 BOX	19.47
	2"	04220B	10 / BOX	1 BOX	20.76
	2 1/2"	04225B	10 / BOX	1 BOX	9.57
	3"	04230B	5 / BOX	1 BOX	7.00
	3 1/2"	04235B	2 / BOX	1 BOX	3.37
	4"	04240B	1 / BOX	1 BOX	2.16

WITH INSULATED THROAT



BULK	1/2"	84205B	25 / BOX	1 BOX	
	3/4"	84207B	25 / BOX	1 BOX	28.50
	1"	84210B	10 / BOX	1 BOX	22.25
	1 1/4"	84212B	10 / BOX	1 BOX	
	1 1/2"	84215B	5 / BOX	1 BOX	22.25
	2"	84220B	10 / BOX	1 BOX	20.59

AC (BX) CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect AC (BX) cable to a steel outlet box or other metal enclosure. Indoors only.
- **SUITABLE FOR:**
 - #14-2 steel armored cable



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/8" (1/2" KO)	20581	5 / BAG	10 BAGS	7.47
CCP	3/8" (1/2" KO)	05803B	100 / CCP	4 CCP's	49.62



CLAMP CONNECTORS

Zinc Die Cast

- **APPLICATION:** In a dry location, use to connect flexible metallic conduit, AC, MC, or NM cable to steel outlet box or other enclosure. Indoors only.
- **SUITABLE FOR:**
 - #14/2 thru #12/3 with ground NM sheathed cable
 - #14-2 wire steel armored cable
 - 3/8" steel flexible metal conduit, aluminum continuous corrugated metal clad cable 0.365"-0.519" diameter
 - Aluminum smooth sheath metal clad cable 0.345" - 0.525" diameter
 - Aluminum interlocked metal clad cable 0.455"- 0.575" diameter
 - Rectangular aluminum continuous corrugated metal clad cable 0.277" x 0.375", steel interlocked metal clad cable 0.435" - 0.547" diameter



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/8" (1/2" KO)	20570	5 / BAG	30 BAGS	7.61
CCP	3/8" (1/2" KO)	05711B	50 / CCP	4 CCP's	26.18
BULK	1/2"	05705B	25 / BOX	1 BOX	
	1"	05710B	10 / BOX	1 BOX	
	1 1/4"	05712B	10 / BOX	1 BOX	
	2"	05720B	5 / BOX	1 BOX	



DUPLEX CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect two pieces of flexible metallic conduit, AC, MC, or NM sheathed cable, to a steel outlet box or other metal enclosure when using only one knockout opening. Indoors only.
- **SUITABLE FOR:**
 - #14-2 thru #12-3 wire with ground NM sheathed cable
 - #14-2 wire steel armored cable
 - #14-2 wire with ground aluminum armored cable
 - 3/8" FMC, aluminum smooth sheath metal clad cable 0.410"-0.500" diameter
 - 3/8" FMC, aluminum interlocked metal clad cable 0.460"-0.538" diameter
 - 3/8" FMC, steel interlocked metal clad cable 0.438"-0.560" diameter



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/8" (1/2" KO)	21580	2 / BAG	10 BAGS	2.44
CCP	3/8" (1/2" KO)	15803B	25 / CCP	4 CCP's	30.84



FLEXIBLE METALLIC CONDUIT FITTINGS

FLEX

FLEX-TO-EMT COUPLINGS

Zinc Die Cast

- **APPLICATION:** Used to join EMT conduit to flexible metal conduit. Indoors only.
- **SUITABLE FOR:**
 - 1/2" steel, steel reduced wall and aluminum flexible metal conduit to EMT
 - 3/4" - 1" flexible metal conduit to EMT



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
<i>SET-SCREW TYPE</i>					
UPC	1/2"	91531	1 / BAG	15 BAGS	1.51
	3/4"	91532	1 / BAG	10 BAGS	1.52
BULK	1/2" - 3/8"	15105B	25 / BOX	1 BOX	
	1/2" - 1/2"	15305B	25 / BOX	1 BOX	21.75
	3/4" - 3/4"	15307B	25 / BOX	1 BOX	27.51



COMPRESSION TO SCREW-IN TYPE

UPC	1/2"	20491	2 / BAG	10 BAGS	1.83
	3/4"	20492	2 / BAG	8 BAGS	1.99
	1" - 1"	04910	1 / BAG	10 BAGS	0.96
BULK	1/2"	04905B	50 / BOX	1 BOX	41.95
	3/4"	04907B	25 / BOX	1 BOX	28.95
	1"	04910B	25 / BOX	1 BOX	



CLAMP TYPE

BULK	1/2"	90605B	25 / BOX	1 BOX	
------	------	---------------	----------	-------	--

MC SNAP-IN CONNECTORS

Steel

- **APPLICATION:** Used to connect aluminum or steel AC, aluminum MC, and steel flexible metal conduit. Indoors only.
- **SUITABLE FOR:**
 - Aluminum and steel armored cable with #14-2 - #10-2 wire, steel flexible metal conduit, .45 diameter aluminum interlocked MC cable.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/8" (1/2" KO)	26571	5 / BAG	10 BAGS	4.09
BULK	3/8" (1/2" KO)	65705B	50 / BOX	1 BOX	43.25

MC SNAP-IN DUPLEX CONNECTORS

Steel

- **APPLICATION:** Used to connect aluminum or steel AC and MC cables. Indoors only.
- **SUITABLE FOR:**
 - Aluminum and steel armored cable with #14-2 - #12-4 wire; steel MC cable with #14-2 - #10-2 wire; aluminum MC cable with #14-2 - #12-4 wire.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8" (1/2" KO)	65805B	25 / BOX	1 BOX	32.65

CUT-IN SNAP LOCK CONNECTORS

Steel

- APPLICATION:** Use these connectors provide significant labor savings when connecting metal clad or armored cable in old work electrical box installations. Indoors only

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/8" (1/2" KO)	25803	5 / BAG	25 BAGS	3.17
BULK	3/8" (1/2" KO)	85803NB	25 / BOX	1 BOX	8.75



MC-AC-FLEX DOUBLE SNAP CONNECTORS

Zinc Die Cast

- APPLICATION:** Used for installing metal clad or armored cable to steel boxes or enclosures. Indoors only.
- SUITABLE FOR:**
 - AL and steel AC 14-2 to 10-3
 - AL and steel MC / MCI - A / HCF 14-2 to 10-3
 - AL and steel 3/8" FMC / RWFC

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/8" (1/2" KO)	25703	5 / BAG	20 BAGS	6.26
CCP	3/8" (1/2" KO)	85703NB	50 / CCP	4 CCP's	33.66



DOUBLE SNAP-IN LOCK 90° BX CONNECTOR

Zinc Die Cast

- APPLICATION:** Use these connectors provide significant labor savings when connecting 90° bend metal clad or armored cable in old work electrical box installations. Indoors only

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/4"	11103B	25 / BOX	1 BOX	
	3/4"	11105B	10 / BOX	1 BOX	



AC / MC ONE-HOLE STRAPS

Steel

- APPLICATION:** Used to secure AC / MC cable range of .475 to .580 to a wood, masonry or similar surface. 0.196 in hole size. Indoors only.

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/8"	26211	10 / BAG	20 BAGS	2.39
CCP	3/8"	62180B	200 / CCP	4 CCP's	50.00



BX STRAP

Zinc Die Cast

- APPLICATION:** Used to secure AC cable to a wall or other surface.

Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/4"	12502B	100 / BOX	1 BOX	
	1/2"	12505B	100 / BOX	1 BOX	
	14/2" -10/3"	12543B	100 / BOX	1 BOX	

90° CONNECTORS

Zinc Die Cast

- APPLICATION:** Used to connect flexible metal conduit, aluminum and steel AC and MC cable to a steel outlet box or other metal enclosure. Indoors only.
- SUITABLE FOR:**
 - 3/8"- 3/4" steel and aluminum armored cable, steel and aluminum interlocked metal clad cable, flexible cord, and flexible metal conduit
 - 1"- 4" flexible metal conduit

Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/8" (1/2" KO)	91100	1 / BAG	25 BAGS	2.36
	1/2"	91101	1 / BAG	20 BAGS	2.74
	3/4"	91102	1 / BAG	10 BAGS	2.03
	1"	11010	1 / BAG	5 BAGS	1.70
	1 1/4"	11012	1 / BAG	3 BAGS	1.53
	1 1/2"	11015	1 / BAG	4 BAGS	4.63
CCP	3/8" (1/2" KO)	11001B	35 / CCP	4 CCP's	33.30
BULK	1/2"	11005B	25 / BOX	1 BOX	33.75
	3/4"	11007B	10 / BOX	1 BOX	21.48
	1"	11010B	5 / BOX	1 BOX	17.25
	1 1/4"	11012B	10 / BOX	1 BOX	20.01
	1 1/2"	11015B	5 / BOX	1 BOX	5.39
	2"	11020B	5 / BOX	1 BOX	6.07
	2 1/2"	11025B	2 / BOX	1 BOX	6.43
	3"	11030B	1 / BOX	1 BOX	3.66
	3 1/2"	11035B	1 / BOX	1 BOX	
	4"	11040B	1 / BOX	1 BOX	7.88

90 DEGREE CONNECTORS TABLE CONTINUED FROM PREVIOUS PAGE

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
<i>WITH INSULATED THROAT</i>					
UPC	3/8" (1/2" KO)	91003	1 / BAG	25 BAGS	1.33
	1/2"	29101	5 / BAG	5 BAGS	3.21
	3/4"	29102	5 / BAG	5 BAGS	5.28
	1"	91010	1 / BAG	5 BAGS	1.63
BULK	3/8" (1/2" KO)	91003B	25 / BOX	1 BOX	21.75
	1/2"	91005B	25 / BOX	1 BOX	37.51
	3/4"	91007B	10 / BOX	1 BOX	22.25
	1"	91010B	5 / BOX	1 BOX	
	1 1/4"	91012B	10 / BOX	1 BOX	
	1 1/2"	91015B	5 / BOX	1 BOX	
	2	91020B	6 / BOX	1 BOX	



ANTI-SHORT BUSHINGS

Polyethylene

- **APPLICATION:** Used to protect wire within flexible metallic conduit. Indoors only.
- **SUITABLE FOR:**
 - 1 Fits cable range: 14/2, 14/3, 12/2
 - 2 Fits cable range: 14/2, 12/3, 6/1, 4/1
 - 3 Fits cable range: 12/4, 10/2, 10/3, 2/1




Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	0 (5/16")	75400¹	35 / BAG	10 BAGS	0.56
	1 (3/8")	75401²	35 / BAG	10 BAGS	0.60
	2 (7/16")	75402³	35 / BAG	5 BAGS	0.48
	3 (1/2")	75403³	20 / BAG	5 BAGS	0.58
	4 (3/4")	75404³	16 / BAG	4 BAGS	0.42
BULK	0 (5/16")	75400BP¹	1000 / BOX	1 BOX	0.88
	1 (3/8")	75401BP²	1000 / BOX	1 BOX	2.28
	2 (7/16")	75402BP³	500 / BOX	1 BOX	1.28
	3 (1/2")	75403BP³	250 / BOX	1 BOX	1.64
	4 (3/4")	75404BP³	250 / BOX	1 BOX	1.28



FLEXIBLE METALLIC CONDUIT FITTINGS

FLEX





- Push-In
Cable Connectors..... 48
- Plastic
Cable Connectors..... 48
- Clamp Connectors 49
- Clamp Connectors
Service Entrance 49
- Clamp Connectors
Snap-In 50
- Clamp Connectors
Two-Piece 50
- Clamp Connectors
Combination 50
- Saddle Connectors 51
- Duplex Connectors 51
- Water-Tight
UF Connectors 51
- EMT-To-Non-Metallic
Combination
Couplings..... 52
- One-Hole Straps 52

NON-METALLIC SHEATHED CABLE FITTINGS

PUSH-IN CABLE CONNECTORS

Nylon

- APPLICATION:** Used to connect non-metallic sheathed cable to a steel outlet box or other metal enclosure. Snap-in design for quick, easy two-step installation and no locknuts required. Dry location. Only one non-metallic cable should go through.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/8" (1/2" KO)	27511	5 / BAG	15 BAGS	0.70
	3/8" (1/2" KO)	27500	10 / BAG	10 BAGS	0.55
	3/8" (1/2" KO)	27510	25 / BAG	5 BAGS	0.65
	3/4"	27512	5 / BAG	10 BAGS	0.66
	3/4"	27507	10 / BAG	5 BAGS	0.65
	3/4"	27514	25 / BAG	5 BAGS	0.68
CCP	3/8" (1/2" KO)	75105B	100 / CCP	4 CCP's	8.08

PLASTIC CABLE CONNECTORS

PVC

- APPLICATION:** Used to connect non-metallic sheathed cable to a steel outlet box or other metal enclosure. Snap-in design. Dry location.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	27515	5 / BAG	10 BAGS	1.40
	3/4"	27516	5 / BAG	10 BAGS	0.37
CCP	1/2"	75111B	35 / CCP	4 CCP's	11.54
BULK	3/4"	75102B	25 / BOX	1 BAG	8.07



CLAMP CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect non-metallic sheathed cable to a steel outlet box or other metal enclosure. Dry location.
- 1 Fits NM cable: #14/2, 12/2, 12/3, AWG or 2 #14/2 AWG
- 2 Fits NM cable: #12/3 - 8/3 AWG or flex cord 0.460" - 0.720" diameter
- 3 Fits NM cable: #14/2 - 6/3 AWG or 3 #10/3 AWG or flex cord 0.450" - 0.730" diameter
- 4 Fits NM cable: #6/3 - 2/3 AWG or flex cord 0.800" - 1.350" diameter; or SE cable 3 conductor or 3 #1/0 min; 3 conductor or 3 #2/0 max
- 5 Fits NM cable, flex cords, multi-flex cords; fitting range 0.835" - 1.520" diameter or SE cable 2 conductor 4/0
- 6 Fits NM cable, flex cords, multi-flex cords; fitting range 1.085" - 1.520" diameter



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/8" (1/2" KO)	20511¹	5 / BAG	75 BAGS	17.86
	3/4"	20512²	5 / BAG	15 BAGS	6.63
	1"	90513³	1 / BAG	15 BAGS	2.28
	1 1/4"	90514⁴	1 / BAG	10 BAGS	2.23
	1 1/2"	05115⁵	1 / BAG	5 BAGS	1.68
	2"	05120⁶	1 / BAG	5 BAGS	2.13
CCP	3/8" (1/2" KO)	05103B1	100 / CCP	4 CCP's	47.72
	3/4"	05107B2	50 / CCP	4 CCP's	41.36
	1"	05110B3	25 / CCP	4 CCP's	33.10
BULK	1 1/4"	05112B⁴	10 / BOX	1 BOX	21.49
	1 1/2"	05115B⁵	5 / BOX	1 BOX	22.25
	2"	05120B⁶	10 / BOX	1 BOX	45.83



CLAMP CONNECTORS - SERVICE ENTRANCE

Zinc

- **APPLICATION:** Used to connect oval service cable to steel outlet box or other metal enclosure. Dry location.
- 1 Fits SE oval cable: 1.065 x 0.635 - 1.250" x 0.740"
- 2 Fits SE oval cable: 1.405 x 0.875 - 1.450" x 0.857"



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1 1/4"	05312¹	1 / BAG	10 BAGS	2.06
	1 1/2"	05315²	1 / BAG	5 BAGS	1.08
	2"	05320³	1 / BAG	5 BAGS	4.49
BULK	1"	05310B	25 / BOX	1 BOX	
	1 1/4"	05312B	10 / BOX	1 BOX	21.49
	1 1/2"	05315B	5 / BOX	1 BOX	11.64
	2"	05320B	10 / BOX	1 BOX	18.88



NON-METALLIC SHEATHED CABLE FITTINGS

NM

CLAMP CONNECTORS - SNAP-IN

Zinc

- APPLICATION:** Used to connect non-metallic sheathed cable to a steel outlet box or other metal enclosure. Snap-in design for quick, easy two-step installation and no locknuts required. Dry Location. Only UL approved for one non-metallic cable.
1 Fits NM cable: #14/2 - 12/2 or flex cord .209" - .450" diameter
2 Fits NM cable: #10/3 - 8/2, SE oval 0.36 x 0.61 - 0.51 x 0.80 or SER cable 0.05" - 0.75" diameter



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/8" (1/2" KO)	20517 ¹	2 / BAG	25 BAGS	2.20
	3/8" (1/2" KO)	20515 ¹	10 / BAG	10 BAGS	4.28
	3/4"	20518 ²	2 / BAG	10 BAGS	1.00
CCP	3/8" (1/2" KO)	85103NB ¹	100 / CCP	4 CCP's	44.76
BULK	3/4"	85107NB ²	50 / BOX	1 BOX	38.75

CLAMP CONNECTORS - TWO-PIECE

Zinc Electro-Plated Steel

- APPLICATION:** Used to secure #14 - #10 non-metallic sheathed cable to a steel outlet box or other metal enclosure. No locknut is required. Dry location.
1 NM cable wire range .160 - .560
2 NM cable wire range .200 - .850
3 NM cable wire range .250 - 1.000
4 NM cable wire range .312 - 1.200



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/8" (1/2" KO)	26510 ¹	5 / BAG	10 BAGS	2.08
	3/4" - 1"	26512 ²	5 / BAG	10 BAGS	2.99
	1 1/4"	26514 ³	2 / BAG	5 BAGS	1.45
	1 1/2"	26515 ⁴	2 / BAG	5 BAGS	1.64
BULK	3/8" (1/2" KO)	65103B ¹	100 / BOX	1 BOX	38.51
	3/4" - 1"	65110B ²	50 / BOX	1 BOX	37.51
	1 1/4"	65112B ³	25 / BOX	1 BOX	30.23
	1 1/2"	65115B ⁴	25 / BOX	1 BOX	

CLAMP CONNECTORS - COMBINATION

Zinc Die Cast

- APPLICATION:** Used to connect flexible metallic conduit, AC, MC, or NM cable to steel outlet box or other enclosure. Miscellaneous: 3/8" size fits 1/2" knockout. Dry location.
Fits AC cable - steel 14/2 - 10/2, 0.463 - 0.59 and aluminum 14/2 - 10/2, 0.47 - 0.552;
MCI cable - steel 14/2 - 10/3, 0.46 - 0.55 and aluminum 14/2 - 10/3 0, .465 - 0.585; MCI-A cable -aluminum 12/2 - 10/2, 0.435 - 0.518; HCF MCI-A cable - aluminum 12/2-10/2, 0.416 - 0.495; FMC steel and aluminum 3/8"



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/8" (1/2" KO)	20570	5 / BAG	30 BAGS	7.61
CCP	3/8" (1/2" KO)	05711B	50 / CCP	10 CCP's	26.18

SADDLE CONNECTORS

Zinc Die Cast

- APPLICATION:** Used to connect flexible metallic conduit, AC, MC and NM sheathed cable to a steel outlet box or other metal enclosure. Dry location.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/8" (1/2" KO)	20670	5 / BAG	10 BAGS	3.58
CCP	3/8" (1/2" KO)	06703B	50 / CCP	4 CCP's	37.06

WITH INSULATED THROAT

BULK	3/8" (1/2" KO)	86703B	50 / BOX	1 BOX	37.15
------	----------------	---------------	----------	-------	-------



DUPLEX CONNECTORS

Zinc Die Cast

- APPLICATION:** Used to connect two pieces of flexible metallic conduit, AC, MC, or NM sheathed cable, to a steel outlet box or other metal enclosure when using only one knockout opening. Dry location.
- SUITABLE FOR:**
 - #14-2 thru #12-3 wire with ground NM sheathed cable
 - #14-2 wire steel armored cable
 - #14-2 wire with ground aluminum armored cable
 - 3/8" FMC, aluminum smooth sheath metal clad cable 0.410" - 0.500" diameter
 - 3/8" FMC, aluminum interlocked metal clad cable 0.460" - 0.538" diameter
 - 3/8" FMC, steel interlocked metal clad cable 0.438" - 0.560" diameter



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/8" (1/2" KO)	21580	2 / BAG	10 BAGS	2.44
CCP	3/8" (1/2" KO)	15803B	25 / CCP	4 CCP's	30.84



WATER-TIGHT UF CONNECTORS

Zinc Die Cast

- APPLICATION:** Used to secure #14 - #12 UF cable to a waterproof box with threaded hub. Dry location.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	90661	1 / BAG	5 BAGS	0.65
	3/4"	90662	1 / BAG	10 BAGS	1.68
BULK	1/2"	06605B	25 / BOX	1 BOX	25.83
	3/4"	06607B	25 / BOX	1 BOX	37.83



EMT-TO-NON-METALLIC COUPLINGS

Zinc Die Cast



- **APPLICATION:** Used to join EMT conduit to non-metallic sheathed cable, fits 12/2 or equivalent size and should be limited to one cable per coupling for optimal performance. Indoors only.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	91530	1 / BAG	15 BAGS	1.25
CCP	1/2"	15301B	25 / CCP	4 CCP's	17.58
BULK	1/2"	15303B	50 / BOX	1 BOX	32.25

ONE-HOLE STRAPS

Steel



- **APPLICATION:** Used to secure non-metallic sheathed cable or service entrance cable (SEU, SE) to a wood, masonry or similar surface. Dry location.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	#12/2 - #14/2	26210	10 / BAG	10 BAGS	1.29
BULK	#12/2 - #14/2	62171B	100 / BOX	1 BOX	13.83





- *Straight Liquid-Tight Connectors One-Piece* 54
- *Straight Liquid-Tight Connectors Multi-Piece* 54
- *90 Degree Liquid-Tight Connectors One-Piece* 55
- *90 Degree Liquid-Tight Connectors Multi-Piece* 55
- *Straight Liquid-Tight Connectors*..... 56
- *45 Degree Liquid-Tight Connectors*..... 57
- *90 Degree Liquid-Tight Connectors*..... 57
- *Straight Quick-Set Liquid Tight Connectors*..... 58
- *90 Degree Quick-Set Liquid Tight* 58
- *LQD/EMT Couplings*.....59
- *LQD/RGD Couplings*.....59
- *Screw-In Couplings*.....59

LIQUID-TIGHT CONDUIT FITTINGS

STRAIGHT LIQUID TIGHT CONNECTORS - ONE-PIECE

Zinc Die Cast

- **APPLICATION:** Used to connect flexible metallic or type B non-metallic liquid tight conduit to a steel outlet box or other metal enclosure or hub. Indoors or outdoors.
- **FEATURES:** Straight connection. One-piece design allows for quick and easy installation.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/4"	90362	1 / BAG	10 BAGS	2.25
BULK	1/2"	06305B	25 / BOX	1 BOX	15.14
	3/4"	06307B	10 / BOX	1 BOX	22.83

WITH INSULATED THROAT

BULK	3/4"	86307B	10 / BOX	1 BOX	22.83
------	------	---------------	----------	-------	-------

STRAIGHT LIQUID TIGHT CONNECTORS - MULTI-PIECE

Zinc Die Cast

- **APPLICATION:** Used to connect flexible metallic or type B non-metallic liquid tight conduit to a steel outlet box or other metal enclosure or hub. Indoors or outdoors.
- **FEATURES:** Multi-piece straight connection.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	91625	1 / BAG	20 BAGS	3.09
	3/4"	91627	1 / BAG	15 BAGS	3.48
	1"	16210	1 / BAG	10 BAGS	3.59
BULK	3/8"	16203B	25 / BOX	1 BOX	16.14
	1/2"	16205B	25 / BOX	1 BOX	14.20
	3/4"	16207B	10 / BOX	1 BOX	19.25
	1"	16210B	10 / BOX	1 BOX	28.95
	1 1/4"	16212B	4 / BOX	1 BOX	25.05
	1 1/2"	16215B	2 / BOX	1 BOX	15.83
	2"	16220B	2 / BOX	1 BOX	18.39

WITH INSULATED THROAT

BULK	3/8"	96203B	25 / BOX	1 BOX	
	1/2"	96205B	25 / BOX	1 BOX	
	3/4"	96207B	10 / BOX	1 BOX	22.83
	1"	96210B	10 / BOX	1 BOX	
	1 1/4"	96212B	4 / BOX	1 BOX	25.05
	1 1/2"	96215B	2 / BOX	1 BOX	16.51
	2"	96220B	2 / BOX	1 BOX	
	2 1/2"	96225B	1 / BOX	1 BOX	2.21
	3"	96230B	1 / BOX	1 BOX	3.22

90° LIQUID TIGHT CONNECTORS - ONE-PIECE

Zinc Die Cast

- **APPLICATION:** Used to connect flexible metallic or type B non-metallic conduit to a steel outlet box or other metal enclosure. Indoors or outdoors.
- **FEATURES:** 90 degree connection. One-piece design allows for quick and easy installation.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	90681	1 / BAG	15 BAGS	2.94
	3/4"	90682	1 / BAG	10 BAGS	2.98
BULK	1/2"	06805B	25 / BOX	1 BOX	19.45



90° LIQUID TIGHT CONNECTORS - MULTI-PIECE

Zinc Die Cast

- **APPLICATION:** Used to connect flexible metallic or type B non-metallic liquid tight conduit to a steel outlet box or other metal enclosure or hub. Indoors or outdoors.
- **FEATURES:** Multi-piece 90 degree connection.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	91695	1 / BAG	15 BAGS	3.27
	3/4"	91697	1 / BAG	10 BAGS	2.86
	1"	16910	1 / BAG	5 BAGS	2.38
BULK	3/8"	16903B	25 / BOX	1 BOX	21.14
	1/2"	16905B	25 / BOX	1 BOX	22.38
	3/4"	16907B	10 / BOX	1 BOX	28.35
	1"	16910B	5 / BOX	1 BOX	35.25
	1 1/4"	16914B	4 / BOX	1 BOX	44.51
	1 1/2"	16915B	2 / BOX	1 BOX	28.51
	2"	16920B	2 / BOX	1 BOX	41.71

WITH INSULATED THROAT

BULK	2"	96920B	2 / BOX	1 BOX	41.71
	2 1/2"	96925B	1 / BOX	1 BOX	3.80



STRAIGHT LIQUID TIGHT CONNECTORS

Malleable Iron/Steel/Zinc

- **APPLICATION:** Used to connect flexible metallic liquid tight conduit to a steel outlet box or other metal enclosure or hub. Indoors or outdoors.
- **FEATURES:** Straight connection



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	66205	1 / BAG	15 BAGS	2.80
	3/4"	66206	1 / BAG	10 BAGS	2.20
	1"	66210	1 / BAG	5 BAGS	1.60
BULK	3/8"	66203B	25 / BOX	1 BOX	15.56
	1/2"	66205B	25 / BOX	1 BOX	16.34
	3/4"	66206B	10 / BOX	1 BOX	31.83
	1"	66210B	5 / BOX	1 BOX	11.68
	1 1/4"	66212B	5 / BOX	1 BOX	12.34
	1 1/2"	66215B	2 / BOX	1 BOX	16.23
	2"	66220B	2 / BOX	1 BOX	28.85
	2 1/2"	66225B	1 / BOX	1 BOX	
	3"	66230B	1 / BOX	1 BOX	
	3 1/2"	66235B	1 / BOX	1 BOX	
	4"	66240B	1 / BOX	1 BOX	

WITH INSULATED THROAT



UPC	1/2"	86205	1 / BAG	15 BAGS	2.80
	3/4"	86207	1 / BAG	10 BAGS	2.20
BULK	3/8"	86203B	25 / BOX	1 BOX	
	1/2"	86205B	25 / BOX	1 BOX	16.34
	3/4"	86207B	10 / BOX	1 BOX	24.14
	1"	86210B	5 / BOX	1 BOX	8.79
	1 1/4"	86212B	5 / BOX	1 BOX	12.34
	1 1/2"	86215B	2 / BOX	1 BOX	16.23
	2"	86220B	2 / BOX	1 BOX	28.85
	2 1/2"	86225B	1 / BOX	1 BOX	2.62
	3"	86230B	1 / BOX	1 BOX	3.91
	4"	86240B	1 / BOX	1 BOX	6.56

45° LIQUID TIGHT CONNECTORS

Malleable Iron/ Steel

- **APPLICATION:** Used to connect flexible metallic liquid tight conduit to a steel outlet box or other metal enclosure or hub. Indoors or outdoors.
- **FEATURES:** 45 degree connection.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8"	66503B	10 / BOX	1 BOX	29.95
	1/2"	66505B	10 / BOX	1 BOX	27.96
	3/4"	66507B	10 / BOX	1 BOX	14.64
	1"	66510B	5 / BOX	1 BOX	13.94
	1 1/4"	66512B	5 / BOX	1 BOX	19.79
	1 1/2"	66515B	2 / BOX	1 BOX	24.25
	2"	66520B	2 / BOX	1 BOX	37.89

WITH INSULATED THROAT

BULK	2 1/2"	86525B	1 / BOX	1 BOX	4.94
------	--------	---------------	---------	-------	------



90° LIQUID TIGHT CONNECTORS

Malleable Iron/Steel/Zinc

- **APPLICATION:** Used to connect flexible metallic liquid tight conduit to a steel outlet box or other metal enclosure or hub. Indoors or outdoors.
- **FEATURES:** 90 degree connection.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	66905	1 / BAG	15 BAGS	4.0
	3/4"	66907	1 / BAG	10 BAGS	4.0
	1"	66910	1 / BAG	5 BAGS	2.8
BULK	3/8"	66903B	10 / BOX	1 BOX	
	1/2"	66905B	10 / BOX	1 BOX	30.75
	3/4"	66907B	10 / BOX	1 BOX	19.14
	1"	66910B	5 / BOX	1 BOX	16.34
	1 1/4"	66912B	5 / BOX	1 BOX	24.83
	1 1/2"	66915B	2 / BOX	1 BOX	31.89
	2"	66920B	2 / BOX	1 BOX	42.51
	2 1/2"	66925B	1 / BOX	1 BOX	
	3"	66930B	1 / BOX	1 BOX	
	3 1/2"	66935B	1 / BOX	1 BOX	
	4"	66940B	1 / BOX	1 BOX	

WITH INSULATED THROAT

UPC	1/2"	86905	1 / BAG	15 BAGS	2.8
	3/4"	86907	1 / BAG	10 BAGS	2.2
BULK	3/8"	86903B	10 / BOX	1 BOX	
	1/2"	86905B	10 / BOX	1 BOX	31.25
	3/4"	86907B	10 / BOX	1 BOX	19.14
	1"	86910B	5 / BOX	1 BOX	16.34
	1 1/4"	86912B	5 / BOX	1 BOX	24.83
	1 1/2"	86915B	2 / BOX	1 BOX	27.25
	2"	86920B	2 / BOX	1 BOX	
	2 1/2"	86925B	1 / BOX	1 BOX	6.12



STRAIGHT QUICK-SET LIQUID TIGHT CONNECTORS

Nylon

- **APPLICATION:** Used to connect type B non-metallic liquid tight conduit to a weatherproof outlet box, pool/spa equipment motor, central air conditioning unit or various other electrical enclosures or hubs. Indoors or outdoors.
- **FEATURES:** Straight connection.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/8"	27620	1 / BAG	25 BAGS	1.87
	1/2"	27621	1 / BAG	30 BAGS	1.72
	3/4"	27622	1 / BAG	20 BAGS	1.54
	1"	97623	1 / BAG	15 BAGS	0.93
BULK	3/8"	76203B	25 / BOX	1 BOX	
	1/2"	76205B	25 / BOX	1 BOX	7.52
	3/4"	76207B	10 / BOX	1 BOX	11.59
	1"	76210B	5 / BOX	1 BOX	8.25
	1 1/4"	76212B	5 / BOX	1 BOX	1.24
	1 1/2"	76215B	2 / BOX	1 BOX	0.64
	2"	76220B	2 / BOX	1 BOX	1.01

90° QUICK-SET LIQUID TIGHT CONNECTORS

Nylon

- **APPLICATION:** Used to connect type B non-metallic liquid tight conduit to a weatherproof outlet box, pool/spa equipment motor, central air conditioning unit or various other electrical enclosures or hubs. Indoors or outdoors.
- **FEATURES:** 90 degree connection



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/8"	27690	1 / BAG	15 BAGS	1.61
	1/2"	27691	1 / BAG	20 BAGS	1.51
	3/4"	27692	1 / BAG	15 BAGS	1.23
	1"	97693	1 / BAG	10 BAGS	1.03
BULK	1/2"	76905B	10 / BOX	1 BOX	9.45
	3/4"	76907B	10 / BOX	1 BOX	12.51
	1"	76910B	5 / BOX	1 BOX	10.60
	1 1/4"	76912B	5 / BOX	1 BOX	9.47
	1 1/2"	76915B	2 / BOX	1 BOX	5.13
	2"	76920B	2 / BOX	1 BOX	8.18

EMT TO LQD COMPRESSION COUPLINGS

Zinc Die Cast/Steel

- **APPLICATION:** Used to join EMT and LQD conduit together. Indoors only.
- **FEATURES:** Concrete tight



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	60105B	25 / BOX	1 BOX	
	3/4"	60107B	20 / BOX	1 BOX	
	1"	60110B	10 / BOX	1 BOX	



LQD TO RGD COMBINATION COUPLINGS

Steel

- **APPLICATION:** Used to connect EMT conduit to a liquid tight conduit or AC whip. Outdoor use.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8"	93503B	20 / BOX	1 BOX	
	1/2"	93505B	20 / BOX	1 BOX	
	3/4"	93507B	10 / BOX	1 BOX	
	1"	93510B	5 / BOX	1 BOX	
	1 1/4"	93512B	5 / BOX	1 BOX	
	1 1/2"	93515B	12 / BOX	1 BOX	
	2"	93520B	5 / BOX	1 BOX	



SCREW-IN COUPLINGS

PVC

- **APPLICATION:** Used to connect two lengths of type B non-metallic liquid tight conduit. Indoors or outdoors.




Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	97451	1 / BAG	10 BAGS	0.72
	3/4"	97452	1 / BAG	10 BAGS	0.86
BULK	1/2"	74505B	30 / BOX	1 BOX	1.81
	3/4"	74507B	25 / BOX	1 BOX	1.92



LQD





RIGID CONDUIT FITTINGS

- *Set Screw Connectors and Couplings* 62-63
- *Compression Connectors and Couplings* 63-65
- *Couplings* 66-68
- *EMT/RGD*
 - Strut Clamps* 66-68
- *Elbows* 68-70
- *Nipples* 72-76
- *Water-Tight*
 - Conduit Hubs* 76-77
- *Box Spacers* 77
- *Bushings* 78
- *Reducing Washers* 79
- *Locknuts* 80-82
- *Bushings* 83-84
- *Clampbacks* 83
- *Straps* 85-87
- *EMT/RGD*
 - Conduit Bodies* 87-89
- *Mogul Pulling Elbows* 90
- *Threaded*
 - Conduit Bodies* 90-94
- *Service Entrance ELL* 94
- *Conduit Body Covers* 95
- *Conduit Body Gaskets* 95
- *LQD to RGD Couplings* 95

**** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.****

SET-SCREW CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect EMT, Rigid or IMC conduit to steel outlet box, load center, or other metal enclosure. Indoors only.
- **FEATURES:**
 - 1/2" and 3/4" Concrete tight
 - 1" - 4" Concrete tight when taped
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2 inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	2 1/2"	12125	1 / BAG	12 BAGS	3.95
BULK	1/2"	62905B	50 / BOX	1 BOX	
	3/4"	62907B	25 / BOX	1 BOX	
	2 1/2"	12125B	12 / BOX	1 BOX	9.82
	3"	12130B	12 / BOX	1 BOX	12.73
	3 1/2"	12135B	10 / BOX	1 BOX	12.29
	4"	12140B	6 / BOX	1 BOX	9.24

WITH INSULATED THROAT

BULK	2 1/2"	92125B	12 / BOX	1 BOX	
	3"	92130B	12 / BOX	1 BOX	
	3 1/2"	92135B	10 / BOX	1 BOX	
	4"	92140B	6 / BOX	1 BOX	



SET-SCREW CONNECTORS

Steel

- **APPLICATION:** Used to connect EMT, Rigid or IMC conduit to steel outlet box, load center, or other metal enclosure. Indoors only.
- **FEATURES:** Concrete tight when taped
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2 1/2 inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	2 1/2"	62725	1 / BAG	3 BAGS	3.95
BULK	2 1/2"	62725B	12 / BOX	1 BOX	15.22
	3"	62730B	12 / BOX	1 BOX	10.64
	3 1/2"	62735B	6 / BOX	1 BOX	
	4"	62740B	6 / BOX	1 BOX	15.19

WITH INSULATED THROAT

BULK	2 1/2"	82725B	12 / BOX	1 BOX	
	3"	82730B	12 / BOX	1 BOX	
	3 1/2"	82735B	6 / BOX	1 BOX	
	4"	82740B	6 / BOX	1 BOX	15.16



SET-SCREW COUPLINGS

Zinc Die Cast

- **APPLICATION:** Used to join two lengths of EMT conduit together. Use one coupling for every 10" of pipe Indoors only.
- **FEATURES:** • 1" - 4" Concrete tight when taped
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	2 1/2"	12225B	12 / BOX	1 BOX	10.28
	3"	12230B	12 / BOX	1 BOX	13.10
	3 1/2"	12235B	10 / BOX	1 BOX	
	4"	12240B	6 / BOX	1 BOX	10.43



SET-SCREW COUPLINGS

Steel

- **APPLICATION:** Used to join two lengths of EMT conduit together. Indoors only.
- **FEATURES:** Concrete tight when taped
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3"	62830	1 / BAG	3 BAGS	5.45
BULK	2 1/2"	62825B	12 / BOX	1 BOX	20.74
	3"	62830B	12 / BOX	1 BOX	21.93
	3 1/2"	62835B	6 / BOX	1 BOX	13.64
	4"	62840B	6 / BOX	1 BOX	



COMPRESSION CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect EMT, threadless Rigid or IMC conduit to a steel outlet box, load center, or other metal enclosure. Indoors only.
- **FEATURES:** Concrete tight
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	2 1/2"	02125B	12 / BOX	1 BOX	13.84
	3"	02130B	12 / BOX	1 BOX	16.86
	3 1/2"	02135B	10 / BOX	1 BOX	17.63
	4"	02140B	6 / BOX	1 BOX	12.49



RIGID CONDUIT FITTINGS

RGD

CONTINUATION FROM PREVIOUS PAGE



WITH INSULATED THROAT

BULK	2 1/2"	82125B	12 / BOX	1 BOX	
	3"	82130B	12 / BOX	1 BOX	
	3 1/2"	82135B	10 / BOX	1 BOX	
	4"	82140B	6 / BOX	1 BOX	

COMPRESSION CONNECTORS

Steel

- **APPLICATION:** Used to join threadless Rigid or IMC conduit to a steel outlet box OR other metal enclosure. Indoors only.
- **FEATURES:** Concrete tight
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	26351	2 / BAG	8 BAGS	2.20
	3/4"	26352	2 / BAG	2 BAGS	2.00
	1"	63510	1 / BAG	10 BAGS	3.13
	1 1/4"	63512	1 / BAG	3 BAGS	2.41
	1 1/2"	63515	1 / BAG	3 BAGS	2.17
	2"	63520	1 / BAG	3 BAGS	3.07
	2 1/2"	63525	1 / BAG	67 BAGS	2.81
	3"	63530	1 / BAG	2 BAGS	3.09
BULK	1/2"	63505B	25 / BOX	1 BOX	37.14
	3/4"	63507B	25 / BOX	1 BOX	37.14
	1"	63510B	5 / BOX	1 BOX	1.60
	1 1/4"	63512B	5 / BOX	1 BOX	2.48
	1 1/2"	63515B	2 / BOX	1 BOX	1.51
	2"	63520B	2 / BOX	1 BOX	2.11
	2 1/2"	62325B	12 / BOX	1 BOX	21.96
	3"	62330B	12 / BOX	1 BOX	
	3 1/2"	62335B	6 / BOX	1 BOX	
	4"	62340B	6 / BOX	1 BOX	

WITH INSULATED THROAT

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	2 1/2"	82325	1 / BAG	3 BAGS	5.77
BULK	1/2"	82405B	20 / BOX	1 BOX	
	3/4"	82407B	10 / BOX	1 BOX	
	1"	82410B	5 / BOX	1 BOX	
	1 1/4"	82412B	5 / BOX	1 BOX	
	1 1/2"	82415B	12 / BOX	1 BOX	
	2"	82420B	12 / BOX	1 BOX	
	2 1/2"	82325B	12 / BOX	1 BOX	22.52
	3"	82330B	12 / BOX	1 BOX	23.04
	3 1/2"	82335B	6 / BOX	1 BOX	
	4"	82340B	6 / BOX	1 BOX	



COMPRESSION COUPLINGS

Zinc Die Cast

- **APPLICATION:** Used to join two lengths of EMT, threadless Rigid or IMC conduit together. Indoors only.
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2 1/2 inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	2 1/2"	02225B	12 / BOX	1 BOX	15.95
	3"	02230B	12 / BOX	1 BOX	21.11
	3 1/2"	02235B	10 / BOX	1 BOX	
	4"	02240B	6 / BOX	1 BOX	15.12



ALUMINUM COUPLINGS

Aluminum

- **APPLICATION:** Used to join threaded Rigid or IMC conduit together. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1 1/4"	54012	1 / BAG	5 BAGS	1.08
	2"	54020	1 / BAG	3 BAGS	1.09



90° SHORT RADIUS ELBOWS

Zinc Die Cast

- **APPLICATION:** Used to connect Rigid or IMC conduit to an outlet box where a close radius is desired. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	19005	1 / BAG	20 BAGS	2.26
	3/4"	19007	1 / BAG	10 BAGS	1.90



CONTINUATION FROM PREVIOUS PAGE

COMPRESSION COUPLINGS

- **APPLICATION:** Used to join two lengths of threadless Rigid or IMC conduit together. Indoors only.
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.

Steel



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	96361	1 / BAG	10 BAGS	1.74
	3/4"	96362	1 / BAG	2 BAGS	2.18
	1"	63610	1 / BAG	10 BAGS	4.45
	1 1/4"	63612	1 / BAG	3 BAGS	2.38
	1 1/2"	63615	1 / BAG	3 BAGS	2.68
	2"	63620	1 / BAG	3 BAGS	3.22
	2 1/2"	63625	1 / BAG	3 BAGS	4.68
	3"	63630	1 / BAG	2 BAGS	4.32
BULK	1/2"	63605B	10 / BOX	1 BOX	1.41
	3/4"	63607B	10 / BOX	1 BOX	2.14
	1"	63610B	5 / BOX	1 BOX	2.26
	1 1/4"	63612B	5 / BOX	1 BOX	3.99
	1 1/2"	63615B	2 / BOX	1 BOX	1.85
	2"	63620B	2 / BOX	1 BOX	2.24
	2 1/2"	62425B	12 / BOX	1 BOX	31.22
	3"	62430B	6 / BOX	1 BOX	16.59
	3 1/2"	62435B	6 / BOX	1 BOX	
	4"	62440B	6 / BOX	1 BOX	28.91

RIGID THREE-PIECE COUPLINGS

Malleable Iron



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	65505B	25 / BOX	1 BOX	
	3/4"	65507B	25 / BOX	1 BOX	6.64
	1"	65510B	10 / BOX	1 BOX	
	1 1/4"	65512B	10 / BOX	1 BOX	
	1 1/2"	65515B	10 / BOX	1 BOX	
	2"	65520B	10 / BOX	1 BOX	
	2 1/2"	65525B	10 / BOX	1 BOX	
	3"	65530B	1 / BOX	1 BOX	
	3 1/2"	65535B	1 / BOX	1 BOX	
	4"	65540B	1 / BOX	1 BOX	

EMT TO RGD SET-SCREW COMBINATION COUPLINGS

- **APPLICATION:** Used to join EMT conduit to Rigid metal conduit. Indoors only.

SET-SCREW

Steel



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"-1/2"	91534	1 / BAG	10 BAGS	1.68
	3/4"-3/4"	91536	1 / BAG	10 BAGS	2.70
BULK	1/2" - 1/2"	15304B	25 / BOX	1 BOX	3.96
	3/4" - 3/4"	15306B	25 / BOX	1 BOX	5.06
	1"	17310B	10 / BOX	1 BOX	



EMT / RGD STRUT CLAMPS

Steel

- **APPLICATION:** Used to secure conduit to strut. Indoors and outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	18705B	100 / BOX	1 BOX	
	3/4"	18707B	100 / BOX	1 BOX	
BULK	1/2"	18705B	100 / BOX	1 BOX	
	3/4"	18707B	100 / BOX	1 BOX	
	1"	18710B	100 / BOX	1 BOX	
	1 1/4"	18712B	100 / BOX	1 BOX	
	1 1/2"	18715B	50 / BOX	1 BOX	
	2"	18720B	50 / BOX	1 BOX	
	2 1/2"	18725B	50 / BOX	1 BOX	
	3"	18730B	25 / BOX	1 BOX	
	3 1/2"	18735B	25 / BOX	1 BOX	
	4"	18740B	25 / BOX	1 BOX	



RIGID COUPLINGS

Steel

- **APPLICATION:** Used to join threaded Rigid or IMC conduit together. Indoors or outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	96401	1 / BAG	40 BAGS	5.32
	1/2"	64005	1 / BAG	25 BAGS	3.21
	3/4"	96402	1 / BAG	25 BAGS	4.81
	3/4"	64007	1 / BAG	20 BAGS	3.69
	1"	64010	1 / BAG	10 BAGS	2.88
	1 1/4"	64012	1 / BAG	5 BAGS	2.03
	1 1/2"	64015	1 / BAG	5 BAGS	2.89
	2"	64020	1 / BAG	4 BAGS	2.94
	2 1/2"	64025	1 / BAG	1 BAGS	1.79
	3"	64030	1 / BAG	1 BAGS	2.10
	3 1/2"	64035	1 / BAG	1 BAGS	3.89
BULK	4"	64040	1 / BAG	1 BAGS	3.00
	1/2"	64001B	100 / BOX	1 BOX	12.37
	1/2"	64005B	100 / BOX	1 BOX	12.28
	3/4"	64007B	50 / BOX	1 BOX	9.23
	1"	64010B	30 / BOX	1 BOX	
	1 1/4"	64012B	25 / BOX	1 BOX	
	1 1/2"	64015B	25 / BOX	1 BOX	
	2"	64020B	20 / BOX	1 BOX	
	2 1/2"	64025B	12 / BOX	1 BOX	
	3"	64030B	8 / BOX	1 BOX	
	3 1/2"	64035B	4 / BOX	1 BOX	
	4"	64040B	4 / BOX	1 BOX	

RIGID TO RIGID PULL ELBOWS

Zinc Die Cast

- **APPLICATION:** Used as a wire pulling elbow to facilitate wire pulling through a sharp bend in a run of threaded Rigid or IMC conduit. Indoors or outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	94105	1 / BAG	15 BAGS	2.75
	3/4"	94107	1 / BAG	8 BAGS	2.34
	1"	94110	1 / BAG	5 BAGS	2.68
BULK	1/2"	94105B	10 / BOX	1 BOX	19.66
	3/4"	94107B	5 / BOX	1 BOX	16.27

EMT TO-RIGID COMBINATION ELBOWS

Zinc Die Cast

- APPLICATION:** Used as a wire pulling elbow to facilitate wire pulling through a sharp bend in a run of threaded Rigid or IMC conduit. RGD indoors or outdoors. EMT indoors only.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	94505	1 / BAG	10 BAGS	1.85
	3/4"	94507	1 / BAG	10 BAGS	3.01
	1"	94510	1 / BAG	5 BAGS	3.03
BULK	1/2"	94505B	10 / BOX	1 BOX	
	3/4"	94507B	5 / BOX	1 BOX	
	1"	94510B	25 / BOX	1 BOX	
	1 1/4"	94512B	20 / BOX	1 BOX	



PULL ELBOW COUPLINGS

Zinc Die Cast

- APPLICATION:** Used to join threadless Rigid or IMC conduit to a steel outlet box OR other metal enclosure. Indoors only.



Contact us for Canadian regulatory listings

WITH GASKET AND COVER

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1"	94110B	25 / BOX	1 BOX	
	1 1/4"	94212B	20 / BOX	1 BOX	



RIGID-TO-BOX PULL ELBOWS

Zinc Die Cast

- APPLICATION:** Used to connect a run of threaded Rigid or IMC conduit to an outlet box or other metal enclosure. Indoors or outdoors.



Contact us for Canadian regulatory listings

WITHOUT GASKET

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	14205	1 / BAG	10 BAGS	2.09

WITH GASKET AND COVER

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	94205B	10 / BOX	1 BOX	21.05
	3/4"	94207B	5 / BOX	1 BOX	12.13
	1"	94210B	25 / BOX	1 BOX	
	1 1/4"	94312B	20 / BOX	1 BOX	



90° LARGE RADIUS ELBOWS

Zinc Die Cast

- APPLICATION:** Used to connect Rigid or IMC conduit to an outlet box where a large radius is desired, for example to accommodate larger gauge wire. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	19205B	25 / BOX	1 BOX	3.06
	3/4"	19207B	10 / BOX	1 BOX	1.08





EMT TO RIGID-TO-BOX COMBINATION ELBOWS

Zinc Die Cast

- APPLICATION:** Used to connect a run of threaded rigid or IMC conduit to an outlet box or other metal enclosure. Suitable for outdoor locations when protected by overhead cover. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	94705	1 / BAG	10 BAGS	1.99
	3/4"	94707	1 / BAG	5 BAGS	1.54
BULK	1/2"	94705B	10 / BOX	1 BOX	
	3/4"	94707B	5 / BOX	1 BOX	
	1"	94710B	25 / BOX	1 BOX	
	1 1/4"	94712B	20 / BOX	1 BOX	

45° RIGID ELBOWS

Steel

- APPLICATION:** Used to allow a 45° change of direction in a run of Rigid or IMC conduit. Indoors or outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	64205	10 / BAG	1 BAG	4.46
	3/4"	64207	10 / BAG	1 BAG	7.68
	1"	64210	25 / BAG	1 BAG	48.65
	1 1/4"	64212	20 / BAG	1 BAG	64.85
	1 1/2"	64215	15 / BAG	1 BAG	62.80
	2"	64220	10 / BAG	1 BAG	68.83
	3"	64230	1 / BAG	1 BAG	14.00
	4"	64240	1 / BAG	1 BAG	24.00
BULK	1/2"	64205B	50 / BOX	1 BOX	
	3/4"	64207B	50 / BOX	1 BOX	
	1"	64210B	35 / BOX	1 BOX	
	1 1/4"	64212B	30 / BOX	1 BOX	
	1 1/2"	64215B	15 / BOX	1 BOX	
	2"	64220B	15 / BOX	1 BOX	
	2 1/2"	64225B	1 / BOX	1 BOX	
	3 1/2"	64235B	1 / BOX	1 BOX	
	4"	64240B	1 / BOX	1 BOX	

90° RIGID ELBOWS

Steel

APPLICATION: Used to allow a 90° change of direction in a run of Rigid or IMC conduit.
Indoors or outdoors.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	64105	1 / BAG	10 BAGS	6.78
	3/4"	64107	1 / BAG	5 BAGS	5.12
	1"	64110	1 / BAG	10 BAGS	18.86
	1 1/4"	64112	1 / BAG	5 BAGS	15.91
	1 1/2"	64115	1 / BAG	3 BAGS	12.53
	2"	64120	1 / BAG	1 BAG	6.16
	2 1/2"	64125	1 / BAG	1 BAG	13.00
	3"	64130	1 / BAG	1 BAG	19.31
	4"	64140	1 / BAG	1 BAG	33.40
BULK	1/2"	64105B	50 / BOX	1 BOX	36.35
	3/4"	64107B	50 / BOX	1 BOX	55.85
	1"	64110B	20 / BOX	1 BOX	40.30
	1 1/4"	64112B	20 / BOX	1 BOX	62.00
	1 1/2"	64115B	10 / BOX	1 BOX	44.60
	2"	64120B	10 / BOX	1 BOX	67.50
	2 1/2"	64125B	1 / BOX	1 BOX	
	3"	64130B	1 / BOX	1 BOX	
	3 1/2"	64135B	1 / BOX	1 BOX	
	4"	64140B	1 / BOX	1 BOX	



90° ELBOWS

Aluminum

- APPLICATION:** Used to allow a 90° change of direction in a run of Rigid or IMC conduit.
Indoors or outdoors.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1 1/4"	54112	1 / BAG	5 BAGS	6.39
	2"	54120	1 / BAG	2 BAGS	5.21



OFFSET NIPPLES

Zinc Die Cast

- APPLICATION:** Used as an offset connector between two enclosures. Offsets the axis of the raceway by 3/4". Indoors or outdoors



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	90401	1 / BAG	15 BAGS	1.62
	3/4"	90402	1 / BAG	10 BAGS	1.70
	1"	04010	1 / BAG	10 BAGS	2.15
	1 1/4"	04012	1 / BAG	5 BAGS	1.69
	1 1/2"	04015	1 / BAG	4 BAGS	1.82
	2"	04020	1 / BAG	3 BAGS	1.84
BULK	1/2"	04005B	10 / BOX	1 BOX	11.73
	3/4"	04007B	10 / BOX	1 BOX	17.12
	1"	04010B	10 / BOX	1 BOX	21.49
	1 1/4"	04012B	5 / BOX	1 BOX	16.71
	1 1/2"	04015B	5 / BOX	1 BOX	22.66
	2"	04020B	2 / BOX	1 BOX	12.57
	2 1/2"	04025B	2 / BOX	1 BOX	2.87
	3"	04030B	1 / BOX	1 BOX	2.16

CHASE NIPPLES

Zinc Die Cast

- APPLICATION:** Used with a Rigid coupling to terminate threaded conduit to a knockout box or enclosure, where space within the box is limited. Used with a locknut to provide a short raceway between boxes or enclosures. Indoors or outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	20701	2 / BAG	25 BAGS	1.91
	3/4"	90702	1 / BAG	20 BAGS	1.38
	1"	90703	1 / BAG	15 BAGS	1.59
	1 1/4"	07012	1 / BAG	15 BAGS	1.98
	1 1/2"	07015	1 / BAG	10 BAGS	1.87
	2"	07020	1 / BAG	8 BAGS	2.20
	3"	07030	1 / BAG	3 BAGS	1.56
BULK	1/2"	07005B	100 / BOX	1 BOX	35.69
	3/4"	07007B	50 / BOX	1 BOX	30.90
	1"	07010B	25 / BOX	1 BOX	24.98
	1 1/4"	07012B	25 / BOX	1 BOX	30.25
	1 1/2"	07015B	25 / BOX	1 BOX	4.54
	2"	07020B	10 / BOX	1 BOX	11.88
	2 1/2"	07025B	10 / BOX	1 BOX	17.20
	3"	07030B	10 / BOX	1 BOX	20.60
	3 1/2"	07035B	10 / BOX	1 BOX	
	4"	07040B	5 / BOX	1 BOX	16.68

CONDUIT NIPPLES

Steel

- **APPLICATION:** Used to connect two steel outlet boxes or other metal enclosures; use to extend a length of threaded Rigid or IMC conduit. Indoors or outdoors.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2" X CLOSE	64305	1 / BAG	20 BAGS	1.31
	1/2" X 1-1/2"	64311	1 / BAG	25 BAGS	2.15
	1/2" X 2"	64325	1 / BAG	15 BAGS	2.10
	1/2" X 3"	64331	1 / BAG	25 BAGS	5.18
	1/2" X 4"	64341	1 / BAG	15 BAGS	4.05
	1/2" X 6"	64361	1 / BAG	10 BAGS	3.85
	3/4" X CLOSE	64307	1 / BAG	20 BAGS	2.09
	3/4" x 2"	64327	1 / BAG	15 BAGS	2.39
	3/4" x 3"	64332	1 / BAG	20 BAGS	5.78
	3/4" x 4"	64342	1 / BAG	15 BAGS	5.25
	3/4" x 6"	64362	1 / BAG	10 BAGS	5.26
	1" X CLOSE	64310	1 / BAG	15 BAGS	2.27
	1" x 2"	64313	1 / BAG	10 BAGS	2.03
	1" x 3"	64333	1 / BAG	25 BAGS	9.32
	1" x 5"	64353	1 / BAG	10 BAGS	6.63
	1" x 6"	64363	1 / BAG	6 BAGS	4.34
	1-1/4" X CLOSE	64312	1 / BAG	10 BAGS	2.35
	1-1/4" x 2"	64314	1 / BAG	10 BAGS	2.70
	1-1/4" x 3"	64334	1 / BAG	5 BAGS	2.50
	1-1/4" x 5"	64354	1 / BAG	6 BAGS	5.19
	1-1/4" x 6"	64364	1 / BAG	6 BAGS	5.84
	1-1/2" X CLOSE	64315	1 / BAG	5 BAGS	1.55
	1-1/2" x 2"	64615	1 / BAG	5 BAGS	1.85
	1-1/2" x 3"	64335	1 / BAG	10 BAGS	5.83
	1-1/2" x 6"	64365	1 / BAG	4 BAGS	4.54
	2" X CLOSE	64320	1 / BAG	4 BAGS	2.32
	2" x 3"	64336	1 / BAG	6 BAGS	4.29
	2" x 5"	64356	1 / BAG	6 BAGS	8.40
	2" x 6"	64366	1 / BAG	5 BAGS	7.88
	2" x 7"	64676	1 / BAG	3 BAGS	6.64
	2" x 8"	64386	1 / BAG	4 BAGS	8.69
BULK	3/4" X CLOSE	64307B	25 / BOX	1 BOX	
	3/4" x 1 1/2"	64317B	25 / BOX	1 BOX	
	3/4" X 2"	64327B	25 / BOX	1 BOX	
	3/4" x 2 1/2"	65425B	25 / BOX	1 BOX	
	3/4" X 3"	64332B	25 / BOX	1 BOX	
	3/4" x 3 1/2"	65435B	25 / BOX	1 BOX	



CONTINUATION OF CHART PROVIDED ON NEXT PAGE

CONDUIT NIPPLES

CONTINUATION OF CHART FROM PREVIOUS PAGE.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/4" X 4"	64342B	25 / BOX	1 BOX	
	3/4" X 5"	64352B	25 / BOX	1 BOX	10.97
	3/4" X 6"	64362B	25 / BOX	1 BOX	
	3/4" X 8"	64382B	1 / BOX	1 BOX	0.72
	3/4" X 10"	64392B	1 / BOX	1 BOX	0.90
	3/4" X 12"	64302B	1 / BOX	1 BOX	1.08
	1/2" X CLOSE	64305B	25 / BOX	1 BOX	
	1/2" X 1 1/2"	64311B	25 / BOX	1 BOX	
	1/2" X 2"	64325B	25 / BOX	1 BOX	
	1/2" X 2 1/2"	65325B	25 / BOX	1 BOX	
	1/2" X 3"	64331B	25 / BOX	1 BOX	
	1/2" X 3 1/2"	65335B	25 / BOX	1 BOX	
	1/2" X 4"	64341B	25 / BOX	1 BOX	
	1/2" X 6"	64361B	25 / BOX	1 BOX	
	1/2" x 8"	64381B	1 / BOX	1 BOX	0.52
	1/2" x 12"	64301B	1 / BOX	1 BOX	0.80
	1" X CLOSE	64310B	25 / BOX	1 BOX	
	1" X CLOSE	65310B	25 / BOX	1 BOX	
	1" X 2"	65313B	25 / BOX	1 BOX	
	1" X 2 1/2"	64323B	25 / BOX	1 BOX	
	1" X 3"	64333B	25 / BOX	1 BOX	
	1" x 3 1/2"	66335B	25 / BOX	1 BOX	
	1" X 4"	64343B	25 / BOX	1 BOX	12.64
	1" X 5"	64353B	25 / BOX	1 BOX	
	1" X 6"	64363B	25 / BOX	1 BOX	
	1" x 8"	64383B	25 / BOX	1 BOX	1.10
	1" x 10"	64393B	1 / BOX	1 BOX	1.30
	1" x 12"	64303B	1 / BOX	1 BOX	3.80

CONTINUATION OF CHART PROVIDED ON NEXT PAGE

CONDUIT NIPPLES

CONTINUATION OF CHART FROM PREVIOUS PAGE.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1 1/4" X CLOSE	64312B	25 / BOX	1 BOX	
	1 1/4" X 2"	64314B	25 / BOX	1 BOX	
	1 1/4" x 2 1/2"	66325B	25 / BOX	1 BOX	
	1 1/4" X 3"	64334B	25 / BOX	1 BOX	
	1 1/4" x 3 1/2"	65635B	25 / BOX	1 BOX	
	1 1/4" x 4"	64344B	1 / BOX	1 BOX	
	1 1/4" X 5"	64354B	25 / BOX	1 BOX	
	1 1/4" X 6"	64364B	25 / BOX	1 BOX	
	1 -1/4" x 8"	64384B	1 / BOX	1 BOX	1.25
	1 1/4" x 10"	64394B	1 / BOX	1 BOX	1.80
	1 1/4" x 12"	64308B	1 / BOX	1 BOX	
	1 1/2" X CLOSE	64315B	5 / BOX	1 BOX	
	1 1/2" X 2"	64313B	25 / BOX	1 BOX	
	1 1/2" x 2 1/2"	66425B	25 / BOX	1 BOX	
	1 1/2" X 3"	64335B	25 / BOX	1 BOX	
	1 1/2" x 3 1/2"	64635B	25 / BOX	1 BOX	
	1 1/2" x 4"	64345B	25 / BOX	1 BOX	20.53
	1 1/2" x 5"	64355B	25 / BOX	1 BOX	26.37
	1 1/2" X 6"	64365B	25 / BOX	1 BOX	
	1 1/2" x 8"	64385B	1 / BOX	1 BOX	1.50
	1 1/2" x 10"	64395B	1 / BOX	1 BOX	2.00
	1 1/2" x 12"	64605B	1 / BOX	1 BOX	
	2" X CLOSE	64320B	25 / BOX	1 BOX	
	2" x 2 1/2"	64625B	25 / BOX	1 BOX	
	2" X 3"	64336B	25 / BOX	1 BOX	
	2" x 3 1/2"	64735B	25 / BOX	1 BOX	
	2" x 4"	64346B	25 / BOX	1 BOX	24.66
	2" X 5"	64356B	25 / BOX	1 BOX	
	2" X 6"	64366B	25 / BOX	1 BOX	
	2" X 8"	64386B	1 / BOX	1 BOX	
	2" x 10"	64396B	1 / BOX	1 BOX	2.70
	2" x 12"	64306B	1 / BOX	1 BOX	3.06



RIGID CONDUIT FITTINGS

RGD

CONTINUATION OF CHART FROM PREVIOUS PAGE.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	2 1/2" x CLOSE	64617B	1 / BOX	1 BOX	1.00
	2 1/2" x 3"	64630B	1 / BOX	1 BOX	
	2 1/2" x 3 1/2"	64835B	1 / BOX	1 BOX	
	2 1/2" x 4"	64347B	1 / BOX	1 BOX	1.50
	2 1/2" x 5"	64357B	1 / BOX	1 BOX	1.97
	2 1/2" x 6"	64367B	1 / BOX	1 BOX	2.40
	2 1/2" x 8"	64387B	1 / BOX	1 BOX	3.29
	2 1/2" x 10"	64397B	1 / BOX	1 BOX	
	2 1/2" x 12"	64607B	1 / BOX	1 BOX	5.05
	3" x CLOSE	64618B	1 / BOX	1 BOX	11.64
	3" x 3"	64338B	1 / BOX	1 BOX	
	3" x 3 1/2"	64935B	1 / BOX	1 BOX	
	3" x 4"	64348B	1 / BOX	1 BOX	2.00
	3" x 5"	64358B	1 / BOX	1 BOX	2.60
	3" x 6"	64368B	1 / BOX	1 BOX	3.00
	3" x 8"	64388B	1 / BOX	1 BOX	4.11
	3" x 10"	64398B	1 / BOX	1 BOX	5.28
	3" x 12"	64608B	1 / BOX	1 BOX	6.30
	3 1/2" x CLOSE	64619B	1 / BOX	1 BOX	19.20
	3 1/2" x 4"	64349B	1 / BOX	1 BOX	
	3 1/2" x 5"	64359B	1 / BOX	1 BOX	
	3 1/2" x 6"	64369B	1 / BOX	1 BOX	3.73
	3 1/2" x 8"	64389B	1 / BOX	1 BOX	
	3 1/2" x 10"	64399B	1 / BOX	1 BOX	6.55
	3 1/2" x 12"	64309B	1 / BOX	1 BOX	
	4" x CLOSE	64620B	1 / BOX	1 BOX	21.60
	4" x 4"	64340B	1 / BOX	1 BOX	2.85
	4" x 5"	64350B	1 / BOX	1 BOX	3.80
	4" x 6"	64360B	1 / BOX	1 BOX	4.40
	4" x 8"	64380B	1 / BOX	1 BOX	6.00
	4" x 10"	64390B	1 / BOX	1 BOX	7.75
	4" x 12"	64300B	1 / BOX	1 BOX	9.25



WATER-TIGHT CONDUIT HUBS

Zinc Die Cast

- **APPLICATION:** Used to connect Rigid or IMC conduit to a load center or other metal enclosure where a water-tight joint is required at knockouts or slip-fit holes. Indoors or outdoors.
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2 1/2 inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	91631	1 / BAG	10 BAGS	2.03
	3/4"	91632	1 / BAG	10 BAGS	2.85



HALEX

BEYOND THE CURRENT

halexco.com

CONTINUATION OF CHART FROM PREVIOUS PAGE.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
	1"	16310	1 / BAG	5 BAGS	1.83
	1 1/4"	16312	1 / BAG	5 BAGS	2.83
	1 1/2"	16315	1 / BAG	4 BAGS	2.38
	2"	16320	1 / BAG	3 BAGS	3.09
BULK	1/2"	91631B	25 / BOX	1 BOX	
	3/4"	91632B	10 / BOX	1 BOX	
	1"	16310B	10 / BOX	1 BOX	
	1 1/4"	16312B	10 / BOX	1 BOX	
	1 1/2"	16315B	10 / BOX	1 BOX	
	2"	16320B	10 / BOX	1 BOX	
	2 1/2"	16325B	2 / BOX	1 BOX	3.35
	3"	16330B	1 / BOX	1 BOX	
	3 1/2"	16335B	1 / BOX	1 BOX	2.82
	4"	16340B	1 / BOX	1 BOX	3.26



WATER-TIGHT CONDUIT HUBS WITH BONDING SCREW

Zinc Die Cast

- **APPLICATION:** Used to connect Rigid or IMC conduit to a load center or other metal enclosure where a water-tight joint is required at knockouts or slip-fit holes. Indoors or outdoors



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	06405B	25 / BOX	1 BOX	
	3/4"	06407B	10 / BOX	1 BOX	
	1"	06410B	1 / BOX	1 BOX	
	1 1/4"	06412B	2 / BOX	1 BOX	
	1 1/2"	06415B	2 / BOX	1 BOX	
	2"	06420B	2 / BOX	1 BOX	
	2 1/2"	06425B	1 / BOX	1 BOX	
	3"	06430B	1 / BOX	1 BOX	
	3 1/2"	06435B	5 / BOX	1 BOX	
	4"	06440B	1 / BOX	1 BOX	



BOX SPACERS

Zinc Die Cast

- **APPLICATION:** Used as a raceway between two steel outlet boxes or other metal enclosures. Indoors only.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	91641	1 / BAG	25 BAGS	2.15
	3/4"	21642	2 / BAG	15 BAGS	3.63
BULK	1/2"	16405B	50 / BOX	1 BOX	45.00
	3/4"	16407B	50 / BOX	1 BOX	61.16



CONDUIT BUSHINGS

Steel

- APPLICATION:** Used with locknut to terminate threaded Rigid or IMC conduit to an outlet box. Indoors or outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	05205B	100 / BOX	1 BOX	32.25
	3/4"	05207B	25 / BOX	1 BOX	37.85
	1"	05210B	50 / BOX	1 BOX	25.91
	1 1/4"	05212B	25 / BOX	1 BOX	
	1 1/2"	05215B	25 / BOX	1 BOX	
	2"	05220B	25 / BOX	1 BOX	
	2 1/2"	05225B	10 / BOX	1 BOX	
	3"	05230B	10 / BOX	1 BOX	
	3 1/2"	05235B	5 / BOX	1 BOX	
	4"	05240B	5 / BOX	1 BOX	

PLASTIC BUSHINGS

Thermoplastic

- APPLICATION:** Used with locknut to terminate threaded Rigid or IMC conduit to an outlet box. Indoors or outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	27520	4 / BAG	20 BAGS	0.58
	1/2"	27521	10 / BAG	15 BAGS	1.68
	3/4"	27527	4 / BAG	15 BAGS	0.64
	3/4"	27522	10 / BAG	10 BAGS	1.18
	1"	27528	2 / BAG	15 BAGS	0.65
	1 1/4"	27529	2 / BAG	15 BAGS	0.76
	1 1/2"	97525	1 / BAG	15 BAGS	0.51
	1 1/2"	27525	4 / BAG	5 BAGS	0.68
	2"	97526	1 / BAG	15 BAGS	0.72
	2"	27526	4 / BAG	5 BAGS	0.99
	2 1/2"	75225	1 / BAG	8 BAGS	0.62
	3"	75230	1 / BAG	5 BAGS	0.85
BULK	1/2"	75205B	100 / BOX	1 BOX	7.03
	3/4"	75207B	100 / BOX	1 BOX	12.25
	1"	75210B	50 / BOX	1 BOX	10.55
	1 1/4"	75212B	25 / BOX	1 BOX	7.70
	1 1/2"	75215B	25 / BOX	1 BOX	8.20
	2"	75220B	25 / BOX	1 BOX	10.41
	2 1/2"	75225B	10 / BOX	1 BOX	13.51
	3"	75230B	10 / BOX	1 BOX	16.30
	3 1/2"	75235B	5 / BOX	1 BOX	13.25
	4"	75240B	5 / BOX	1 BOX	14.01

REDUCING WASHERS

Steel

- **APPLICATION:** Used to reduce the size of the knockout in a steel outlet box or other metal enclosure. Must use one inside the enclosure opening and one on the outside. Indoors or outdoors.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/4 x 1/2"	26820	4 / BAG	30 BAGS	1.50
	1" x 1/2"	96831	2 / BAG	40 BAGS	1.81
	1" x 3/4"	96832	2 / BAG	40 BAGS	1.56
	1 1/4" x 1/2"	96841	2 / BAG	25 BAGS	1.65
	1 1/4" x 3/4"	96842	2 / BAG	25 BAGS	1.65
	1 1/4" x 1"	96843	2 / BAG	25 BAGS	1.50
	1 1/2" x 1/2"	96851	2 / BAG	50 BAGS	9.25
	1 1/2" x 3/4"	96852	2 / BAG	50 BAGS	4.15
	1 1/2" x 1"	68510	1 / BAG	50 BAGS	3.75
	1 1/2" x 1"	26853	4 / BAG	20 BAGS	2.95
	2" x 3/4"	26862	4 / BAG	10 BAGS	5.03
	2" x 1"	26863	4 / BAG	20 BAGS	4.94
	2" x 1 1/4"	26864	4 / BAG	20 BAGS	3.92
	2" x 1 1/2"	68615	1 / BAG	50 BAGS	3.15
	2-1/2" x 2"	68720	1 / BAG	10 BAGS	2.15
BULK	1/2" - 3/4"	68205B	250 / BOX	1 BOX	
	1" x 1/2"	68305B	250 / BOX	1 BOX	52.25
	1" x 3/4"	68307B	250 / BOX	1 BOX	37.53
	1 1/4" x 1/2"	68405B	100 / BOX	1 BOX	3.14
	1 1/4" x 3/4"	68407B	100 / BOX	1 BOX	3.14
	1 1/4" x 1"	68410B	100 / BOX	1 BOX	2.14
	1 1/2" x 1/2"	68505B	100 / BOX	1 BOX	4.14
	1 1/2" x 3/4"	68507B	100 / BOX	1 BOX	4.14
	1 1/2" - 1"	68510B	50 / BOX	1 BOX	
	1 1/2" x 1 1/4"	68512B	100 / BOX	1 BOX	3.14
	2" x 1/2"	68605B	50 / BOX	1 BOX	4.14
	2" x 3/4"	68607B	50 / BOX	1 BOX	4.14
	2" x 1"	68610B	50 / BOX	1 BOX	3.64
	2" x 1 1/4"	68612B	50 / BOX	1 BOX	3.14
	2"-1 1/2"	68615B	25 / BOX	1 BOX	
	2 1/2" - 1/2"	68525B	25 / BOX	1 BOX	
	2 1/2" - 3/4"	68527B	25 / BOX	1 BOX	
	2 1/2" - 1"	68521B	25 / BOX	1 BOX	
	2 1/2" - 1/4"	68522B	25 / BOX	1 BOX	
	2 1/2" - 1 1/2"	68529B	25 / BOX	1 BOX	
	2 1/2"-2"	68720B	25 / BOX	1 BOX	



CONDUIT LOCKNUTS

Steel

- **APPLICATION:** Used to secure Rigid, IMC conduit or various threaded fittings to a steel outlet box or other metal enclosure. Indoors or outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	26190	4 / BAG	30 BAGS	1.41
	1/2"	26191	20 / BAG	10 BAGS	2.12
	3/4"	26197	4 / BAG	25 BAGS	1.89
	3/4"	26192	20 / BAG	8 BAGS	2.83
	1"	96193	2 / BAG	25 BAGS	1.72
	1 1/4"	96194	2 / BAG	25 BAGS	2.14
	1 1/4"	26194	10 / BAG	5 BAGS	2.28
	1 1/2"	96195	2 / BAG	20 BAGS	2.24
	1 1/2"	26195	10 / BAG	5 BAGS	2.65
	2"	96196	2 / BAG	15 BAGS	2.18
	2"	26196	10 / BAG	5 BAGS	3.40
	2-1/2"	61925	1 / BAG	15 BAGS	2.05
	3"	61930	1 / BAG	10 BAGS	2.02
	4"	61940	1 / BAG	5 BAGS	2.85
BULK	1/2"	61905B	200 / BOX	1 BOX	22.31
	3/4"	61907B	100 / BOX	1 BOX	16.33
	1"	61910B	100 / BOX	1 BOX	28.61
	1 1/4"	61912B	50 / BOX	1 BOX	18.71
	1 1/2"	61915B	50 / BOX	1 BOX	32.25
	2"	61920B	50 / BOX	1 BOX	14.74
	2 1/2"	61925B	25 / BOX	1 BOX	1.91
	3"	61930B	25 / BOX	1 BOX	4.53
	3 1/2"	61935B	10 / BOX	1 BOX	10.34
	4"	61940B	10 / BOX	1 BOX	11.56



SEALING CONDUIT LOCKNUTS

Steel

- **APPLICATION:** Used to secure Rigid, IMC conduit or various threaded fittings to a steel outlet box or other metal enclosures, when moisture proof protection is desired. Indoors or outdoors.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	96181	2 / BAG	10 BAGS	6.15
	3/4"	96182	2 / BAG	100 BAGS	10.73
	1"	96183	2 / BAG	75 BAGS	6.23
	1 1/4"	96184	2 / BAG	75 BAGS	12.32
	1 1/2"	96185	2 / BAG	50 BAGS	8.73
	2"	96186	2 / BAG	30 BAGS	7.43
BULK	1/2"	61805B	50 / BOX	1 BOX	11.83
	3/4"	61807B	25 / BOX	1 BOX	9.33
	1"	61810B	25 / BOX	1 BOX	11.83
	1 1/4"	61812B	10 / BOX	1 BOX	9.83
	1 1/2"	61815B	10 / BOX	1 BOX	9.83
	2"	61820B	10 / BOX	1 BOX	13.83
	2 1/2"	96125B	25 / BOX	1 BOX	
	3"	96130B	25 / BOX	1 BOX	
	3 1/2"	96135B	25 / BOX	1 BOX	
	4"	96140B	25 / BOX	1 BOX	



CONDUIT LOCKNUTS

Zinc Die Cast

- **APPLICATION:** Used to secure Rigid, IMC conduit or various threaded fittings to a steel outlet box or other metal enclosures. Indoors or outdoors.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	01905B	200 / BOX	1 BOX	19.31
	3/4"	01907B	100 / BOX	1 BOX	15.83
	1"	01910B	100 / BOX	1 BOX	24.45
	1 1/4"	01912B	50 / BOX	1 BOX	20.45
	1 1/2"	01915B	50 / BOX	1 BOX	25.20
	2"	01920B	50 / BOX	1 BOX	13.60
	2 1/2"	01925B	25 / BOX	1 BOX	3.55
	3"	01930B	25 / BOX	1 BOX	5.26
	3 1/2"	01935B	10 / BOX	1 BOX	
	4"	01940B	10 / BOX	1 BOX	10.63



GROUNDING LOCKNUTS

Zinc Die Cast

- **APPLICATION:** Used to secure Rigid, IMC conduit or various threaded fittings to a steel outlet box or other metal enclosures. Indoors or outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	2"	01820	25 / BOX	1 BOX	3.18
BULK	1/2"	01805B	100 / BOX	1 BOX	
	3/4"	01807B	100 / BOX	1 BOX	
	1"	01810B	50 / BOX	1 BOX	
	1 1/4"	01812B	50 / BOX	1 BOX	
	1 1/2"	01815B	25 / BOX	1 BOX	
	2"	01820B	20 / BOX	1 BOX	
	2 1/2"	01825B	50 / BOX	1 BOX	
	3"	01830B	50 / BOX	1 BOX	
	3 1/2"	01835B	25 / BOX	1 BOX	
	4"	01840B	25 / BOX	1 BOX	

GROUNDING LOCKNUTS

Steel

- **APPLICATION:** Used to secure Rigid, IMC conduit or various threaded fittings to a steel outlet box or other metal enclosures. Indoors or outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	68105B	100 / BOX	1 BOX	
	3/4"	68107B	100 / BOX	1 BOX	
	1"	68110B	50 / BOX	1 BOX	
	1 1/4"	68112B	50 / BOX	1 BOX	
	1 1/2"	68115B	25 / BOX	1 BOX	
	2"	68120B	20 / BOX	1 BOX	
	2 1/2"	68125B	50 / BOX	1 BOX	
	3"	68130B	50 / BOX	1 BOX	
	3 1/2"	68135B	25 / BOX	1 BOX	
	4"	68140B	25 / BOX	1 BOX	

INSULATED METALLIC GROUNDING BUSHING

Zinc Die Cast

- **APPLICATION:** Used with locknut to terminate service conduit to a cabinet. Lug provided for bonding jumper to a neutral bus bar. Indoors or Outdoors.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	29521	2 / BAG	10 BAGS	1.35
	3/4"	29522	2 / BAG	10 BAGS	1.88
	1"	29523	2 / BAG	10 BAGS	2.11
	1 1/2"	29525	2 / BAG	5 BAGS	1.91
	1 1/4"	99524	1 / BAG	10 BAGS	1.49
	2"	99526	1 / BAG	5 BAGS	1.19
	2 1/2"	95225	1 / BAG	5 BAGS	2.13
BULK	1/2"	95205B	25 / BOX	1 BOX	1.61
	3/4"	95207B	25 / BOX	1 BOX	1.86
	1"	95210B	25 / BOX	1 BOX	10.14
	1 1/4"	95212B	20 / BOX	1 BOX	2.74
	1 1/2"	95215B	20 / BOX	1 BOX	3.62
	2"	95220B	10 / BOX	1 BOX	2.09
	2 1/2"	95225B	10 / BOX	1 BOX	17.23
	3"	95230B	10 / BOX	1 BOX	19.99
	3 1/2"	95235B	5 / BOX	1 BOX	15.59
	4"	95240B	5 / BOX	1 BOX	13.63



CLAMPBACKS

Malleable Iron

- **APPLICATION:** Used to provide spacing between mounting surface and Rigid conduit. Indoors or outdoors.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	33205B	25 / BOX	1 BOX	29.75
	3/4"	33207B	25 / BOX	1 BOX	



EMT / RGD COMBINATION CLAMPBACKS

Malleable Iron

- **APPLICATION:** Used to provide spacing between mounting surface and conduit. Indoors or outdoors.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1"	33210B	25 / BOX	1 BOX	
	1 1/4"	33212B	10 / BOX	1 BOX	
	1 1/2"	33215B	10 / BOX	1 BOX	
	2"	33220B	5 / BOX	1 BOX	
	2 1/2"	33225B	25 / BOX	1 BOX	
	3"	33230B	10 / BOX	1 BOX	
	3 1/2"	33235B	10 / BOX	1 BOX	
	4"	33240B	10 / BOX	1 BOX	



REDUCING BUSHINGS

Steel

- **APPLICATION:** Used to reduce the entry size of a run of threaded conduit. Dry locations only.



Contact us for Canadian
regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/4" x 1/2"	91321	1 / BAG	25 BAGS	1.06
	1" x 1/2"	91331	1 / BAG	25 BAGS	3.08
	1" x 3/4"	91332	1 / BAG	20 BAGS	1.57
	1 1/2" x 1"	13510	1 / BAG	25 BAGS	6.15
	1 1/2" x 1 1/4"	13512	1 / BAG	25 BAGS	2.90
	2" x 3/4"	13607	1 / BAG	10 BAGS	6.95
	2" x 1"	13610	1 / BAG	10 BAGS	5.55
	2" x 1 1/4"	13612	1 / BAG	10 BAGS	4.70
	2" x 1 1/2"	13615	1 / BAG	10 BAGS	3.39
	2 1/2" x 2"	13720	1 / BAG	5 BAGS	2.66
BULK	3/4" x 1/2"	13205B	50 / BOX	1 BOX	20.00
	1" x 1/2"	13305B	50 / BOX	1 BOX	24.61
	1" x 3/4"	13307B	50 / BOX	1 BOX	14.40
	1 1/4" x 1/2"	13405B	25 / BOX	1 BOX	25.76
	1 1/4" x 3/4"	13407B	25 / BOX	1 BOX	
	1 1/4" x 1"	13410B	25 / BOX	1 BOX	13.56
	1 1/2" x 1/2"	13505B	25 / BOX	1 BOX	39.14
	1 1/2" x 3/4"	13507B	25 / BOX	1 BOX	33.14
	1 1/2" - 1"	13510B	25 / BOX	1 BOX	
	1 1/2" - 1 1/4"	13512B	10 / BOX	1 BOX	
	2" x 1/2"	13605B	10 / BOX	1 BOX	8.65
	2" - 1/2"	13607B	10 / BOX	1 BOX	
	2" - 3/4"	13610B	10 / BOX	1 BOX	
	2" - 1"	13612B	10 / BOX	1 BOX	
	2" - 1 1/4"	13615B	10 / BOX	1 BOX	
	2" - 1 1/2"	13715B	5 / BOX	1 BOX	5.65

ONE-HOLE STRAPS

Malleable Iron

APPLICATION: Used to secure Rigid or IMC conduit to wood, masonry or similar surfaces where load bearing is required. Indoors or outdoors.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	31205B	50 / BOX	1 BOX	27.25
	3/4"	31207B	50 / BOX	1 BOX	32.25
	1"	31210B	25 / BOX	1 BOX	
	1 1/2"	31215B	10 / BOX	1 BOX	
	1 1/4"	31312B	20 / BOX	1 BOX	
	2"	31320B	25 / BOX	1 BOX	
	2 1/2"	31325B	25 / BOX	1 BOX	
	3"	31230B	25 / BOX	1 BOX	
	3 1/2"	31235B	10 / BOX	1 BOX	
	4"	31240B	10 / BOX	1 BOX	



CLAMP BACK AND ONE HOLE STRAP

Malleable Iron

- APPLICATION:** Used to secure Rigid or IMC conduit to mounting surface, and to provide space between conduit and mounting surface. Indoors or outdoors.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1 1/4"	53212	1 / BAG	10 BAGS	3.66
	2"	53220	1 / BAG	10 BAGS	8.74

**SPEED THREAD™**

ONE HOLE STRAP SPEED THREAD

Steel

- APPLICATION:** Used to join RGD conduit to flexible metallic conduit in a dry or wet location. Outdoors or Indoors.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	21705	4 / BAG	25 BAGS	4.4
	3/4"	21707	4 / BAG	20 BAGS	3.9
CCP	1/2"	61705B	40 / CCP	4 CCP's	7.4
	3/4"	61707B	20 / CCP	4 CCP's	5.3



ONE-HOLE STRAPS

Steel

- APPLICATION:** Used to secure Rigid or IMC conduit to wood, masonry or similar surfaces where load bearing is required. Indoors or outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	96111	4 / BAG	15 BAGS	2.28
	3/4"	96112	4 / BAG	10 BAGS	2.54
	1"	96113	1 / BAG	15 BAGS	1.63
	1 1/4"	96114	1 / BAG	10 BAGS	1.12
	1 1/2"	96115	1 / BAG	10 BAGS	1.73
	2"	61120	1 / BAG	10 BAGS	2.42
	2 1/2"	61125*	1 / BAG	10 BAGS	4.38
	3"	61130*	1 / BAG	10 BAGS	5.08
CCP	1/2"	61105B	100 / CCP	4 CCP's	33.50
	3/4"	61107B	100 / CCP	4 CCP's	54.90
BULK	1"	61110B	50 / BOX	1 BOX	43.25
	1 1/4"	61112B	50 / BOX	1 BOX	5.23
	1 1/2"	61115B	25 / BOX	1 BOX	41.96
	2"	61120B	10 / BOX	1 BOX	
	2 1/2"	61425B	50 / BOX	1 BOX	
	3 1/2"	61135B*	25 / BOX	1 BOX	20.23
	4"	61140B*	20 / BOX	1 BOX	16.33

*Both EMT and RGD

TWO-HOLE STRAPS

Steel

- APPLICATION:** Used to secure Rigid or IMC conduit to wood, masonry or similar surfaces where for load-bearing applications. Compatible with any screw size that fits the hole, with #8 and 10# being common suggestions. Indoors or outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	26121	10 / BAG	10 BAGS	1.96
	3/4"	26122	10 / BAG	5 BAGS	1.61
	1"	26123	4 / BAG	10 BAGS	2.48
	1 1/4"	26124	4 / BAG	10 BAGS	3.22
	1 1/2"	26125	2 / BAG	10 BAGS	2.67
	2"	26126	2 / BAG	10 BAGS	3.14
	2 1/2"	61225	1 / BAG	7 BAGS	1.68
	3"	61230	1 / BAG	10 BAGS	2.69
	4"	61240	1 / BAG	6 BAGS	2.21

CONTINUATION OF CHART PROVIDED ON NEXT PAGE

CONTINUATION OF TWO-HOLE STRAPS TABEL FROM PREVIOUS PAGE.

Steel

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	61205B	100 / BOX	1 BOX	20.55
	3/4"	61207B	100 / BOX	1 BOX	24.61
	1"	61210B	50 / BOX	1 BOX	23.43
	1 1/4"	61212B	25 / BOX	1 BOX	16.39
	1 1/2"	61215B	25 / BOX	1 BOX	29.14
	2"	61220B	50 / BOX	1 BOX	23.09
	2 1/2"	61225B	25 / BOX	1 BOX	4.07
	3 1/2"	61235B	25 / BOX	1 BOX	7.73
	4"	61240B	20 / BOX	1 BOX	7.33



We also offer conduit hangers in two options: standard and **SPEED THREAD™. The Speed Thread™ version is designed with a captive screw for quicker, easier installation. See page 113 for details.**

EMT / RIGID CONDUIT BODIES

Aluminum

WITH COVER AND GASKET ASSEMBLED



Contact us for Canadian regulatory listings

- **APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by NEC), and maintenance. Suitable for outdoor locations when protected by overhead cover.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: LL WITH COVER AND GASKET					
UPC	1/2"	56305	1 / BAG	10 BAGS	3.34
	3/4"	56307	1 / BAG	6 BAGS	2.70
BULK	1/2"	56205B	10 / BOX	1 BOX	
	3/4"	56207B	10 / BOX	1 BOX	
	1"	56210B	5 / BOX	1 BOX	
	1 1/4"	56212B	2 / BOX	1 BOX	
	1 1/2"	56215B	2 / BOX	1 BOX	
	2"	56220B	5 / BOX	1 BOX	

**TYPE: C WITH COVER AND GASKET**

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	56405	1 / BAG	10 BAGS	3.24
	3/4"	56407	1 / BAG	6 BAGS	2.70
BULK	1/2"	56405B	10 / BOX	1 BOX	
	3/4"	56407B	10 / BOX	1 BOX	
	1"	56410B	5 / BOX	1 BOX	
	1 1/4"	56412B	2 / BOX	1 BOX	
	1 1/2"	56415B	2 / BOX	1 BOX	
	2"	56420B	5 / BOX	1 BOX	



EMT/RGD CONDUIT BODIES

Aluminum

• CONTINUATION OF CHART FROM PREVIOUS PAGE.



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: LB WITH COVER AND GASKET					
UPC	1/2"	56605	1 / BAG	10 BAGS	3.12
	3/4"	56607	1 / BAG	10 BAGS	4.68
BULK	1/2"	57505B	10 / BOX	1 BOX	
	3/4"	57507B	10 / BOX	1 BOX	
	1"	57510B	5 / BOX	1 BOX	
	1 1/4"	57512B	2 / BOX	1 BOX	
	1 1/2"	57515B	2 / BOX	1 BOX	
	2"	57520B	5 / BOX	1 BOX	



TYPE: T WITH COVER AND GASKET					
UPC	1/2"	56805	1 / BAG	10 BAGS	3.48
	3/4"	56807	1 / BAG	10 BAGS	2.35
BULK	1/2"	56805B	10 / BOX	1 BOX	
	3/4"	56807B	10 / BOX	1 BOX	
	1"	56810B	5 / BOX	1 BOX	
	1 1/4"	56812B	2 / BOX	1 BOX	
	1 1/2"	56815B	2 / BOX	1 BOX	
	2"	56820B	5 / BOX	1 BOX	



TYPE: LR WITH COVER AND GASKET					
UPC	1/2"	56905	1 / BAG	10 BAGS	3.34
BULK	1/2"	56505B	10 / BOX	1 BOX	
	3/4"	56507B	10 / BOX	1 BOX	
	1"	56510B	5 / BOX	1 BOX	
	1 1/4"	56512B	2 / BOX	1 BOX	
	1 1/2"	56515B	2 / BOX	1 BOX	
	2"	56520B	5 / BOX	1 BOX	



TYPE: X WITH COVER AND GASKET					
BULK	1/2"	55505B	5 / BOX	1 BOX	
	3/4"	55507B	5 / BOX	1 BOX	
	1"	55510B	2 / BOX	1 BOX	
	1 1/4"	55512B	1 / BOX	1 BOX	
	1 1/2"	55515B	1 / BOX	1 BOX	
	2"	55520B	1 / BOX	1 BOX	

EMT / RIGID CONDUIT BODIES

Aluminum

WITHOUT COVER AND GASKET ASSEMBLED

- APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by NEC), and maintenance. Suitable for outdoor locations when protected by overhead cover.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE LL: WITHOUT COVER AND GASKET					
BULK	1/2"	57305B	10 / BOX	1 BOX	
	3/4"	57307B	10 / BOX	1 BOX	
	1"	57310B	5 / BOX	1 BOX	
	1 1/4"	57312B	2 / BOX	1 BOX	
	1 1/2"	57315B	2 / BOX	1 BOX	
	2"	57320B	5 / BOX	1 BOX	



TYPE C: WITHOUT COVER AND GASKET					
BULK	1/2"	57905B	10 / BOX	1 BOX	
	3/4"	57907B	10 / BOX	1 BOX	
	1"	57910B	5 / BOX	1 BOX	
	1 1/4"	57912B	2 / BOX	1 BOX	
	1 1/2"	57915B	2 / BOX	1 BOX	
	2"	57920B	5 / BOX	1 BOX	



TYPE LB: WITHOUT COVER AND GASKET					
BULK	1/2"	57605B	10 / BOX	1 BOX	
	3/4"	57607B	10 / BOX	1 BOX	
	1"	57610B	5 / BOX	1 BOX	
	1 1/4"	57612B	2 / BOX	1 BOX	
	1 1/2"	57615B	2 / BOX	1 BOX	
	2"	57620B	5 / BOX	1 BOX	



TYPE T: WITHOUT COVER AND GASKET					
BULK	1/2"	55805B	10 / BOX	1 BOX	
	3/4"	55807B	10 / BOX	1 BOX	
	1"	55810B	5 / BOX	1 BOX	
	1 1/4"	55812B	2 / BOX	1 BOX	
	1 1/2"	55815B	2 / BOX	1 BOX	
	2"	55820B	5 / BOX	1 BOX	



TYPE LR: WITHOUT GASKET					
BULK	1/2"	57705B	10 / BOX	1 BOX	
	3/4"	57707B	10 / BOX	1 BOX	
	1"	57710B	5 / BOX	1 BOX	
	1 1/4"	57712B	2 / BOX	1 BOX	
	1 1/2"	57715B	2 / BOX	1 BOX	
	2"	57720B	5 / BOX	1 BOX	



MOGUL PULLING ELBOWS - TYPE LB

Aluminum

- APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by the NEC), and maintenance. Indoors or outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1 1/4"	58212B	5 / BOX	1 BOX	
	1 1/2"	58215B	2 / BOX	1 BOX	
	2"	58220B	2 / BOX	1 BOX	8.46
	2 1/2"	58225B	1 / BOX	1 BOX	
	3"	58230B	1 / BOX	1 BOX	
	3 1/2"	58235B	1 / BOX	1 BOX	
	4"	58240B	1 / BOX	1 BOX	

THREADED CONDUIT BODIES WITHOUT COVER AND GASKET

Aluminum

- APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by the NEC), and maintenance. Indoors or outdoors when gasket and cover are installed.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: LB WITHOUT COVER AND GASKET					
BULK	1/2"	59605B	10 / BOX	1 BOX	
	3/4"	59607B	10 / BOX	1 BOX	
	1"	59610B	5 / BOX	1 BOX	
	1 1/4"	59612B	2 / BOX	1 BOX	
	1 1/2"	59615B	2 / BOX	1 BOX	
	2"	59620B	1 / BOX	1 BOX	
	2 1/2"	59625B	1 / BOX	1 BOX	
	3"	59630B	1 / BOX	1 BOX	5.59
	3 1/2"	59635B	1 / BOX	1 BOX	11.00
	4"	59640B	1 / BOX	1 BOX	12.85

TYPE: T WITHOUT COVER AND GASKET



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	59805B	10 / BOX	1 BOX	
	3/4"	59807B	10 / BOX	1 BOX	
	1"	59810B	5 / BOX	1 BOX	
	1 1/4"	59812B	2 / BOX	1 BOX	
	1 1/2"	59815B	2 / BOX	1 BOX	
	2"	59820B	1 / BOX	1 BOX	
	2 1/2"	59825B	1 / BOX	1 BOX	6.94
	3"	59830B	1 / BOX	1 BOX	7.50
	3 1/2"	59835B	1 / BOX	1 BOX	
	4"	59840B	1 / BOX	1 BOX	11.53

CONTINUATION OF CHART FROM PREVIOUS PAGE.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE LL: WITHOUT COVER AND GASKET					
BULK	1/2"	59905B	10 / BOX	1 BOX	
	3/4"	59907B	10 / BOX	1 BOX	
	1"	59910B	5 / BOX	1 BOX	
	1 1/4"	59912B	2 / BOX	1 BOX	
	1 1/2"	59915B	2 / BOX	1 BOX	
	2"	59920B	1 / BOX	1 BOX	
	2 1/2"	59925B	1 / BOX	1 BOX	3.91
	3"	59930B	1 / BOX	1 BOX	7.31
	3 1/2"	59935B	1 / BOX	1 BOX	
	4"	59940B	1 / BOX	1 BOX	10.71



TYPE: LR WITHOUT COVER AND GASKET					
BULK	1/2"	59705B	10 / BOX	1 BOX	
	3/4"	59707B	10 / BOX	1 BOX	
	1"	59710B	5 / BOX	1 BOX	
	1 1/4"	59712B	2 / BOX	1 BOX	
	1 1/2"	59715B	2 / BOX	1 BOX	
	2"	59720B	1 / BOX	1 BOX	
	2 1/2"	59725B	1 / BOX	1 BOX	3.91
	3"	59730B	1 / BOX	1 BOX	7.71
	3 1/2"	59735B	1 / BOX	1 BOX	
	4"	59740B	1 / BOX	1 BOX	11.24



TYPE: C WITHOUT COVER AND GASKET					
BULK	1/2"	59405B	10 / BOX	1 BOX	
	3/4"	59407B	10 / BOX	1 BOX	
	1"	59410B	5 / BOX	1 BOX	
	1 1/4"	59412B	2 / BOX	1 BOX	
	1 1/2"	59415B	2 / BOX	1 BOX	
	2"	59420B	1 / BOX	1 BOX	
	2 1/2"	59425B	1 / BOX	1 BOX	
	3"	59430B	1 / BOX	1 BOX	
	3 1/2"	59435B	1 / BOX	1 BOX	
	4"	59440B	1 / BOX	1 BOX	



THREADED CONDUIT BODIES WITH STAMPED COVER

Aluminum

- APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by the NEC), and maintenance. Indoors or outdoors.



Contact us for Canadian regulatory listings

SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
------	--------	-----------	---------------	--------

TYPE: LB WITH COVER AND GASKET

UPC	1/2"	58605	1 / BAG	5 BAGS	1.56
	3/4"	58607	1 / BAG	10 BAGS	4.50
	1"	58610	1 / BAG	3 BAGS	1.96
	1 1/4"	58612	1 / BAG	2 BAGS	2.74
	1 1/2"	58615	1 / BAG	2 BAGS	2.88
	2"	58620	1 / BAG	1 BAG	2.79
	2 1/2"	58625	1 / BAG	1 BAG	6.56
BULK	1/2"	58605B	10 / BOX	1 BOX	
	3/4"	58607B	10 / BOX	1 BOX	
	1"	58610B	5 / BOX	1 BOX	
	1 1/4"	58612B	2 / BOX	1 BOX	
	1 1/2"	58615B	2 / BOX	1 BOX	
	2"	58620B	1 / BOX	1 BOX	
	2 1/2"	58625B	1 / BOX	1 BOX	
	3"	58630B	1 / BOX	1 BOX	5.59
	3 1/2"	58635B	1 / BOX	1 BOX	11.00
	4"	58640B	1 / BOX	1 BOX	12.85

TYPE: T WITH COVER AND GASKET

UPC	1/2"	58805	1 / BAG	5 BAGS	1.73
	3/4"	58807	1 / BAG	3 BAGS	1.50
	1"	58810	1 / BAG	2 BAGS	1.50
	1 1/4"	58812	1 / BAG	2 BAGS	4.13
	1 1/2"	58815	1 / BAG	2 BAGS	3.93
	2"	58820	1 / BAG	1 BAG	3.03
BULK	1/2"	58805B	10 / BOX	1 BOX	
	3/4"	58807B	10 / BOX	1 BOX	
	1"	58810B	5 / BOX	1 BOX	
	1 1/4"	58812B	2 / BOX	1 BOX	
	1 1/2"	58815B	2 / BOX	1 BOX	
	2"	58820B	1 / BOX	1 BOX	3.03
	2 1/2"	58825B	1 / BOX	1 BOX	6.94
	3"	58830B	1 / BOX	1 BOX	7.50
	3 1/2"	58835B	1 / BOX	1 BOX	
	4"	58840B	1 / BOX	1 BOX	11.53



CONTINUATION OF CHART FROM PREVIOUS PAGE.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: C WITH COVER AND GASKET					
UPC	1/2"	58405	1 / BAG	5 BAGS	1.57
	3/4"	58407	1 / BAG	3 BAGS	1.45
	1"	58410	1 / BAG	2 BAGS	1.40
	1 1/4"	58412	1 / BAG	2 BAGS	2.84
	1 1/2"	58415	1 / BAG	2 BAGS	3.73
	2"	58420	1 / BAG	1 BAGS	3.23
BULK	1/2"	58405B	10 / BOX	1 BOX	
	3/4"	58407B	10 / BOX	1 BOX	
	1"	58410B	5 / BOX	1 BOX	
	1 1/4"	58412B	2 / BOX	1 BOX	
	1 1/2"	58415B	2 / BOX	1 BOX	
	2"	58420B	1 / BOX	1 BOX	
	2 1/2"	58425B	1 / BOX	1 BOX	
	3"	58430B	1 / BOX	1 BOX	
	3 1/2"	58435B	1 / BOX	1 BOX	
	4"	58440B	1 / BOX	1 BOX	



TYPE: LR WITH STAMPED COVER					
UPC	1/2"	58905	1 / BAG	5 BAGS	1.62
	3/4"	58907	1 / BAG	3 BAGS	1.51
	1"	58910	1 / BAG	2 BAGS	1.37
	1 1/4"	58912	1 / BAG	2 BAGS	3.53
	1 1/2"	58915	1 / BAG	2 BAGS	3.73
	2"	58920	1 / BAG	1 BAGS	3.28
BULK	1/2"	58905B	10 / BOX	1 BOX	
	3/4"	58907B	10 / BOX	1 BOX	
	1"	58910B	5 / BOX	1 BOX	
	1 1/4"	58912B	2 / BOX	1 BOX	
	1 1/2"	58915B	2 / BOX	1 BOX	
	2"	58920B	1 / BOX	1 BOX	
	2 1/2"	58925B	1 / BOX	1 BOX	3.91
	3"	58930B	1 / BOX	1 BOX	7.31
	3 1/2"	58935B	1 / BOX	1 BOX	
	4"	58940B	1 / BOX	1 BOX	11.24



RIGID CONDUIT FITTINGS

RGD

CONTINUATION OF THREADED CONDUIT BODIES CHART FROM PREVIOUS PAGE.

SIZE PART # PCS / PKG TOTAL CTN QTY CTN WT

TYPE: LL WITH STAMPED COVER



UPC	1/2"	58305	1 / BAG	5 BAGS	1.66
	3/4"	58307	1 / BAG	3 BAGS	1.48
	1"	58310	1 / BAG	2 BAGS	1.35
	1 1/2"	58315	1 / BAG	2 BAGS	3.73
	2"	58320	1 / BAG	1 BAG	2.71
BULK	1/2"	58305B	10 / BOX	1 BOX	
	3/4"	58307B	1 / BOX	1 BOX	
	1"	58310B	1 / BOX	1 BOX	
	1 1/4"	58312B	1 / BOX	1 BOX	
	1 1/2"	58315B	2 / BOX	1 BOX	
	2"	58320B	1 / BOX	1 BOX	
	2 1/2"	58325B	1 / BOX	1 BOX	3.91
	3"	58330B	1 / BOX	1 BOX	7.31
	3 1/2"	58335B	1 / BOX	BULK	
	4"	58340B	1 / BOX	1 BOX	10.71

SERVICE ENTRANCE ELL

Aluminum

- APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, inspections, and maintenance. Indoors or outdoors.



Contact us for Canadian regulatory listings

SIZE PART # PCS / PKG TOTAL CTN QTY CTN WT



UPC	1/2"	59505	1 / BAG	10 BAGS	2.16
	3/4"	59507	1 / BAG	5 BAGS	1.74
	1"	59510	1 / BAG	3 BAGS	1.46
	1 1/4"	59512	1 / BAG	2 BAGS	1.72
	1 1/2"	59515	1 / BAG	2 BAGS	1.99
BULK	2"	59520	1 / BAG	1 BAGS	1.49
	1/2"	59505B	10 / BOX	1 BOX	
	3/4"	59507B	10 / BOX	1 BOX	
	1"	59510B	5 / BOX	1 BOX	
	1 1/4"	59512B	2 / BOX	1 BOX	
	1 1/2"	59515B	1 / BOX	1 BOX	
	2"	59520B	1 / BOX	1 BOX	

LONG SERVICE ENTRANCE ELL

BULK	1 1/4"	59513B	2 / BOX	1 BOX	
	2"	59521B	1 / BOX	1 BOX	



HALEX®

BEYOND THE CURRENT

halexco.com

CONDUIT BODY COVERS

- APPLICATION:** Used to cover all styles of metallic conduit bodies. Indoors or outdoors.

Aluminum



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	59205B	50 / BOX	1 BOX	3.16
	3/4"	59207B	50 / BOX	1 BOX	4.16
	1 1/4"-1 1/2"	59215B	50 / BOX	1 BOX	8.82
	2"	59220B	25 / BOX	1 BOX	7.37
	3 1/2"	59230B	10 / BOX	1 BOX	
	4"	59240B	5 / BOX	1 BOX	



CONDUIT BODY GASKETS

- APPLICATION:** Used in conjunction with cover to provide a dust-tight seal to all types of metallic conduit bodies. Indoors or outdoors.

Neoprene



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	59105B	25 / BOX	1 BOX	0.36
	3/4"	59107B	25 / BOX	1 BOX	0.36
	1"	59110B	25 / BOX	1 BOX	0.36
	1 1/4"-1 1/2"	59115B	20 / BOX	1 BOX	0.56



LQD TO RGD COMBINATION COUPLINGS

- APPLICATION:** Used to connect EMT conduit to a liquid tight conduit or AC whip. Outdoor use.

Steel




Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8"	93503B	20 / BOX	1 BOX	
	1/2"	93505B	20 / BOX	1 BOX	
	3/4"	93507B	10 / BOX	1 BOX	
	1"	93510B	5 / BOX	1 BOX	
	1 1/4"	93512B	5 / BOX	1 BOX	
	1 1/2"	93515B	12 / BOX	1 BOX	
	2"	93520B	5 / BOX	1 BOX	



RGD





- Straps..... 98
- Water-Tight
Connectors..... 99
- Service
Entrance Caps..... 99-101
- Sill Plates 101
- Clamp Connectors 102
- Kenny Clamps 102
- Offset Bottom Reducers..... 102
- Conduit Supports 103
- Service Drop Brackets 103
- Fork Bolts 103
- Porcelain
Wireholders..... 103-104
- Service Clevis 104
- Service Entrance ELL 105
- Wedge Clamp Connectors.... 105
- Roof Flashings..... 106
- Electric Pain Washers..... 106

SERVICE ENTRANCE FITTINGS

ONE-HOLE GROUNDED STRAPS

Steel

- APPLICATION:** Use to secure bare solid copper wire to a working surface. Indoors or outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/16"	26212	1 / BAG	20 BAGS	2.58
	1/4"	26214	1 / BAG	10 BAGS	2.72

ONE-HOLE STRAPS (SE & SEU CABLE)

Steel

- APPLICATION:** Use to secure service entrance cable to a wood, masonry or similar surface. Indoors or outdoors. For insulated wire.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	#12/2 - #14/2	26210	1 / BAG	10 BAGS	1.29
	3#8 - 3#4	92191	1 / BAG	10 BAGS	0.83
	3#8 - 3#4	26213	1 / BAG	10 BAGS	2.23
	3#3 - 3#2	46213	1 / BAG	10 BAGS	1.76
	3#1 - 3#2/0	26218	1 / BAG	10 BAGS	5.12
	3#3 - 3#4/0	26219	1 / BAG	10 BAGS	3.99
BULK	#12/2 - #14/2	62171B	100 / BOX	1 BOX	13.83
	3#8 - 3#4	62191B	100 / BOX	1 BOX	21.83
	3#3 - 3#2	62192B	100 / BOX	1 BOX	23.43
	3#1 - 3#2/0	62193B	25 / BOX	1 BOX	19.33
	3#3/0 - 3#4/0	62194B	25 / BOX	1 BOX	22.25

TWO-HOLE STRAPS (SE & SEU CABLE)

Steel

- APPLICATION:** Use to secure service entrance cable (SEU, SER) to a wood, masonry or similar surface. Indoors or outdoors. For insulated wire.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3#8 - 3#4	26222	1 / BAG	10 BAGS	2.74
	3#3 - 3#2	26223	1 / BAG	10 BAGS	0.83
	3#1 - 3#2/0	26224	1 / BAG	5 BAGS	1.44
	3#3/0 - 3#4/0	26225	1 / BAG	5 BAGS	1.51
BULK	3#8 - 3#4	62291B	100 / BOX	1 BOX	22.25
	3#3 - 3#2	62292B	100 / BOX	1 BOX	22.25
	3#1 - 3#2/0	62293B	25 / BOX	1 BOX	6.83
	3#3/0 - 3#4/0	62294B	25 / BOX	1 BOX	

WATER-TIGHT CONNECTORS

Zinc Die Cast

- APPLICATION:** Use to secure SE/SEU cable to a metal enclosure. Use to connect UF cable to a waterproof box with threaded hub. Indoors or outdoors. The SIZE column below includes the gauge size for each part number



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2" / #14/2, #12-2	90661	1 / BAG	5 BAGS	0.65
	3/4" / #12-3	90662	1 / BAG	10 BAGS	1.65
	1" / 3#6	07210	1 / BAG	10 BAGS	1.92
	1" / 3#4	07310	1 / BAG	10 BAGS	2.37
	1 1/4" / 3#2	08212	1 / BAG	10 BAGS	3.93
	1 1/2" / 3#2/0	09215	1 / BAG	5 BAGS	3.08
	2" / 3#2/0	10220	1 / BAG	5 BAGS	4.74
	2" / 3#4/0	10520	1 / BAG	5 BAGS	4.60
BULK	1/2"	06605B	25 / BOX	1 BOX	25.83
	3/4" / #12-3	06607B	25 / BOX	1 BOX	37.83
	3/4" 14/2-12/2	67607B	25 / BOX	1 BOX	
	3/4" 14/3- 10/3	67707B	25 / BOX	1 BOX	
	1" / 3#4	07310B	10 / BOX	1 BOX	19.91
	1" / 3#6	07210B	10 / BOX	1 BOX	
	1" / 3#8	07410B	10 / BOX	1 BOX	
	1 1/4" / 3#3	08112B	10 / BOX	1 BOX	31.91
	1 1/4" / 3#2	08212B	10 / BOX	1 BOX	40.93
	1 1/4" / 3#1	07412B	10 / BOX	1 BOX	
	1 1/2" / 3#2/0	07415B	10 / BOX	1 BOX	
	1 1/2" / 3#1/0	09115B	5 / BOX	1 BOX	
	2" / 3#2/0	10220B	5 / BOX	1 BOX	46.01
	2" / 3#4/0	10420B	5 / BOX	1 BOX	45.51
	2" / 3#4/0	10520B	5 / BOX	1 BOX	45.51
	2" / 3#1/0	07420B	5 / BOX	1 BOX	



SERVICE ENTRANCE CAPS - CLAMP TYPE

Aluminum

- APPLICATION:** Use in an overhead service entrance. Mounts on top of EMT, Rigid, or IMC conduit. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	58005	1 / BAG	5 BAGS	1.47
	3/4"	58007	1 / BAG	5 BAGS	1.75
	1"	58010	1 / BAG	3 BAGS	1.31
	1 1/4"	58012	1 / BAG	5 BAGS	2.80
	1 1/2"	58015	1 / BAG	3 BAGS	2.58
	2"	58020	1 / BAG	5 BAGS	7.18
	2 1/2"	58025	1 / BAG	1 BAGS	4.55
	3"	58030	1 / BAG	1 BAGS	4.99



SERVICE ENTRANCE FITTINGS

SE

CONTINUATION OF CHART FROM PREVIOUS PAGE.



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	58005B	10 / BOX	1 BOX	
	3/4"	58007B	10 / BOX	1 BOX	
	1"	58010B	5 / BOX	1 BOX	
	1 1/4"	58012B	5 / BOX	1 BOX	2.92
	1 1/2"	58015B	3 / BOX	1 BOX	
	2"	58020B	5 / BOX	1 BOX	7.08
	2 1/2"	58025B	1 / BOX	1 BOX	
	3"	58030B	1 / BOX	1 BOX	4.84
	3 1/2"	58035B	1 / BOX	1 BOX	7.20
	4"	58040B	1 / BOX	1 BOX	7.20

OVAL SERVICE ENTRANCE CAPS

Aluminum

- **APPLICATION:** Use in overhead services that utilize SEU cable. Indoors or outdoors.


Contact us for Canadian
regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3#8 - #1	57499	1 / BAG	5 BAGS	1.44
	3#1/0 - 4/0	57699	1 / BAG	2 BAGS	1.39
BULK	3#8 - #1	57499B	20 / BOX	1 BOX	
	3#1/0 - 4/0	57699B	10 / BOX	1 BOX	

OVAL SERVICE ENTRANCE CABLE HOODS

PVC

- **APPLICATION:** Use in overhead services that utilize SEU cable. Indoors or outdoors.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	2/0	77602	1 / BAG	2 BAGS	0.97
	4/0	77604	1 / BAG	4 BAGS	2.44
BULK	3#3 - 1	77631B	10 / BOX	1 BOX	
	3#2/0 - 4/0	77702B	10 / BOX	1 BOX	

OVAL SERVICE ENTRANCE CAPS

PVC

- **APPLICATION:** Use in overhead services that utilize SEU cable. Indoors or outdoors.


Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3#2/0 - #4/0	77902B	10 / BOX	1 BOX	
	#2/3	77906B	30 / BOX	1 BOX	



SERVICE ENTRANCE CAPS-SET SCREW TYPE

Aluminum

- APPLICATION:** Use in an overhead service entrance. Mounts on top of EMT, Rigid, or IMC conduit. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	57925	1 / BAG	25 BAGS	1.57
BULK	2 1/2"	57925B	10 / BOX	1 BOX	



PVC SERVICE ENTRANCE CAPS

PVC

- APPLICATION:** Use in overhead service entrance. Mounts on top of PVC conduit. Serves as connecting point for service entrance wires. Outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	2"	77920	1	2	2.32



SILL PLATES

Aluminum

- APPLICATION:** In conjunction with sealing compound, use to protect the service entrance cable and cover the hole where it enters the dwelling. Outdoors only. The SIZE column below includes the gauge size for each part number.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3#4	50599	1 / BAG	10 BAGS	2.08
	3#1/0 - 2/0	50699	1 / BAG	3 BAGS	2.21
	3#3/0 - 4/0	50799	1 / BAG	4 BAGS	3.80
BULK	4/0	50504B	20 / BOX	1 BOX	



UPC	3/4"	50507	1 / BAG	15 BAGS	2.71
	1"	50610	1 / BAG	5 BAGS	2.15
	1 1/4"	50612	1 / BAG	5 BAGS	2.25
	1 1/2"	50615	1 / BAG	3 BAGS	1.35
	2"	50720	1 / BAG	5 BAGS	4.03
BULK	1/2" - 3/4"	50505B	10 / BOX	1 BOX	
	1" 3/3	50510B	10 / BOX	1 BOX	
	1 1/4" 3/2	50512B	25 / BOX	1 BOX	
	1 1/2"	50515B	25 / BOX	1 BOX	
	2"	50520B	25 / BOX	1 BOX	



CLAMP CONNECTORS - SERVICE ENTRANCE

Zinc Die Cast

- APPLICATION:** In a dry location, use to connect oval service cable to steel outlet box or other metal enclosure. Indoors only.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1 1/4"	05312¹	1 / BAG	10 BAGS	2.06
	1 1/2"	05315²	1 / BAG	5 BAGS	1.08
	2"	05320³	1 / BAG	5 BAGS	4.49
BULK	1"	05310B	25 / BOX	1 BOX	
	1 1/4"	05312B	10 / BOX	1 BOX	21.49
	1 1/2"	05315B	5 / BOX	1 BOX	11.64
	2"	05320B	10 / BOX	1 BOX	18.88

KENNY CLAMPS

Bronze

- APPLICATION:** Ensures code compliance for grounding electrode conductors installations. Indoors only.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2" 1/0	38001B	10 / BOX	1 BOX	
	1/2" 2/0	38002B	10 / BOX	1 BOX	
	1/2" 3/0	38003B	10 / BOX	1 BOX	
	1/2" 2	38020B	10 / BOX	1 BOX	
	1/2" 4	38041B	10 / BOX	1 BOX	
	1/2" 6	38061B	10 / BOX	1 BOX	
	1/2" 8	38081B	10 / BOX	1 BOX	
	1/2" 4	38040B	10 / BOX	1 BOX	
	1/2" 6	38060B	10 / BOX	1 BOX	
	1/2" 8	38080B	10 / BOX	1 BOX	

OFFSET BOTTOM REDUCERS

Aluminum

- APPLICATION:** Use to connect Rigid or IMC conduit to a metal base hub. Indoors or outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	2"	50920	1 / BAG	15 BAGS	8.12
BULK	2"	50920B	50 / BOX	1 BOX	
	2 1/2"	50925B	25 / BOX	1 BOX	

CONDUIT SUPPORTS (LAG SCREW)

Malleable Iron

- **APPLICATION:** Use to secure SE conduit to surface of building. Indoors or outdoors.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	2"	51320	1 / BAG	5 BAGS	1.73
	2 1/2"	51325	1 / BAG	5 BAGS	4.54
BULK	2"	51320B	25 / BOX	1 BOX	
	2 1/2"	51325B	25 / BOX	1 BOX	



CONDUIT SUPPORTS (BOLT NUT WASHER)

Malleable Iron

- **APPLICATION:** Use to secure service entrance conduit to the surface of a building. Indoors or outdoors.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	2"	33520	1 / BAG	6 BAGS	8.02
	2 1/2"	33525	1 / BAG	6 BAGS	8.32
BULK	2"	33520B	25 / BOX	1 BOX	
	2 1/2"	33525B	25 / BOX	1 BOX	



SERVICE DROP BRACKETS

Steel

- **APPLICATION:** Use to secure service entrance pipe to the house. Outdoors.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	19/32"	58050	1 / BAG	10 BAGS	19.28



FORK BOLTS

Steel

- **APPLICATION:** Used to secure service entrance cables to a structure. Outdoors only.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	12" Bolt	58060	1 / BAG	4 BAGS	6.63



ADJUSTABLE PORCELAIN WIREHOLDER

Porcelain

- **APPLICATION:** Use as a holding device for the incoming service entrance wires. Mounts below the overhead service entrance cap. Holds less than 100 lbs. Indoors or outdoor.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1 1/4" - 3"	60525	1	10	15.71
BULK	1 1/4" - 3"	60525B	20 / BOX	1 BOX	



PORCELAIN WIREHOLDERS

Porcelain

- **APPLICATION:** Use in overhead services to secure the incoming service entrance wires. SIZE column indicated length of the screw. Indoors or outdoors.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
LIGHT DUTY					
UPC	1 11/16"	60416	1 / BAG	10 BAGS	2.94
BULK	1 11/16"	60416B	10 / BOX	1 BOX	
MEDIUM DUTY					
UPC	2 1/4"	60322	1 / BAG	10 BAGS	6.31
BULK	2 1/4"	60322B	10 / BOX	1 BOX	
HEAVY DUTY					
UPC	2 1/4"	60222	1 / BAG	10 BAGS	6.96
BULK	2 1/4"	60222B	10 / BOX	1 BOX	
WITH PIPE HANGER					
UPC	2"	60645	1 / BAG	1 BAG	1.00
	2 1/2"	60646	1 / BAG	1 BAG	1.06
BULK	2 1/2"	60646B	25 / BOX	1 BOX	

SERVICE CLEVIS

Porcelain

- **APPLICATION:** Used to dead-end service entrance drops at either end. Holds up to 500 lbs. Indoors or outdoors.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/16" x 3"	60625	1 / BAG	1 BAG	4.01



SERVICE ENTRANCE ELL

Aluminum

- APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, inspections, and maintenance. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	59505	1 / BAG	10 BAGS	2.16
	3/4"	59507	1 / BAG	5 BAGS	1.74
	1"	59510	1 / BAG	3 BAGS	1.46
	1 1/4"	59512	1 / BAG	2 BAGS	1.72
	1 1/2"	59515	1 / BAG	2 BAGS	1.99
	2"	59520	1 / BAG	1 BAGS	1.49
BULK	1/2"	59505B	10 / BOX	1 BOX	
	3/4"	59507B	10 / BOX	1 BOX	
	1"	59510B	5 / BOX	1 BOX	
	1 1/4"	59512B	2 / BOX	1 BOX	
	1 1/2"	59515B	1 / BOX	1 BOX	
	2"	59520B	1 / BOX	1 BOX	

LONG SERVICE ENTRANCE ELL

BULK	1 1/4"	59513B	2 / BOX	1 BOX	
	2"	59521B	1 / BOX	1 BOX	



WEDGE CLAMP CONNECTORS

Aluminum

- APPLICATION:** Use to connect a triplex overhead service entrance cable to a mounting device or building. Indoors or outdoors. In order of parts: 300 lbs, 400 lbs, 500 lbs.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	6 - 2	51061	1 / BAG	4 BAGS	0.75
	4 - 1/0	51062	1 / BAG	10 BAGS	2.86
	2/0 - 4/0	51063	1 / BAG	10 BAGS	2.90
BULK	6 - 2	51061B	50 / BOX	1 BOX	
	4 - 1/0	51062B	25 / BOX	1 BOX	
	2/0-4/0	51063B	25 / BOX	1 BOX	



ROOF FLASHINGS

Steel



- APPLICATION:** Use to prevent water leaks in overhead services where conduit must penetrate the roof surface. Outdoors.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1 1/4"	60812	1 / BAG	10 BAGS	10.85
	2"	60820	1 / BAG	5 BAGS	1.22
	2 1/2"	60825	1 / BAG	5 BAGS	1.25
BULK	1 1/4"	60812B	25 / BOX	1 BOX	
	1 1/2"	60815B	25 / BOX	1 BOX	
	2"	60820B	25 / BOX	1 BOX	
	2 1/2"	60825B	25 / BOX	1 BOX	

ROOF FLASHINGS

Neoprene



Contact us for Canadian regulatory listings

- APPLICATION:** Use to prevent water leaks in overhead services where conduit must penetrate the roof surface. Outdoors.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1 1/4"	20815B	12 / BOX	1 BOX	
	2"	20820B	25 / BOX	1 BOX	
	2 1/2"	20825B	25 / BOX	1 BOX	
	3"	20830B	25 / BOX	1 BOX	



ELECTRIC PANE WASHERS

Steel

- APPLICATION:** Used to secure a panel to a wall. Indoors only.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1 1/4" Diameter	96312	1	10	0.93





- Cable Staples 108
- Plastic Insulating Staples 108
- Strain Relief Cord Connector..... 109
- Non-Metallic Strain Relief Cord Connector..... 109
- Knockout Seals..... 110
- 3-Piece Knockout Seals110
- Switch Box Supports .. 111
- Snap-In Bushings 111
- Universal Snap-In Bushings 111
- Nail Plates 111
- Jack Chain 112
- "S" Hook 112
- "Sky Tie" Cable Clamps112
- Extension Springs 112
- Duct Seal..... 112
- Fixture Hangers.....111
- Conduit Hangers.....113
- Beam Clamps.....114

ACCESSORIES

CABLE STAPLES FOR SEU AND RANGE CABLE

Steel



- APPLICATION:** Use to secure non-metallic sheathed, armored or SEU cable to wood surfaces. Indoors only.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	#14 to #12-2	61010	100 / BOX	1 BOX	1.00
	#14 to #12-2	61050	500 / BOX	1 BOX	4.00
	#14 ro #10-3	62510	100 / BOX	1 BOX	2.00

PLASTIC INSULATING STAPLES

Plastic with Steel Nails



- APPLICATION:** Use to secure non-metallic sheathed cable or UF cable to wood surfaces. Indoors only.


¹ NM cable #14 - #12 and UF cable #14/2 - #12/2

² NM cable #10/2 - #8/2 and UF cable #10/2 - #8/2; #14/3 - #12/3



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	27209¹	50 / BAG	25 BAGS	7.66
	3/4"	27309²	50 / BAG	25 BAGS	8.40



STRAIN RELIEF CORD CONNECTOR*Zinc Die Cast*

- APPLICATION:** Use to connect S, SO, ST, SJ, SJO, and SJT cord to a steel outlet box or other metal enclosure. For round cable. Indoors only.

Fits wire range: .220 - .260 1

Fits wire range: .300 - .375 2

Fits wire range: .375 - .500 3

Fits wire range: .400 - .500 4

Fits wire range: .440 - .500 5

Fits wire range: .450 - .500 6

Fits wire range: . 500 - . 625 7

Fits wire range: . 580 - . 625 8

Fits wire range: . 625 - . 750 9

Fits wire range: . 630 - . 720 10

Fits wire range: . 650 - . 740 11

Fits wire range: . 750 - . 850 12



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	21691²	2 / BAG	8 BAGS	1.87
	1/2"	21691⁴	2 / BAG	8 BAGS	1.53
	3/4"	21694⁸	2 / BAG	8 BAGS	2.45
	1"	16932⁹	1 / BAG	10 BAGS	2.27
	1"	16933¹⁰	1 / BAG	10 BAGS	2.40
BULK	1/2"	16911B¹	25 / BOX	1 BOX	22.83
	1/2"	16912B²	25 / BOX	1 BOX	22.83
	1/2"	16913B²	25 / BOX	1 BOX	26.08
	3/4"	19623B¹	25 / BOX	1 BOX	33.75
	1"	16933B¹⁰	10 / BOX	1 BOX	20.01

**NON-METALLIC STRAIN RELIEF CORD CONNECTOR***PVC*

- APPLICATION:** Used to connect cord to a steel outlet box or other metal enclosure. For round cable. Indoor and outdoor. Liquid tight.

1 Fits wire range: .235 - .400

2 Fits wire range: .410 - .740



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	27693¹	1 / BOX	20 BOXES	0.96
	3/4"	27697²	1 / BOX	10 BOXES	0.76
BULK	1/2"	76913B¹	25 / BOX	1 BOX	2.06
	3/4"	16921B	1 / BOX	1 BOX	
	3/4"	76923B²	10 / BOX	1 BOX	1.68



KNOCKOUT SEALS

Steel

- APPLICATION:** Use to cover exposed knockout holes in steel outlet boxes and other metal enclosures. Indoors only.



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	26071	4 / BAG	30 BAGS	2.01
	3/4"	26072	4 / BAG	20 BAGS	1.42
	1"	96073	2 / BAG	15 BAGS	0.89
	1 1/4"	60712	1 / BAG	25 BAGS	0.97
	1 1/2"	60715	1 / BAG	25 BAGS	1.24
	2"	60720	1 / BAG	15 BAGS	1.05
CCP	1/2"	60704B	150 / CCP	4 CCP's	2.28
	3/4"	60797B	100 / CCP	4 CCP's	2.30
BULK	1/2"	60705B	250 / BOX	4 BOXES	3.16
	3/4"	60707B	250 / BOX	4 BOXES	5.66
	1"	60710B	50 / BOX	10 BOXES	1.84
	1 1/4"	60712B	50 / BOX	1 BOX	
	1 1/2"	60715B	50 / BOX	1 BOX	
	2"	60720B	10 / BOX	1 BOX	

3-PIECE KNOCKOUT SEALS

Steel

- APPLICATION:** Use to cover exposed knockout holes in steel outlet boxes and other metal enclosures. Indoors only.



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	20605	4 / BAG	30 BAGS	3.0
	3/4"	20607	4 / BAG	20 BAGS	2.4
	1"	20610	2 / BAG	15 BAGS	1.2
	1 1/4"	20612	1 / BAG	25 BAGS	1.6
	1 1/2"	20615	1 / BAG	25 BAGS	2.2
	2"	20620	1 / BAG	15 BAGS	2.5
CCP	1/2"	60605B	75 / CCP	4 CCP's	7.4
	3/4"	60607B	50 / CPP	4 CCP's	6.6
	1/2"	60610B	50 / CCP	4 CCP's	9.0
	1 1/4"	60612B	25 / CCP	4 CCP's	1.4
BULK	1/2"	60705B	250 / BOX	4 BOXES	3.16
	3/4"	60707B	250 / BOX	4 BOXES	5.66
	1"	60710B	50 / BOX	10 BOXES	1.84
	1 1/4"	60712B	50 / BOX	1 BOX	
	1 1/2"	60715B	50 / BOX	1 BOX	
	2"	60720B	10 / BOX	1 BOX	

SWITCH BOX SUPPORTS

Steel

- APPLICATION:** Use to support attachment of an outlet box in drywall in the absence of a structure member. Indoors only.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	-	26279	1 / BAG	25 BAGS	1.45
BULK	-	62700B	50 PAIRS / BOX	1 BOX	



SNAP-IN BUSHINGS

Plastic

- APPLICATION:** Use to protect non-metallic cable from damage when running cable through metal studs. Indoors only.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	27251	10 / BAG	10 BAGS	0.56
	3/4"	27252	10 / BAG	10 BAGS	0.78
	1"	27253	10 / BAG	10 BAGS	0.58
	2 1/2"	72525	1 / BAG	10 BAGS	0.55
BULK	1/2"	72505B	100 / BOX	1 BOX	1.34
	3/4"	72507B	100 / BOX	1 BOX	1.59
	1"	72510B	100 / BOX	1 BOX	1.49
	1 1/2"	72515B	100 / BOX	1 BOX	0.64
	2"	72520B	25 / BOX	1 BOX	1.23



UNIVERSAL SNAP-IN BUSHINGS

Polypropylene

- APPLICATION:** Use to protect non-metallic cable from damage when running cable through metal studs. Indoors only.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	Universal	27259	25 / BAG	6 BAGS	3.52
BULK	Universal	72599B	25 / BOX	1 BOX	1.67



NAIL PLATES

Steel

- APPLICATION:** Use to protect internal wire runs from nail punctures. Indoors only. Plate thickness 0.06"



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1 1/2" x 2 1/2"	62800	1 / BAG	200 BAGS	10.20
	1 1/2" x 5"	62850	1 / BAG	100 BAGS	15.20
CCP	1 1/2" x 2 1/2"	62897	200 / CCP	4 CCP's	14.13
	1 1/2" x 2 1/2"	62899	50 / CCP	4 CCP's	4.32
BULK	1 1/2" x 2 1/2"	62897B	200 / BOX	1 BOX	
	1 1/2" x 5"	62851B	100 / BOX	1 BOX	12.28
	1 1/2" x 2 1/2"	62899XLB	250 / BOX	1 BOX	





JACK CHAIN

Steel

- **APPLICATION:** Supports up to 29lbs. Sold by the foot.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	12GA	60010	100FT / BOX	1 SPOOL	9.20
	10GA	60020	100FT / BOX	1 SPOOL	15.05



"S" HOOK

Steel

- **APPLICATION:** Use to suspend light fixtures. Indoors only.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	12GA	60199	100 / BOX	1 BOX	0.94



"SKY TIE" CABLE CLAMPS

Steel

- **APPLICATION:** Supports and anchors bus-drop cable at a 90 degree angle.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2" - 3/4"	66207B	10 / BOX	1 BOX	4.45
	3/4" - 1 1/8"	66211B	10 / BOX	1 BOX	8.20



EXTENSION SPRINGS

Steel

- **APPLICATION:** Use to suspend "Sky-Tie" cable to clamp. Indoors only.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	10 - 60 LBS	66377B	10 / BOX	1 BOX	2.20
	10 - 70 LBS	66388B	10 / BOX	1 BOX	2.70
	25 - 200 LBS	66399B	5 / BOX	1 BOX	5.23

DUCT SEAL

Steel

- **APPLICATION:** Use to seal around junction boxes, flashings, and service entrance locations. Indoors or outdoors.



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1 LB	79910B	1 / BOX	1 BOX	1.00
	5 LB	79950B	1 / BOX	1 BOX	

FIXTURE HANGERS

Steel

- **APPLICATION:** Use to secure and suspend light fixture. Indoors or outdoors

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	4"	69699B	25 / BOX	1 BOX	16.70



CONDUIT HANGERS

Steel

- **APPLICATION:** Use to secure and suspend conduit from overhead supports. Indoors or outdoors. Faster and easy installation, captive screw is included. Indoors or outdoors. Refer to chart below to match the appropriate conduit size with the corresponding product trade size.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT	EMT	RGD	CONDUIT SIZE
UPC	#2	67820	1 / BAG	20 BAGS	2.21	1"	1"	
	#2 1/2	67825	1 / BAG	15 BAGS	1.85	1 1/4"		
	#3	67830	1 / BAG	15 BAGS	1.97	1 1/2"	1 1/4"	
	#4	67840	1 / BAG	10 BAGS	1.49		1 1/2"	
	#5	67850	1 / BAG	20 BAGS	4.21	2"	2"	
	#6	67860	1 / BAG	10 BAGS	3.71	2 1/2"	2 1/2"	
	#7	67870	1 / BAG	5 BAGS	2.18	3 1/2"	3 1/2"	
BULK	#0	67800B	100 / BOX	1 BOX	7.39	1/2"	1/2"	
	#1	67810B	100 / BOX	1 BOX	8.09	3/4"	3/4"	
	#2	67820B	100 / BOX	1 BOX	10.32	1"	1"	
	#2	67821B	100 / BOX	1 BOX	10.30			
	#2 1/2	67825B	100 / BOX	1 BOX				
	#3	67830B	100 / BOX	1 BOX	11.56	1 1/2"	1 1/2"	
	#4	67840B	100 / BOX	1 BOX	13.99		1 1/2"	
	#5	67850B	50 / BOX	1 BOX	10.37	2"	2"	
	#6	67860B	50 / BOX	1 BOX	18.11	2 1/2"	2 1/2"	
	#7	67870B	50 / BOX	1 BOX	20.41	3 1/2"	3 1/2"	
	#8	67880B	25 / BOX	1 BOX	10.99			
	#9	67890B	10 / BOX	1 BOX	6.04	4"	4"	

SPEED THREAD™

CONDUIT HANGERS SPEED THREAD

Steel

- **APPLICATION:** Use to secure and suspend conduit from overhead supports. Faster and easy installation, captive screw is included. Indoors or outdoors. Refer to chart below to match the appropriate conduit size with the corresponding product trade size.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT	EMT	RGD	CONDUIT SIZE
UPC	#0	26780	5 / BAG	10 BAGS	3.27	1/2"	1/2"	
	#1	26781	5 / BAG	10 BAGS	3.62	3/4"	3/4"	
CCP	#0	67801B	45 / CCP	4 CCP's	4.24	1/2"	1/2"	
	#2	67822B	25 / CCP	4 CCP's	3.52	1"	1"	



BEAM CLAMPS

- **APPLICATION:** Use to secure conduit to a metal beam. Indoors or outdoors.

Steel



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	.59" / 1/4 - 20	96560	1 / BAG	15 BAGS	2.00
BULK	.59" / 1/4-20	65600B	25 / BOX	1 BOX	4.09
	1"	65610B	100 / BOX	1 BOX	



BEAM CLAMPS


- **APPLICATION:** Use to secure conduit to a metal beam. Indoors or outdoors.

Malleable Iron



Contact us for Canadian regulatory listings

	OPENING / THREAD SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	0.79" / 1/4 - 20	35600	25 / BOX	1 BOX	4.68
BULK	0.79" / 1/4 - 20	35600B	25 / BOX	1 BOX	6.49
	1.00" / 3/8 -16	35610B	10 / BOX	1 BOX	7.23
	3/4"	35607B	50 / BOX	1 BOX	
	7/8"	35608B	50 / BOX	1 BOX	
	1 1/8"	35611B	25 / BOX	1 BOX	





- *Ground Clamps... 116-117*
- *Ground Rod Clamps ... 118*
- *Ground Screws 118*
- *Ground Wires..... 118*
- *Ground Clips.....119*
- *Split Bolt Connectors...119*
- *Solderless Terminal Lugs..119*

GROUND FITTINGS



GROUND CLAMPS (BARE WIRE)

- APPLICATION:** Use to secure bare copper ground wire to 3/8" rebar through 1" pipe. Indoors or outdoors.

Bronze



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/8" - 1"	36910	1 / BAG	25 BAGS	5.17
BULK	3/8" - 1"	36910B	100 / BOX	1 BOX	27.37



GROUND CLAMPS (BARE WIRE)

- APPLICATION:** Use to secure the bare copper ground wire to a 1/2" through 1" pipe. Indoors or outdoors.

Bronze



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2" - 1"	36010	1 / BAG	25 BAGS	4.74
BULK	1/2" - 1"	36010B	25 / BOX	10 BOXES	47.13



GROUND CLAMPS (BARE WIRE)

- APPLICATION:** Use to secure the bare copper ground wire to a 1 1/4" through 2" pipe. Indoors or outdoors.

Bronze



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1 1/4" - 2"	36020	1 / BAG	10 BAGS	4.21
BULK	1 1/4" - 2"	36020B	25 / BOX	1 BOX	10.57



GROUND CLAMPS (BARE WIRE)

- APPLICATION:** Use to secure the bare copper ground wire to a 1 1/4" through 2" pipe. Indoors or outdoors.

Bronze



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1 1/4" - 2"	36029	1 / BAG	25 BAGS	10.78

GROUND CLAMPS (ARMORED CABLE)*Bronze*

- APPLICATION:** Use to secure the grounding wire to a 1/2" through 1" pipe. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2" - 1"	36110	1 / BAG	15 BAGS	3.69

**GROUND CLAMPS (BARE WIRE) - FOR DIRECT BURIAL***Bronze*

- APPLICATION:** Use to secure the bare copper ground wire to a 1/2" through 1" pipe. Indoors or outdoors. Embedded in concrete.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2" - 1"	36019	1 / BAG	15 / BAGS	2.97

**GROUND CLAMPS (BARE WIRE)***Zinc*

- APPLICATION:** Use to secure the bare copper ground wire to a 1/2" through 1" pipe. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2" - 1"	16010	1 / BAG	25 BAGS	4.85
BULK	1/2" - 1"	16010B	25 / BOX	10 BOXES	49.43

**GROUND CLAMPS (ARMORED CABLE)***Zinc*

- APPLICATION:** Use to secure the grounding wire to a 1/2" through 1" pipe. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2" - 1"	16110	1 / BAG	15 BAGS	3.25



GROUND ROD CLAMPS

Bronze



- APPLICATION:** Use to connect bare copper ground wire to a drive ground rod. Indoors or outdoors.

Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	93591	1 / BAG	30 BAGS	2.95
	5/8"	93592	1 / BAG	30 BAGS	3.20
BULK	1/2"	35905B	50 / BOX	1 BOX	66.83
	5/8"	35906B	50 / BOX	1 BOX	50.97

GROUND SCREWS

Steel



- APPLICATION:** Use to ground a wiring device to a steel outlet box.

Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	#10-32	26329	10 / BAG	10 BAGS	0.76
BULK	#10-32	63299	100 / BOX	10 BOXES	5.39

GROUND WIRES

Copper



- APPLICATION:** Use to ground the branch wire to the wall of a steel outlet box.

Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	#12 AWG STR	46319	2 / BAG	10 BAGS	0.82
BULK	#14 AWG STR	63188	100 / BOX	1 BOX	1.3

GROUND CLIPS

Steel

APPLICATION: Use to connect the grounding wire to the sidewall of a steel outlet box.Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	#14-#12	26309	10 / BAG	10 BAGS	0.53
BULK	#14 - #12	63099	100 / BOX	10 BOXES	4.23

SPLIT BOLT CONNECTORS

Copper

- APPLICATION:** Used to join two copper conductors together when tapping, splicing or terminating. Indoors or outdoors.

Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	16 STR - 8 STR	32408B	100 / BOX	1 BOX	3.11
	6 SOL - 2 STR	32402B	100 / BOX	1 BOX	14.14
	2 SOL - 2/0 STR	32320B	25 / BOX	1 BOX	8.11
	2 SOL - 3/0	32330B	25 / BOX	1 BOX	10.16



SPLIT BOLT CONNECTORS

Tin Plated Copper

- APPLICATION:** Used to join two copper conductors together when tapping, splicing or terminating. Indoors or outdoors. Use oxide-inhibiting compound when connecting aluminum ACSR or aluminum to copper conductors.

Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
WITH SPACER BAR					
BULK	10 STR - 6STR	32004B	25 / BOX	1 BOX	3.11
	16 STR - 8STR	32008B	1 / BOX	1 BOX	



SOLDERLESS TERMINAL LUGS


Copper


- APPLICATION:** Use to connect a wire or wires to a metal enclosure. Indoors or outdoors.

Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	#8 - #2	32602B	200 / BOX	1 BOX	10.14
	#6 - 1/0	32510B	100 / BOX	1 BOX	11.16
	#2 - 4/0	32540B	10 / BOX	1 BOX	2.51







- AC Disconnects..... 122
- AC Whips 122

AC DISSCONNECTS



FUSED AC DISCONNECTS

Steel

- APPLICATION:** Used to stop the power from going to an air conditioner unit to allow for safe working conditions. 120/240 VOLTS



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2" x 6'	HF30R	1 / BOX	1 BOX	2.70
	3/4" x 6'	HF60R	1 / BOX	1 BOX	2.80



NON-FUSED AC DISCONNECTS

Steel

- APPLICATION:** Used to stop the power from going to an air conditioner unit to allow for safe working conditions. 120/240 VOLTS



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	60 AMP	HNF60R	1 / BOX	1 BOX	2.30



NON-METALLIC AC DISCONNECTS

PPE-PS

- APPLICATION:** Used to stop the power from going to an air conditioner unit to allow for safe working conditions in coastal applications. 120/240 VOLTS. Fire Rating UL94V-0.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	60 AMP	NMHNF60R	1 / BOX	1 BOX	1.00
BULK	60 AMP	NMHNF60R10	10 / BOX	1 BOX	10.00

AC WHIPS

PVC

- APPLICATION:** Use to connect AC disconnects to AC compressor. Indoors or outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2" x 6'	69126	1 / BAG	6 BAGS	12.0
	3/4" x 6'	69346	1 / BAG	6 BAGS	16.4



CATALOG INDEX

INDEX

ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.
01820	82	13607	84	23212	10	26281	13	29102	45	58050	103
02005	14	13610	84	23220	12	26282	13	29251	18	58060	103
02007	14	13612	84	23222	12	26309	119	29252	18	58305	94
02310	14	13615	84	25703	43	26329	118	29521	83	58307	94
02312	14	13720	84	25803	43	26351	64	29522	83	58310	94
02315	14	14205	69	26071	110	26352	64	29523	83	58315	94
02320	14	14305	22	26072	110	26571	42	29525	83	58320	94
02410	16	14307	22	26121	86	26780	113	33520	103	58405	93
02412	16	14405	21	26122	86	26781	113	33525	103	58407	93
02415	16	14407	21	26123	86	26820	79	35600	114	58410	93
02420	16	14605	22	26124	86	26853	79	36010	116	58412	93
02910	23	14607	22	26125	86	26862	79	36019	117	58415	93
03905	21	16010	117	26126	86	26863	79	36020	116	58420	93
03907	21	16110	117	26141	28	26864	79	36029	116	58605	92
04010	72	16210	54	26142	28	27251	111	36110	117	58607	92
04012	72	16310	77	26151	26	27252	111	36910	116	58610	92
04015	72	16312	77	26152	26	27253	111	46213	98	58612	92
04020	72	16315	77	26153	26	27259	111	46319	118	58615	92
04210	40	16320	77	26154	26	27500	48	50507	101	58620	92
04212	40	16910	55	26155	26	27501	20	50599	101	58625	92
04215	40	16932	109	26156	26	27502	20	50610	101	58805	92
04220	40	16933	109	26161	27	27503	20	50612	101	58807	92
04410	38	19005	65	26162	27	27504	20	50615	101	58810	92
04412	38	19007	65	26163	27	27505	20	50699	101	58812	92
04415	38	20420	40	26164	27	27506	20	50720	101	58815	92
04420	38	20421	40	26165	27	27507	48	50799	101	58820	92
04510	39	20422	40	26166	27	27510	48	50920	102	58905	93
04512	39	20440	38	26190	80	27511	48	51061	105	58907	93
04515	39	20442	38	26191	80	27512	48	51062	105	58910	93
04520	39	20491	19, 42	26192	80	27514	48	51063	105	58912	93
04910	19, 42	20492	19, 42	26194	80	27515	48	51320	103	58915	93
05312	49, 102	20511	49	26195	80	27516	48	51325	103	58920	93
05315	49, 102	20512	49	26196	80	27520	78	53212	85	59505	94, 105
05320	49, 102	20570	41, 50	26197	80	27521	78	53220	85	59507	94, 105
07012	72	20581	41	26210	52, 98	27522	78	54012	65	59510	94, 105
07015	72	20605	110	26211	43	27525	78	54020	65	59512	94, 105
07020	72	20607	110	26212	98	27526	78	54112	71	59515	94, 105
07030	72	20610	110	26213	98	27527	78	54120	71	59520	94, 105
07210	99	20612	110	26214	98	27528	78	56305	87	60010	112
07310	99	20615	110	26218	98	27529	78	56307	87	60020	112
08212	99	20620	110	26219	98	27620	58	56405	29, 87	60199	112
09215	99	20670	39, 51	26222	98	27621	58	56407	29, 87	60222	104
10220	99	20701	72	26223	98	27622	58	56605	29, 88	60322	104
10520	99	21305	25	26224	98	27690	58	56607	29, 88	60416	104
11010	44	21307	25	26225	98	27691	58	56805	29, 88	60525	103
11012	44	21580	41, 51	26230	15	27692	58	56807	29, 88	60625	104
11015	44	21642	77	26232	15	27693	109	56905	30, 88	60645	104
12125	10, 62	21691	109	26241	16	27697	109	57499	100	60646	104
12310	10	21694	109	26242	16	28211	14	57699	100	60712	110
12312	10	21705	85	26250	18	28212	14	57925	101	60715	110
12315	10	21707	85	26252	18	28231	15	58005	99	60720	110
12320	10	22105	8	26261	19	28232	15	58007	99	60812	106
12410	12	22107	8	26262	19	28271	11	58010	99	60820	106
12412	12	22210	14	26270	11	28272	11	58012	99	60825	106
12415	12	22212	14	26271	11	28440	38	58015	99	61010	108
12420	12	22221	16	26272	11	28441	38	58020	99	61050	108
13510	84	22222	16	26279	111	28442	38	58025	99	61120	86
13512	84	23210	10	26280	13	29101	45	58030	99	61125	26, 86

ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.
61130	26, 86	64015	68	64425	24	86205	56	94105	68	01805B	82
61225	27, 86	64020	68	64430	24	86207	56	94107	68	01807B	82
61230	27, 86	64025	68	64435	24	86905	57	94110	68	01810B	82
61240	27, 86	64030	68	64440	24	86907	57	94405	21	01812B	82
61925	80	64035	68	64505	25	90271	23	94407	21	01815B	82
61930	80	64040	68	64507	25	90281	23	94410	21	01820B	82
61940	80	64105	71	64510	25	90282	23	94505	22, 69	01825B	82
62310	15	64107	71	64512	25	90291	23	94507	22, 69	01830B	82
62312	15	64110	71	64515	25	90292	23	94510	22, 69	01835B	82
62315	15	64112	71	64520	25	90362	54	94705	22, 70	01840B	82
62320	15	64115	71	64525	25	90371	21	94707	22, 70	01905B	81
62410	16	64120	71	64530	25	90372	21	95225	83	01907B	81
62412	16	64125	71	64535	25	90401	72	96073	110	01910B	81
62415	16	64130	71	64540	25	90402	72	96111	86	01912B	81
62420	16	64140	71	64615	73	90440	38	96112	86	01915B	81
62510	108	64205	70	64676	73	90451	39	96113	86	01920B	81
62511	18	64207	70	66205	56	90452	39	96114	86	01925B	81
62512	18	64210	70	66206	56	90481	39	96115	86	01930B	81
62515	18	64212	70	66210	56	90513	49	96141	28	01935B	81
62520	18	64215	70	66905	57	90661	51, 99	96142	28	01940B	81
62610	19	64220	70	66907	57	90662	51, 99	96151	26	02007B	14
62612	19	64230	70	66910	57	90681	55	96152	26	0205B	23
62615	19	64240	70	67820	28, 113	90682	55	96161	27	02101B	14
62620	19	64305	73	67825	28, 113	90702	72	96162	27	02110B	14
62630	19	64307	73	67830	28, 113	90703	72	96181	81	02111B	14
62710	11	64310	73	67840	28, 113	91003	45	96182	81	02112B	14
62712	11	64311	73	67850	28, 113	91010	45	96183	81	02115B	14
62715	11	64312	73	67860	28, 113	91100	44	96184	81	02120B	14
62720	11	64313	73	67870	28, 113	91101	44	96185	81	02125B	14, 63
62725	11, 62	64314	73	68510	79	91102	44	96186	81	02130B	14, 63
62800	111	64315	73	68615	79	91321	84	96193	80	02135B	14, 63
62810	13	64320	73	68720	79	91331	84	96194	80	02140B	14, 63
62812	13	64325	73	69126	122	91332	84	96195	80	02210B	16
62815	13	64327	73	69346	122	91405	28	96196	80	02211B	16
62820	13	64331	73	72525	111	91407	28	96271	11	02212B	16
62830	13, 63	64332	73	75225	78	91515	26	96312	106	02215B	16
62850	111	64333	73	75230	78	91530	21, 52	96361	66	02220B	16
62897	111	64334	73	75400	45	91531	19, 42	96362	66	02225B	16, 65
62899	111	64335	73	75401	45	91532	19, 42	96401	68	02230B	16, 65
63099	119	64336	73	75402	45	91534	17, 67	96402	68	02235B	16, 65
63188	118	64341	73	75403	45	91536	17, 67	96560	114	02240B	16, 65
63299	118	64342	73	75404	45	91625	54	96831	79	02301B	14
63510	64	64353	73	77602	100	91627	54	96832	79	02401B	16
63512	64	64354	73	77604	100	91631	76	96841	79	02705B	23
63515	64	64356	73	77920	101	91632	76	96842	79	02707B	23
63520	64	64361	73	82110	14	91641	77	96843	79	02807B	23
63525	15, 64	64362	73	82112	14	91695	55	96851	79	02905B	23
63530	15, 64	64363	73	82120	14	91697	55	96852	79	02907B	23
63610	66	64364	73	82310	15	92191	98	97451	59	03705B	21
63612	66	64365	73	82312	15	92205	8	97452	59	03707B	21
63615	66	64366	73	82315	15	92207	8	97525	78	03905B	21
63620	66	64386	73	82320	15	92510	18	97526	78	03907B	21
63625	16, 66	64405	24	82325	15, 65	92512	18	97623	58	04005B	72
63630	16, 66	64407	24	82710	11	92515	18	97693	58	04007B	72
64005	68	64410	24	82712	11	92520	18	99105	10	04010B	72
64007	68	64412	24	82715	11	92530	18	99107	10	04012B	72
64010	68	64415	24	82720	11	93591	118	99524	83	04015B	72
64012	68	64420	24	84410	38	93592	118	99526	83	04020B	72

INDEX

ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.
04025B	72	06307B	54	12135B	10, 62	16325B	77	31325B	85	55512B	30, 88
04030B	72	06405B	77	12140B	10, 62	16330B	77	32004B	119	55515B	30, 88
04203B	40	06407B	77	12201B	12	16335B	77	32008B	119	55520B	30, 88
04205B	40	06410B	77	12210B	12	16340B	77	32320B	119	55805B	31, 89
04207B	40	06412B	77	12211B	12	16405B	77	32330B	119	55807B	31, 89
04210B	40	06415B	77	12212B	12	16407B	77	32402B	119	55810B	31, 89
04212B	40	06420B	77	12215B	12	16903B	55	32408B	119	55812B	31, 89
04215B	40	06425B	77	12220B	12	16905B	55	32510B	119	55815B	31, 89
04220B	40	06430B	77	12225B	12, 63	16907B	55	32540B	119	55820B	31, 89
04225B	40	06435B	77	12230B	12, 63	16910B	55	32602B	119	56205B	29, 87
04230B	40	06440B	77	12235B	12, 63	16911B	109	33205B	83	56207B	29, 87
04235B	40	06605B	51, 99	12240B	12, 63	16912B	109	33207B	83	56210B	29, 87
04240B	40	06607B	51, 99	12301B	10	16913B	109	33210B	26, 83	56212B	29, 87
04403B	38	06703B	39, 51	12401B	12	16914B	55	33212B	26, 83	56215B	29, 87
04405B	38	06805B	55	12502B	44	16915B	55	33215B	26, 83	56220B	29, 87
04407B	38	07005B	72	12505B	44	16920B	55	33220B	26, 83	56405B	29, 87
04410B	38	07007B	72	12543B	44	16921B	109	33225B	26, 83	56407B	29, 87
04412B	38	07010B	72	13205B	84	16923B	109	33230B	26, 83	56410B	29, 87
04415B	38	07012B	72	13305B	84	16933B	109	33235B	26, 83	56412B	29, 87
04420B	38	07015B	72	13307B	84	17310B	17, 67	33240B	26, 83	56415B	29, 87
04505B	39	07020B	72	13405B	84	18705B	27, 67	33520B	103	56420B	29, 87
04507B	39	07025B	72	13407B	84	18707B	27, 67	33525B	103	56505B	30, 88
04510B	39	07030B	72	13410B	84	18710B	27, 67	35600B	114	56507B	30, 88
04512B	39	07035B	72	13505B	84	18712B	27, 67	35607B	114	56510B	30, 88
04515B	39	07040B	72	13507B	84	18715B	27, 67	35608B	114	56512B	30, 88
04520B	39	07210B	99	13510B	84	18720B	27, 67	35610B	114	56515B	30, 88
04805B	39	07310B	99	13512B	84	18725B	27, 67	35611B	114	56520B	30, 88
04807B	39	07410B	99	13605B	84	18730B	27, 67	35905B	118	56705B	33
04905B	19, 42	07412B	99	13607B	84	18735B	27, 67	35906B	118	56707B	33
04907B	19, 42	07415B	99	13610B	84	18740B	27, 67	36010B	116	56710B	33
04910B	19, 42	07420B	99	13612B	84	18810B	23	36020B	116	56712B	33
05103B1	49	08112B	99	13615B	84	19205B	69	36910B	116	56715B	33
05107B	49	08212B	99	13715B	84	19207B	69	38001B	102	56720B	33
05110B	49	09115B	99	13905B	21	19305B	35	38002B	102	56725B	33
05112B	49	10220B	99	14305B	22	19307B	35	38003B	102	56730B	33
05115B	49	10420B	99	14307B	22	19310B	35	38020B	102	56735B	33
05120B	49	10520B	99	14605B	22	19315B	35	38040B	102	56740B	33
05205B	78	11001B	44	14607B	22	19320B	35	38041B	102	56805B	29, 88
05207B	78	11005B	44	15105B	19, 42	19330B	35	38060B	102	56807B	29, 88
05210B	78	11007B	44	15301B	21, 52	19340B	35	38061B	102	56810B	29, 88
05212B	78	11010B	44	15303B	21, 52	20815B	106	38080B	102	56812B	29, 88
05215B	78	11012B	44	15304B	17, 67	20820B	106	38081B	102	56815B	29, 88
05220B	78	11015B	44	15305B	19, 42	20825B	106	50504B	101	56820B	29, 88
05225B	78	11020B	44	15306B	17, 67	20830B	106	50505B	101	56930B	33
05230B	78	11025B	44	15307B	19, 42	22205B	16	50510B	101	56935B	33
05235B	78	11030B	44	15803B	41, 51	27625B	20	50512B	101	56940B	33
05240B	78	11035B	44	16010B	117	27630B	20	50515B	101	57005B	32
05310B	49, 102	11040B	44	16203B	54	27635B	20	50520B	101	57007B	32
05312B	49, 102	11103B	43	16205B	54	27640B	20	50920B	102	57010B	32
05315B	49, 102	11105B	43	16207B	54	31205B	85	50925B	102	57012B	32
05320B	49, 102	12101B	10	16210B	54	31207B	85	51061B	105	57015B	32
05705B	41	12110B	10	16212B	54	31210B	85	51062B	105	57020B	32
05710B	41	12111B	10	16215B	54	31215B	85	51063B	105	57025B	32
05711B	41, 50	12112B	10	16220B	54	31230B	85	51320B	103	57030B	32
05712B	41	12115B	10	16310B	77	31235B	85	51325B	103	57035B	32
05720B	41	12120B	10	16312B	77	31240B	85	55505B	30, 88	57040B	32
05803B	41	12125B	10, 62	16315B	77	31312B	85	55507B	30, 88	57105B	32
06305B	54	12130B	10, 62	16320B	77	31320B	85	55510B	30, 88	57107B	32

ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.
57110B	32	57915B	30, 89	58607B	92	59240B	95	59840B	90	61402B	28
57112B	32	57920B	30, 89	58610B	92	59305B	34	59905B	91	61410B	28
57115B	32	57925B	101	58612B	92	59307B	34	59907B	91	61425B	86
57120B	32	58005B	100	58615B	92	59310B	34	59910B	91	61505B	26
57125B	32	58007B	100	58620B	92	59312B	34	59912B	91	61507B	26
57130B	32	58010B	100	58625B	92	59315B	34	59915B	91	61511B	26
57135B	32	58012B	100	58630B	92	59320B	34	59920B	91	61512B	26
57140B	32	58015B	100	58635B	92	59325B	34	59925B	91	61515B	26
57305B	30, 89	58020B	100	58640B	92	59330B	34	59930B	91	61520B	26
57307B	30, 89	58025B	100	58705B	32	59335B	34	59935B	91	61605B	27
57310B	30, 89	58030B	100	58707B	32	59340B	34	59940B	91	61610B	27
57312B	30, 89	58035B	100	58710B	32	59405B	91	60105B	17, 59	61612B	27
57315B	30, 89	58040B	100	58712B	32	59407B	91	60107B	17, 59	61615B	27
57320B	30, 89	58105B	34	58715B	32	59410B	91	60110B	17, 59	61620B	27
57405B	35	58107B	34	58720B	32	59412B	91	60222B	104	61705B	85
57407B	35	58110B	34	58725B	32	59415B	91	60322B	104	61707B	85
57410B	35	58112B	34	58730B	32	59420B	91	60416B	104	61805B	81
57412B	35	58115B	34	58735B	32	59425B	91	60525B	103	61807B	81
57415B	35	58120B	34	58740B	32	59430B	91	60605B	110	61810B	81
57420B	35	58125B	34	58805B	92	59435B	91	60607B	110	61812B	81
57425B	35	58130B	34	58807B	92	59440B	91	60610B	110	61815B	81
57430B	35	58135B	34	58810B	92	59505B	94, 105	60612B	110	61820B	81
57435B	35	58140B	34	58812B	92	59507B	94, 105	60646B	104	61905B	80
57440B	35	58212B	90	58815B	92	59510B	94, 105	60704B	110	61907B	80
57499B	100	58215B	90	58820B	92	59512B	94, 105	60705B	110	61910B	80
57505B	29, 88	58220B	90	58825B	92	59513B	94, 105	60707B	110	61912B	80
57507B	29, 88	58225B	90	58830B	92	59515B	94, 105	60710B	110	61915B	80
57510B	29, 88	58230B	90	58835B	92	59520B	94, 105	60712B	110	61920B	80
57512B	29, 88	58235B	90	58840B	92	59521B	94, 105	60715B	110	61925B	80
57515B	29, 88	58240B	90	58905B	93	59605B	90	60720B	110	61930B	80
57520B	29, 88	58305B	94	58907B	93	59607B	90	60797B	110	61935B	80
57605B	31, 89	58307B	94	58910B	93	59610B	90	60812B	106	61940B	80
57607B	31, 89	58310B	94	58912B	93	59612B	90	60815B	106	62105B	8
57610B	31, 89	58312B	94	58915B	93	59615B	90	60820B	106	62107B	8
57612B	31, 89	58315B	94	58920B	93	59620B	90	60825B	106	62171B	52, 98
57615B	31, 89	58320B	94	58925B	93	59625B	90	61105B	86	62180B	43
57620B	31, 89	58325B	94	58930B	93	59630B	90	61107B	86	62191B	98
57699B	100	58330B	94	58935B	93	59635B	90	61110B	86	62192B	98
57705B	31, 89	58335B	94	58940B	93	59640B	90	61112B	86	62193B	98
57707B	31, 89	58340B	94	59005B	34	59705B	91	61115B	86	62194B	98
57710B	31, 89	58405B	93	59007B	34	59707B	91	61120B	86	62205B	8
57712B	31, 89	58407B	93	59010B	34	59710B	91	61125B	26	62207B	8
57715B	31, 89	58410B	93	59012B	34	59712B	91	61130B	26	62291B	98
57720B	31, 89	58412B	93	59015B	34	59715B	91	61135B	26, 86	62292B	98
57805B	35	58415B	93	59020B	34	59720B	91	61140B	26, 86	62293B	98
57807B	35	58420B	93	59025B	34	59725B	91	61205B	87	62294B	98
57810B	35	58425B	93	59030B	34	59730B	91	61207B	87	62305B	15
57812B	35	58430B	93	59035B	34	59735B	91	61210B	87	62307B	15
57815B	35	58435B	93	59040B	34	59740B	91	61212B	87	62310B	15
57820B	35	58440B	93	59105B	95	59805B	90	61215B	87	62311B	15
57825B	35	58505B	33	59107B	95	59807B	90	61220B	87	62312B	15
57830B	35	58507B	33	59110B	95	59810B	90	61225B	27, 87	62315B	15
57835B	35	58510B	33	59115B	95	59812B	90	61230B	27	62320B	15
57840B	35	58512B	33	59205B	95	59815B	90	61235B	27, 87	62325B	15, 64
57905B	30, 89	58515B	33	59207B	95	59820B	90	61240B	27, 87	62330B	15, 64
57907B	30, 89	58520B	33	59215B	95	59825B	90	61305B	25	62335B	15, 64
57910B	30, 89	58525B	33	59220B	95	59830B	90	61307B	25	62340B	15, 64
57912B	30, 89	58605B	92	59230B	95	59835B	90	61401B	28	62401B	16

INDEX

ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.
62402B	16	62899XLB	111	64314B	75	64396B	75	65635B	75	68110B	82
62410B	17	62905B	62	64315B	75	64397B	76	65705B	42	68112B	82
62411B	16	62907B	62	64317B	73	64398B	76	65805B	42	68115B	82
62412B	17	63505B	64	64320B	75	64399B	76	66203B	56	68120B	82
62415B	17	63507B	64	64323B	74	64405B	24	66205B	56	68125B	82
62420B	17	63510B	64	64325B	74	64407B	24	66206B	56	68130B	82
62425B	17, 66	63512B	64	64327B	73	64410B	24	66207B	112	68135B	82
62430B	17, 66	63515B	64	64331B	74	64412B	24	66210B	56	68140B	82
62435B	17, 66	63520B	64	64332B	73	64415B	24	66211B	112	68205B	79
62440B	17, 66	63605B	66	64333B	74	64420B	24	66212B	56	68305B	79
62501B	18	63607B	66	64334B	75	64425B	24	66215B	56	68307B	79
62502B	18	63610B	66	64335B	75	64430B	24	66220B	56	68405B	79
62505B	18	63612B	66	64336B	75	64435B	24	66225B	56	68407B	79
62507B	18	63615B	66	64338B	76	64440B	24	66230B	56	68410B	79
62510B	18	63620B	66	64340B	76	64505B	25	66235B	56	68505B	79
62512B	18	64001B	68	64341B	74	64507B	25	66240B	56	68507B	79
62515B	18	64005B	68	64342B	74	64510B	25	66325B	75	68510B	79
62520B	18	64007B	68	64343B	74	64512B	25	66335B	74	68512B	79
62525B	18	64010B	68	64344B	75	64515B	25	66377B	112	68521B	79
62530B	18	64012B	68	64345B	75	64520B	25	66388B	112	68522B	79
62535B	18	64015B	68	64346B	75	64525B	25	66399B	112	68525B	79
62540B	18	64020B	68	64347B	76	64530B	25	66425B	75	68527B	79
62570B	18	64025B	68	64348B	76	64535B	25	66503B	57	68529B	79
62602B	19	64030B	68	64349B	76	64540B	25	66505B	57	68605B	79
62603B	19	64035B	68	64350B	76	64605B	75	66507B	57	68607B	79
62610B	19	64040B	68	64352B	74	64607B	76	66510B	57	68610B	79
62612B	19	64105B	71	64353B	74	64608B	76	66512B	57	68612B	79
62615B	19	64107B	71	64354B	75	64617B	76	66515B	57	68615B	79
62620B	19	64110B	71	64355B	75	64618B	76	66520B	57	68720B	79
62625B	19	64112B	71	64356B	75	64619B	76	66903B	57	69699B	113
62630B	19	64115B	71	64357B	76	64620B	76	66905B	57	72505B	111
62640B	19	64120B	71	64358B	76	64625B	75	66907B	57	72507B	111
62670B	19	64125B	71	64359B	76	64630B	76	66910B	57	72510B	111
62700B	111	64130B	71	64360B	76	64635B	75	66912B	57	72515B	111
62705B	11	64135B	71	64361B	74	64735B	75	66915B	57	72520B	111
62707B	11	64140B	71	64362B	74	64835B	76	66920B	57	72599B	111
62710B	11	64205B	70	64363B	74	64905B	59	66925B	57	74505B	59
62712B	11	64207B	70	64364B	75	64907B	59	66930B	57	74507B	59
62715B	11	64210B	70	64365B	75	64910B	59	66935B	57	75005B	20
62720B	11	64212B	70	64366B	75	64935B	76	66940B	57	75007B	20
62725B	11, 62	64215B	70	64367B	76	65310B	74	67607B	99	75010B	20
62730B	11, 62	64220B	70	64368B	76	65313B	74	67707B	99	75012B	20
62735B	11, 62	64225B	70	64369B	76	65325B	74	67800B	28, 113	75015B	20
62740B	11, 62	64235B	70	64380B	76	65335B	74	67801B	113	75020B	20
62770B	11	64240B	70	64381B	74	65425B	73	67810B	28, 113	75102B	48
62805B	13	64300B	76	64382B	74	65435B	73	67820B	28, 113	75105B	48
62807B	13	64301B	74	64383B	74	65505B	66	67821B	28, 113	75111B	48
62809B	13	64302B	74	64384B	75	65507B	66	67822B	113	75205B	78
62810B	13	64303B	74	64385B	75	65510B	66	67825B	28, 113	75207B	78
62812B	13	64305B	74	64386B	75	65512B	66	67830B	28, 113	75210B	78
62815B	13	64306B	75	64387B	76	65515B	66	67840B	28, 113	75212B	78
62820B	13	64307B	73	64388B	76	65520B	66	67850B	28, 113	75215B	78
62825B	13, 63	64308B	75	64389B	76	65525B	66	67860B	28, 113	75220B	78
62830B	13, 63	64309B	76	64390B	76	65530B	66	67870B	28, 113	75225B	78
62835B	13, 63	64310B	74	64392B	74	65535B	66	67880B	28, 113	75230B	78
62840B	13, 63	64311B	74	64393B	74	65540B	66	67890B	28, 113	75235B	78
62851B	111	64312B	75	64394B	75	65600B	114	68105B	82	75240B	78
62897B	111	64313B	75	64395B	75	65610B	114	68107B	82	75400BP	45

ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.
75401BP	45	82730B	11, 62	92130B	10, 62	96230B	54				
75402BP	45	82735B	11, 62	92135B	10, 62	96920B	55				
75403BP	45	82740B	11, 62	92140B	10, 62	96925B	55				
75404BP	45	84205B	40	92505B	18	HF30R	122				
76203B	58	84207B	40	92507B	18	HF60R	122				
76205B	58	84210B	40	92510B	18	HNF60R	122				
76207B	58	84212B	40	92512B	18	NMHNF60R	122				
76210B	58	84215B	40	92515B	18	NMHNF60R10	122				
76212B	58	84220B	40	92520B	18						
76215B	58	84403B	38	92525B	18						
76220B	58	84405B	38	92530B	18						
76905B	58	84407B	38	92535B	18						
76907B	58	84410B	38	92540B	18						
76910B	58	84412B	38	93503B	59, 95						
76912B	58	84415B	38	93505B	59, 95						
76913B	109	84420B	38	93507B	59, 95						
76915B	58	84805B	39	93510B	59, 95						
76920B	58	84807B	39	93512B	59, 95						
76923B	109	85703NB	43	93515B	59, 95						
77631B	100	85803NB	43	93520B	59, 95						
77702B	100	86203B	56	94105B	68						
77902B	100	86205B	56	94107B	68						
77906B	100	86207B	56	94110B	69						
79910B	112	86210B	56	94205B	69						
79950B	112	86212B	56	94207B	69						
82105B	14	86215B	56	94210B	69						
82107B	14	86220B	56	94212B	69						
82110B	14	86225B	56	94312B	69						
82112B	14	86230B	56	94505B	22, 69						
82115B	14	86240B	56	94507B	22, 69						
82120B	14	86307B	54	94510B	22, 69						
82125B	14, 64	86525B	57	94512B	22, 69						
82130B	14, 64	86703B	39, 51	94705B	22, 70						
82135B	14, 64	86903B	57	94707B	22, 70						
82140B	14, 64	86905B	57	94710B	22, 70						
82305B	15	86907B	57	94712B	22, 70						
82307B	15	86910B	57	95205B	83						
82310B	15	86912B	57	95207B	83						
82312B	15	86915B	57	95210B	83						
82315B	15	86920B	57	95212B	83						
82320B	15	86925B	57	95215B	83						
82325B	15, 65	90605B	20, 42	95220B	83						
82330B	15, 65	91003B	45	95225B	83						
82335B	15, 65	91005B	45	95230B	83						
82340B	15, 65	91007B	45	95235B	83						
82405B	65	91010B	45	95240B	83						
82407B	65	91012B	45	96125B	81						
82410B	65	91015B	45	96130B	81						
82412B	65	91020B	45	96135B	81						
82415B	65	91631B	77	96140B	81						
82420B	65	91632B	77	96203B	54						
82705B	11	92105B	10	96205B	54						
82707B	11	92107B	10	96207B	54						
82710B	11	92110B	10	96210B	54						
82712B	11	92112B	10	96212B	54						
82715B	11	92115B	10	96215B	54						
82720B	11	92120B	10	96220B	54						
82725B	11, 62	92125B	10, 62	96225B	54						

BEYOND THE CURRENT



EMT

FLEX

NM

LQD

RGD

SE

ACC

GND

Universal One and Two Hole Straps

PRODUCT BENEFITS

The Halex Universal Strap is the only conduit strap that is **UL LISTED** and patented for **multiple conduit categories!** Use these One Hole or Two Hole straps on EMT, RIGID, FLEX, and LIQUID TIGHT conduit with confidence.

Never let a strap stop a job again. With these items in the truck, the contractor always has the right category strap on hand to finish the job. No more last minute part runs, no more stopped work.

AVAILABLE IN CCPs 1/2" & 3/4"

UNIVERSAL ONE HOLE STRAP



ONE HOLE

SIZE	PART #	PACKAGE	PCS/PACKAGE
1/2"	22105	4 PER BAG	25 BAGS
1/2"	62105B	75 PER CCP	1 CCP
3/4"	22107	4 PER BAG	20 BAGS
3/4"	62107B	50 PER CCP	1 CCP

UNIVERSAL TWO HOLE STRAP



TWO HOLE

SIZE	PART #	PACKAGE	PCS/PACKAGE
1/2"	92205	4 PER BAG	25 BAGS
1/2"	62205B	80 PER CCP	1 CCP
3/4"	92207	4 PER BAG	20 BAGS
3/4"	62207B	80 PER CCP	1 CCP

EMT

RGD

LQD

FLEX

ALWAY HAVE THE RIGHT STRAP!



BEYOND THE CURRENT





UNIVERSAL STRAPS



ONE HOLE



Scan to access
product video!



TWO HOLE



	SIZE	A	B	C	D
ONE HOLE	1/2"	0.42	0.35	0.35	0.07
	3/4"	0.52	0.46	0.45	0.08
TWO HOLE	1/2"	0.55	0.84	0.68	2.99
	3/4"	0.70	1.04	0.68	3.44

NOTES

Full-Line Catalog



101 Production Drive • Harrison, OH 45030
1-800-749-3261 • halexco.com

PRINTED IN THE USA

HALEX is a registered trademark of Marmon Holdings a BH Company. Trade names and corporate references herein are for identification purposes only and are not intended for promotion purposes. All product or specification information is subject to change without notice. Copyright © 2026 Halex. All Rights Reserved.