

Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

CLOSET FLANGES

LEVEL-FIT CLOSET FLANGE WITH PLASTIC RING

- 3" or 4" all plastic flange solvent welds inside of 4" or over 3" Schedule 40 DWV pipe.
- 3" inside fit flange fits inside 3" Schedule 40 DWV pipe.
- Four mounting slots.
- Four countersunk holes for secure attachment to the floor.

43502	3" or 4"	ABS closet flange w/plastic ring w/o test cap	038753-435022	12	7
43503	3" or 4"	PVC closet flange w/plastic ring w/o test cap	038753-435039	12	7
43504	3" or 4"	ABS closet flange w/plastic ring w/ test cap	038753-435046	12	7
43505	3" or 4"	PVC closet flange w/plastic ring w/ test cap	038753-435053	12	7
INSIDE FIT CLOSET FLANGE WITH PLASTIC RING					
43506	3"	ABS closet flange w/plastic ring w/ test cap	038753-435060	12	6
43507	3"	PVC closet flange w/plastic ring w/ test cap	038753-435077	12	6
43508	3"	ABS closet flange w/plastic ring w/o test cap	038753-435084	12	5
43509	3"	PVC closet flange w/plastic ring w/o test cap	038753-435091	12	6



*3 x 4 only.

LEVEL FIT CLOSET FLANGE WITH STAINLESS STEEL RING

- Corrosion resistant stainless steel ring.
- Test cap holds 30ft head pressure test.
- 3" x 4" flange fits inside of 4" or over 3" Sch. 40 DWV pipe.
- 4" flange fits over 4" Sch. 40 DWV pipe.
- Meets ASTM D2661 and D2665.
- Adjustable ring for alignment of bolts and screws, sits flush on floor.

43494	3" x 4"	ABS closet flange w/SS ring w/o test cap	038753-434940	12	9
43495	3" x 4"	PVC closet flange w/SS ring w/o test cap	038753-434957	12	10
43496	3" x 4"	ABS closet flange w/SS ring w/test cap	038753-434964	12	9
43497	3" x 4"	PVC closet flange w/SS ring w/test cap	038753-434971	12	10
OVER 4" FIT FLANGE					
43498	4"	ABS closet flange w/SS ring w/o test cap	038753-434988	12	9
43499	4"	PVC closet flange w/SS ring w/o test cap	038753-434995	12	10



*3 x 4 only.

LEVEL-FIT CLOSET FLANGE WITH METAL RING

- The metal ring provides added strength and cracking resistance to the flange and can be rotated to allow precise alignment of bolts and screws.
- 3" or 4" flange solvent welds inside of 4" or over 3" Schedule 40 DWV pipe.
- 4" flange solvent welds over 4" Sch. 40 DWV pipe.

43512	3" or 4"	ABS closet flange w/ metal ring w/o test cap	038753-435121	12	8
43513	3" or 4"	PVC closet flange w/metal ring w/o test cap	038753-435138	12	8
43514	3" or 4"	ABS closet flange w/ metal ring w/test cap	038753-435145	12	4
43515	3" or 4"	PVC closet flange w/ metal ring w/test cap	038753-435152	12	6
OVER 4" FIT FLANGE					
43520	4"	ABS closet flange w/ metal ring w/o test cap	038753-435206	12	9
43521	4"	PVC closet flange w/ metal ring w/o test cap	038753-435213	12	10



*3 x 4 only.

LEVEL-FIT CLOSET FLANGE WITH PLASTIC 2 SLOT/2 SLIDE RING

- 3" or 4" all plastic flange solvent welds inside of 4" or over 3" Schedule 40 DWV pipe.
- Two mounting slots.

43528	3" or 4"	ABS closet flange w/plastic 2 slot/2 slide ring w/ test cap	038753-435282	12	7.2
43529	3" or 4"	PVC closet flange w/plastic 2 slot/2 slide ring w/ test cap	038753-435299	12	8.4
43530	3" or 4"	ABS closet flange w/plastic 2 slot/2 slide ring w/o test cap	038753-435305	12	6.6
43531	3" or 4"	PVC closet flange w/plastic 2 slot/2 slide ring w/o test cap	038753-435312	12	7.8



*3 x 4 only.

LEVEL FIT LONG PATTERN CLOSET FLANGE

- Solvent welds inside of 4" or over 3" Schedule 40 DWV pipe.
- Longer length to allow for pipes cut short.

43522	3" or 4"	ABS long pattern closet flange w/plastic ring w/test cap	038753-435220	6	8
43523	3" or 4"	PVC long pattern closet flange w/plastic ring w/test cap	038753-435237	6	8
43524	3" or 4"	ABS long pattern closet flange w/o plastic ring w/test cap	038753-435244	6	8
43525	3" or 4"	PVC long pattern closet flange w/o plastic ring w/test cap	038753-435251	6	8
43532	3" or 4"	ABS long pattern closet flange w/metal ring w/test cap	038753-435329	6	7
43533	3" or 4"	PVC long pattern closet flange w/metal ring w/test cap	038753-435336	6	7
43534	3" or 4"	ABS long pattern closet flange w/metal ring w/o test cap	038753-435343	6	8
43535	3" or 4"	PVC long pattern closet flange w/metal ring w/o test cap	038753-435350	6	8





Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

LEVEL FIT CLOSET FLANGE WITH PLASTIC ADJUSTABLE RING

- All plastic flange solvent welds inside of 4" or over 3" Schedule 40 DWV pipe.
- Four countersunk holes for secure attachment to the floor.
- Radial slots extend 130 degrees to allow exact alignment of the water closet.

43510	3" or 4"	ABS closet flange w/plastic adjustable ring w/o test cap	038753-435107	12	7
43511	3" or 4"	PVC closet flange w/plastic adjustable ring w/o test cap	038753-435114	12	7
43526	3" or 4"	ABS closet flange w/plastic adjustable ring w/ test cap	038753-435268	12	7
43527	3" or 4"	PVC closet flange w/plastic adjustable ring w/ test cap	038753-435275	12	7

LEVEL FIT OFFSET CLOSET FLANGE WITH METAL RING

- The metal ring provides added strength and cracking resistance to the flange and can be rotated to allow precise alignment of bolts and screws.
- Solvent welds inside of 4" or over 3" Schedule 40 DWV pipe.
- 2" offset allows a margin of error for drain pipe/flange alignment.

43500	3" or 4"	ABS offset closet flange with metal ring w/o test cap	038753-435008	12	11
43501	3" or 4"	PVC offset closet flange with metal ring w/o test cap	038753-435015	12	11
43804	3" or 4"	PVC offset closet flange with metal ring w/o test cap	038753-438047	16	13

LEVEL FIT 45° CLOSET FLANGE WITH PLASTIC RING

- 45° bend, 360° rotation allows wide range of plumbing connections in tight spaces.
- Design allows flange to set flush.
- Fits over 3" or inside 4" pipe.

43815	3" or 4"	ABS 45° closet flange w/plastic ring w/o test cap	038753-438153	6	6
43816	3" or 4"	PVC 45° closet flange w/plastic ring w/o test cap	038753-438160	6	6

CAST IRON CLOSET FLANGE

- Cast iron closet flange, no caulking.
- To be used on plastic or heavy weight, no hub or service weight soil pipe.
- Complete with body, brass ring, bolts and gasket.

42253	3"	Cast iron flange w/o test cap	038753-422534	6	25
42255	4"	Cast iron flange w/o test cap	038753-422558	6	25
42256	4"	Cast iron flange w/test cap	038753-422565	6	25

CAST IRON DEEPCSET CLOSET FLANGE

- Cast iron closet flange, no caulking.
- 4" Deep set.
- Complete with body, brass ring, bolts and gasket.
- To be used on plastic or heavy weight, no hub or service weight soil pipe.

42257	4" x 4"	Cast iron closet flange w/o test cap	038753-422572	8	43
-------	---------	--------------------------------------	---------------	---	----

TWIST-N-SET® REPLACEMENT CLOSET FLANGE

- Replaces broken cast iron closet flanges.
- Installs easily without tools.
- Smooth unrestricted flow design.
- Gasket expands to fit inside service weight, heavy weight and no hub pipe.

43654	3"	PVC Twist-N-Set closet flange	038753-436548	2	1.4
43655	3"	ABS Twist-N-Set closet flange	038753-436555	2	1.4
43651	4"	PVC Twist-N-Set closet flange	038753-436517	2	1.08
43650	4"	ABS Twist-N-Set closet flange	038753-436500	2	1.08
43653	4"	Cast Iron Twist-N-Set closet flange	038753-436531	2	10.00

REPLACEMENT CLOSET FLANGE

- Slides inside of 4" cast iron or Sch. 40 DWV plastic pipe.
- 3" stainless steel bolts are tightened from the finished floor.
- No caulking required.
- Compression joint allows up to 3" of adjustment to the riser.

43538	4"	ABS closet flange replacement	038753-435381	2	3
43539	4"	PVC closet flange replacement	038753-435398	2	4

Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

CLOSET FLANGE SPACER

- 1/4" spacer builds up an existing closet flange when new flooring is installed.
- Multiples (up to three) can be stacked to desired height.

43519	1/4"	Closet flange spacer	038753-435190	12	3
-------	------	----------------------	---------------	----	---



HORIZONTAL ADJUSTABLE URINAL FLANGE KIT

- Horizontal mounting slots accommodate urinals with 3 1/2" to 7" mount centers.
- Kit includes all bolts, nuts, washers and gaskets.
- The flange fits over 2" Sch. 40 DWV pipe (Prod No. 43540 and 43541).

These flanges solvent weld over 2" Schedule 40 DWV pipe

43540	2"	ABS horizontal adjustable urinal flange kit	038753-435404	10	3
-------	----	---	---------------	----	---

43541	2"	PVC horizontal adjustable urinal flange kit	038753-435411	10	3
-------	----	---	---------------	----	---

These flanges solvent weld into any 2" fitting

43542	2"	ABS horizontal spigot urinal flange kit	038753-435428	10	3
-------	----	---	---------------	----	---

43543	2"	PVC horizontal spigot urinal flange kit	038753-435435	10	3
-------	----	---	---------------	----	---



SHOWER DRAINS FOR PREFORMED BASES

NO-CALK SHOWER BASE DRAIN

- Mechanically attach over 2" DWV pipe. No caulking required.
- Universal 4-1/4" Snap-Tite Strainer.
- Designed for use with preformed shower bases.
- Ideal for slab construction.

140 SERIES BRASS NO-CALK SHOWER DRAIN

42150	2"	140 NC Brass NO-CALK shower drain w/ stainless steel strainer	038753-421506	12	20
-------	----	---	---------------	----	----

42154	2"	140 NC Brass NO-CALK shower drain w/ Ultrashine® polished brass strainer	038753-421544	12	18
-------	----	--	---------------	----	----

101 PNC SERIES PLASTIC NO-CALK SHOWER DRAIN

42084	2"	101 PNC ABS NO-CALK shower drain w/ stainless steel strainer	038753-420844	12	7
-------	----	--	---------------	----	---

42099	2"	101 PNC PVC NO-CALK shower drain w/ stainless steel strainer	038753-420998	12	8
-------	----	--	---------------	----	---

42077	2"	101 PNC ABS NO-CALK shower drain w/ plastic strainer	038753-420776	12	6
-------	----	--	---------------	----	---

42075	2"	101 PNC PVC NO-CALK shower drain w/ plastic strainer	038753-420752	12	8
-------	----	--	---------------	----	---

42080	2"	101 PNC PVC NO-CALK shower drain w/ Ultrashine® polished brass strainer	038753-420806	12	8
-------	----	---	---------------	----	---

NO CALK SHOWER DRAIN ACCESSORIES

42163		Rubber caulking gasket to fit 1-1/2" Sch. 40 DWV drain pipe in the NO-CALK shower drains	038753-421636	12	1.3
-------	--	--	---------------	----	-----

42156		Rubber caulking gasket to fit 2" Sch. 40 DWV drain pipe in the NO-CALK shower drains	038753-421568	12	1.3
-------	--	--	---------------	----	-----

42158		Rubber caulking gasket to fit 2" copper DWV drain pipe in NO-CALK shower drains	038753-421582	12	1.3
-------	--	---	---------------	----	-----

42159		Rubber caulking gasket to fit 1-1/2" copper DWV drain pipe in the NO-CALK shower drains	038753-421599	12	1.3
-------	--	---	---------------	----	-----

42239		No Calk shower drain wrench -carded	038753-422398	4	1
-------	--	-------------------------------------	---------------	---	---



SOLVENT WELD SHOWER DRAINS

101 PS SERIES SOLVENT WELD SHOWER DRAIN

- Solvent weld over 2" Sch. 40 DWV pipe.
- Universal 4-1/4" Snap-Tite Strainer.
- Drain body is sealed to shower base with rubber gasket and fiber slip washer.

42093	2"	101 PS ABS Solvent Weld Shower Drain w/ stainless steel strainer	038753-420936	12	6
-------	----	--	---------------	----	---

42097	2"	101 PS PVC Solvent Weld Shower Drain w/ stainless steel strainer	038753-420974	12	6
-------	----	--	---------------	----	---

42086	2"	101 PS ABS Solvent Weld Shower Drain w/ plastic strainer	038753-420868	12	5
-------	----	--	---------------	----	---

42089	2"	101 PS PVC Solvent Weld Shower Drain w/ plastic strainer	038753-420899	12	8
-------	----	--	---------------	----	---

42078	2"	101 PS PVC Solvent Weld Shower Drain w/ Ultrashine® polished brass strainer	038753-420783	12	6
-------	----	---	---------------	----	---





Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
102 SERIES SOLVENT WELD SHOWER DRAIN WITH RECEPTOR BASE					
		<ul style="list-style-type: none"> Solvent weld over 2" Sch. 40 DWV pipe. Universal 4-1/4" Snap-Tite Strainer. 	<ul style="list-style-type: none"> Drain body is sealed to shower base with rubber gasket and fiber slip washer. 		
42044	2"	2-part ABS Solvent Weld Shower Drain w/ stainless steel strainer	038753-420448	12	7
42045	2"	2-part PVC Solvent Weld Shower Drain w/ stainless steel strainer	038753-420455	12	9
42047	2"	2-part PVC Solvent Weld Shower Drain w/ Ultrashine® polished brass strainer	038753-420479	12	9
42048	2"	2-part ABS Solvent Weld Shower Drain w/ plastic strainer	038753-420486	12	7
42049	2"	2-part PVC Solvent Weld Shower Drain w/ plastic strainer	038753-420493	12	9
103 SERIES OFFSET SOLVENT WELD SHOWER DRAIN WITH RECEPTOR BASE					
		<ul style="list-style-type: none"> Solvent weld over 2" Sch. 40 DWV pipe. Universal 4-1/4" Snap-Tite Strainer. Drain body provides 1-1/2" offset to work around joists and imperfect slab penetrations. 	<ul style="list-style-type: none"> Drain body is sealed to shower base with rubber gasket and fiber slip washer. 		
42787	2"	Offset PVC Shower Drain w/ Stainless Steel Strainer	038753-427874	12	8
42788	2"	Offset ABS Shower Drain w/ Stainless Steel Strainer	038753-427881	12	8
CAULKING AND THREADING SHOWER DRAINS					
101 SERIES BRASS NPT AND CAULKING DRAIN					
		<ul style="list-style-type: none"> Drain body is sealed to shower base with rubber gasket and fiber slip washer. 	<ul style="list-style-type: none"> Three DWV connection methods for metallic pipe. Universal 4-1/4" Snap-Tite Strainer. 		
42050	2"	101 Brass Drain w/ stainless steel strainer (caulking is required)	038753-420509	6	10
42070	1-1/2"	101 NPT IPS Brass Drain w/ stainless steel strainer	038753-420707	6	9
42073	2"	101 NPT IPS Brass Drain w/ stainless steel strainer	038753-420738	6	10
SHOWER DRAINS FOR BUILT-UP SHOWERS					
130 SERIES SHOWER DRAIN FOR TILE SHOWER BASES					
		<ul style="list-style-type: none"> Designed for use on built-up shower bases of tile or marble, where a shower pan liner is used. Reversible clamping collar is secured with stainless steel bolts into brass inserts to prevent stripping. Available with Square Top Strainer. 	<ul style="list-style-type: none"> Low profile design for use in tight spaces. Solvent welds over 2" or inside 3" Sch. 40 DWV pipe. Universal Snap-Tite 4-1/4" Strainer or 4" Screw-Tite Strainer. 		
42210	2" or 3"	ABS drain w/ round stainless steel Screw-Tite strainer	038753-422107	12	14
42213	2" or 3"	PVC drain w/ round stainless steel Screw-Tite strainer	038753-422138	12	17
42399	2" or 3"	ABS drain w/ round Ultrashine® PVD polished brass strainer	038753-423999	12	14
42404	2" or 3"	PVC drain w/ round Ultrashine® PVD polished brass strainer	038753-424040	12	17
CHROME PLATED, BRASS STRAINER BARREL PROVIDES FINISHED METAL APPEARANCE					
42218	2" or 3"	ABS drain w/ round stainless steel Screw-Tite strainer w/chrome plated brass barrel	038753-422183	12	19
42219	2" or 3"	PVC drain w/ round stainless steel Screw-Tite strainer w/chrome plated brass barrel	038753-422190	12	23
SNAP-ON GRATE					
42202	2" or 3"	PVC drain w/ round stainless steel Snap-Tite strainer	038753-422022	12	17
42203	2" or 3"	ABS drain w/ round stainless steel Snap-Tite strainer	038753-422039	12	17
42237	2" or 3"	PVC drain w/ square stainless steel Snap-Tite strainer	038753-422374	12	24
42238	2" or 3"	ABS drain w/ square stainless steel Snap-Tite strainer	038753-422381	12	24
151 SERIES ACCESSORIES					
42225		Roman tub drain top - chrome	038753-422251	6	.576

Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

131 SERIES TWO PART ADJUSTABLE SLAB DRAIN

- Ideal for installations on a slab where a pan liner membrane is not required.
- Available with high quality stainless steel strainer, Brass or Nickel finish cast grates for heavy traffic applications.
- Drain base engineered as hub for 2" Sch. 40 pipe or solvent welds inside 3" Sch. 40 pipe.
- Available with both round and square strainer top.

42235	2" or 3"	PVC drain w/round stainless steel Screw-Tite strainer	038753-422350	20	22
42236	2" or 3"	ABS drain w/round stainless steel Screw-Tite strainer	038753-422367	20	22
42380	2" or 3"	PVC drain w/round brass cast grate w/round ring	038753-423807	6	10
42381	2" or 3"	ABS drain w/round brass cast grate w/round ring	038753-423814	6	10
42382	2" or 3"	PVC drain w/round brass cast grate w/square ring	038753-423821	6	10
42383	2" or 3"	ABS drain w/round brass cast grate w/square ring	038753-423838	6	10
42384	2" or 3"	PVC round nickel cast grate w/round ring	038753-423845	6	10
42385	2" or 3"	ABS round nickel cast grate w/round ring	038753-423852	6	10
42386	2" or 3"	PVC round nickel cast grate w/square ring	038753-423869	6	10
42387	2" or 3"	ABS round nickel cast grate w/square ring	038753-423876	6	10
42388	2" or 3"	PVC drain w/square stainless steel Snap-Tite strainer	038753-423883	20	40
42389	2" or 3"	ABS drain w/square stainless steel Snap-Tite strainer	038753-423890	20	40



151 SERIES CAST IRON AND PLASTIC TWO PART SHOWER DRAIN

- Designed for use with tile and marble showers.
- Cast Iron or plastic variations with threaded, No-Calk or solvent weld connections.
- 3-1/4" Crown Ring Set.

42197	2"	151 cast iron w/2" NPT connection	038753-421971	6	27
42192	1-1/2"	151 cast iron w/1-1/2" NPT connection	038753-421926	6	27
42201	2"	151 cast iron w/2" Sch. 40 No-calk connection	038753-422015	6	29
42206	2"	151 cast iron w/2" No Hub connection	038753-422060	6	30
42211	2"	151 ABS drain w/2" solvent weld connection	038753-422114	6	6
42215	2"	151 cast iron drain top & ABS bottom w/ 2" solvent weld connection	038753-422155	6	6



151 SERIES ACCESSORIES

42011	3-1/4"	Crown Ring Set - stainless steel - carded	038753-420110	12	3
42012	6"x 6"	square tile ring - stainless steel - carded	038753-420127	12	5
42010	3-1/4"	Crown Ring Set- Ultrashine® PVD polished brass - Carded	038753-422103	12	3
42042	4-1/4" x 4-1/4"	Square Tile Ring - stainless steel - carded	038753-420424	12	1.4
42041	4-1/4" x 4-1/4"	Square Tile Ring - Ultrashine® PVD polished brass - carded	038753-420417	12	1.4
42220		Roman Tub Drain Top -chrome	038753-422206	6	5





Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

REPLACEMENT STRAINERS

5" SCREW-TITE STRAINER

- For 3" or 4" general purpose drains.
- For 43582, 43583, 43600, 43601, 43598, 43599.

43852	5"	Stainless Steel	038753-438528	12	2
-------	----	-----------------	---------------	----	---

4-1/4" SNAP-TITE STRAINER

- For use with 101 PNC & 140 NC NO-CAULK snap-in shower drains and 101 PS solvent weld & 2-part shower drains.
- UltraShine® PVD lifetime finish where noted.
- For series 101BR, 101PNC, 101NPT, 101PS, 102, 103, 130 & 131, 140 NC series shower drains.

42136	4-1/4"	White Plastic	038753-421360	12	2
42138	4-1/4"	Stainless Steel	038753-421384	12	4
42137	4-1/4"	UltraShine® PVD Polished Brass	038753-421377	12	3
42003	4-1/4"	Carded White Plastic - carded	038753-420035	12	2
42005	4-1/4"	Stainless Steel - carded	038753-420059	12	2
42004	4-1/4"	UltraShine® PVD Polished Brass - carded	038753-420042	12	3
42014	4-1/4"	UltraShine® PVD Satin Nickel - carded	038753-420141	4	3
42015	4-1/4"	UltraShine® PVD Satin Chrome - carded	038753-420158	4	3
42016	4-1/4"	Biscuit - carded	038753-420165	4	3
42017	4-1/4"	Rubbed Bronze - carded	038753-420172	4	3
42018	4-1/4"	Brushed Nickel - carded	038753-420189	4	3
42019	4-1/4"	White Metal - carded	038753-420196	4	3
42020	4-1/4"	Antique Bronze - carded	038753-420202	4	3

4" SCREW-TITE STRAINER

- For use with 130 & 131 Series Shower Drains
- For screw-on tile shower drains and 2" x 3" slab shower drains.
- Polished brass strainers have PVD lifetime finish.
- For series 130 and 131, 43566, 43567, 43578, 43579, 43580, 43581

42358	4"	Stainless Steel	038753-423586	12	2
42359	4"	UltraShine® PVD Polished Brass	038753-423593	12	2
43861	4"	Stainless Steel - carded	038753-438610	12	3
43862	4"	UltraShine® PVD Polished Brass - carded	038753-438627	12	3

3-1/2" STRAINERS

- For 3" snap-in drains.
- For 43562, 43563, 43574, 43575.

43858	3-1/2"	Stainless Steel	038753-438580	12	2
43857	3-1/2"	Stainless Steel Outlet Cover	038753-438573	12	2

3-1/4" STRAINER

- For brass drains.
- Polished brass strainers have Ultrashine® PVD lifetime finish.

42116	3-1/4"	Stainless Steel	038753-421162	12	1
44016	3-1/4"	Antique Brass	038753-440163	12	2
42001	3-1/4"	Carded Stainless Steel	038753-420011	12	2
42000	3-1/4"	Carded UltraShine® Polished Brass	038753-420004	12	3

STAINLESS STEEL SNAP-IN STRAINER

- Manufactured from 304 stainless steel.
- Fits inside Schedule 40 DWV pipe.

42730	2"	Snap-In Stainless Steel Strainer	038753-427300	12	1
42731	3"	Snap-In Stainless Steel Strainer	038753-427317	12	2
42732	4"	Snap-In Stainless Steel Strainer	038753-427324	12	3

Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

GENERAL PURPOSE DRAINS

SHORT GENERAL PURPOSE DRAIN

- 1-3/16" high for tight spaces.

43580	2" or 3"	ABS short general purpose drain w/ 4" stainless steel Screw-Tite strainer	038753-435800	12	18
43581	2" or 3"	PVC short general purpose drain w/ 4" stainless steel Screw-Tite strainer	038753-435817	12	5



GENERAL PURPOSE DRAIN

43578	2" or 3"	ABS general purpose drain w/ 4" stainless steel Screw-Tite strainer	038753-435787	12	5
43579	2" or 3"	PVC general purpose drain w/ 4" stainless steel Screw-Tite strainer	038753-435794	12	6
43582	3" or 4"	ABS general purpose drain w/ 5" stainless steel Screw-Tite strainer	038753-435824	12	7
43583	3" or 4"	PVC general purpose drain w/ 5" stainless steel Screw-Tite strainer	038753-435831	12	8
43600	3" or 4"	ABS general purpose drain w/ 5" nickel alloy grate	038753-436005	12	24
43601	3" or 4"	PVC general purpose drain w/ 5" nickel alloy grate	038753-436012	12	24
43598	3" or 4"	ABS general purpose drain w/ 5" brass grate and metal ring	038753-435985	12	22
43599	3" or 4"	PVC general purpose drain w/ 5" brass grate and metal ring	038753-435992	12	23



ALL PLASTIC SNAP-IN DRAIN

- Also suitable for use as a vent stack or air inlet strainer.

43560	2"	ABS Snap-In Drain	038753-435602	12	1
43561	2"	PVC Snap-In Drain	038753-435619	12	6
43564	3"	ABS Snap-In Drain	038753-435640	12	2
43565	3"	PVC Snap-In Drain	038753-435657	12	2
43568	4"	ABS Snap-In Drain	038753-435688	12	6
43569	4"	PVC Snap-In Drain	038753-435695	12	6



PLASTIC SNAP-IN DRAIN WITH REMOVABLE STAINLESS STEEL STRAINER

- Strainer can be removed to allow access to the pipe.

43562	3"	ABS Snap-in Drain w/ 3-1/2" Stainless Steel Strainer	038753-435626	12	3
43563	3"	PVC Snap-in Drain w/ 3-1/2" Stainless Steel Strainer	038753-435633	12	3
43566	4"	ABS Snap-in Drain w/ 4" Stainless Steel Strainer	038753-435664	12	8
43567	4"	PVC Snap-in Drain w/ 4" Stainless Steel Strainer	038753-435671	12	9



ALL PLASTIC SNAP-IN OUTLET COVER

- For covering an open pipe.
- Protects piping from dirt and debris.

43570	2"	ABS Snap-In Drain Outlet Cover	038753-435701	12	6
43571	2"	PVC snap-in Drain Outlet Cover	038753-435718	12	6
43572	3"	ABS snap-in Drain Outlet Cover	038753-435725	12	2
43573	3"	PVC snap-in Drain Outlet Cover	038753-435732	12	2




PLASTIC SNAP-IN STAINLESS STEEL OUTLET COVER

- For covering an open pipe.
- Protects piping from dirt and debris.
- Stainless steel cover can be removed to allow access to the pipe.

43574	3"	ABS Snap-In Drain Stainless Steel Outlet Cover	038753-435749	12	6
43575	3"	PVC Snap-In Drain Stainless Steel Outlet Cover	038753-435756	12	6





Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

BELL TRAP DRAIN

- Fits over 1-1/2" Sch. 40 DWV pipe or into 2" coupling.
- Fits over 3" or inside of 4" Sch. 40 DWV pipe.

43636	1-1/2" or 2"	ABS 6" x 6" bell trap drain	038753-436364	10	5
43637	1-1/2" or 2"	PVC 6" x 6" bell trap drain	038753-436371	10	5
43632	3" or 4"	ABS 9" x 9" bell trap drain	038753-436326	4	7
43633	3" or 4"	PVC 9" x 9" bell trap drain	038753-436333	4	7

UTILITY DRAIN

- Fits over 1-1/2" Sch. 40 DWV pipe or into 2" coupling.

43640	1-1/2" or 2"	ABS 6" x 6" utility drain	038753-436401	10	14
43641	1-1/2" or 2"	PVC 6" x 6" utility drain	038753-436418	10	15

INTEGRAL TRAP DRAIN

- One piece trap drain/cleanout design molded from PVC or ABS plastic.
- 3-3/4" deep sump bowl.
- Solvent weld over 2" Sch. 40 DWV pipe.
- Built in 2" FIP threadway for backwater device.
- ASTM 2665 and ASTM D2661.
- Internal 1-1/2" - 14 NPT - cleanout.

42724	2"	PVC Floor drain with p-trap and cleanout	038753-427249	2	6
42723	2"	ABS Floor drain with p-trap and cleanout	038753-427232	2	6
42725	2"	Backwater valve device	038753-427256	6	1

CLEANOUT ASSEMBLIES

ALL PLASTIC 2" X 3" SNAP-IN CLEANOUT ASSEMBLIES

43710	2" or 3"	ABS Snap-In Cleanout Assembly	038753-437101	12	8
43711	2" or 3"	PVC Snap-In Cleanout Assembly	038753-437118	12	8

ALL PLASTIC 3" X 4" SNAP-IN CLEANOUT ASSEMBLIES

42785	3" or 4"	ABS Snap-In Cleanout Assembly	038753-427850	12	10
42786	3" or 4"	PVC Snap-In Cleanout Assembly	038753-427867	12	11

ALL PLASTIC SNAP-IN CLEANOUT ASSEMBLIES

- Fits inside of Sch. 40 DWV pipe fitting.

43730	3"	ABS Snap-In Cleanout Assembly	038753-437309	12	8
43731	3"	PVC Snap-In Cleanout Assembly	038753-437316	12	4
43732	4"	ABS Snap-In Cleanout Assembly	038753-437323	12	6
43733	4"	PVC Snap-In Cleanout Assembly	038753-437330	12	6
43764	2.33"	ABS Replacement Plug for the 3" and the 2" or 3" cleanout assemblies	038753-437644	6	1
43765	2.33"	PVC Replacement Plug for the 3" and the 2" or 3" cleanout assemblies	038753-437651	6	1
43766	3-1/2"	ABS Replacement Plug for the 4" regular and the 3" Hub cleanout assemblies	038753-437668	6	1
43767	3-1/2"	PVC Replacement Plug for the 4" regular and the 3" Hub cleanout assemblies	038753-437675	6	1

180 B BRASS CLEANOUT FRAME AND COVER

- Brass covers for 2", 3", 4" and 6" pipes.


42365	2"	180 B Cleanout	038753-423654	12	7
42366	3"	180 B Cleanout	038753-423661	12	16
42367	4"	180 B Cleanout	038753-423678	12	19
42368	6"	180 B Cleanout	038753-423685	12	42

Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

185 BRASS CLEANOUT PLUG

- Brass cleanout plugs with raised square head for use with slip joint pliers.

42369	1-1/2"	185 Brass cleanout plug	038753-423692	12	1
42370	2"	185 Brass cleanout plug	038753-423708	12	2
42371	2-1/2"	185 Brass cleanout plug	038753-423715	12	3
42372	3"	185 Brass cleanout plug	038753-423722	12	5
42373	3-1/2"	185 Brass cleanout plug	038753-423739	12	6
42374	4"	185 Brass cleanout plug	038753-423746	12	7



BRASS CLEANOUT PLUG WITH RECESSED HEAD

- 1-1/2" countersunk and tapped.
- 2" countersunk and tapped.
- 2-1/2" countersunk and tapped.
- 3" countersunk and tapped.
- 3-1/2" countersunk and tapped.
- 4" countersunk and tapped.

42740	1-1/2"	Brass cleanout plug	038753-427409	12	2
42741	2"	Brass cleanout plug	038753-427416	12	3
42742	2-1/2"	Brass cleanout plug	038753-427423	12	4
42743	3"	Brass cleanout plug	038753-427430	12	5
42744	3-1/2"	Brass cleanout plug	038753-427447	12	5
42745	4"	Brass cleanout plug	038753-427454	12	7



STAINLESS STEEL COVER PLATE

- Stainless steel cover plates conceal the clean-out plug access hole.
- Chrome plated 1/4" – 20 screw included.
- Protective film cover.

34405	4"	Flat Chrome Cover Plate	038753-344058	25	3
34406	5"	Flat Chrome Cover Plate	038753-344065	25	4
34410	4"	Flat White Cover Plate	038753-344102	25	3
34411	5"	Flat White Cover Plate	038753-344119	25	4
34415	4"	Bell Chrome Cover Plate	038753-344157	25	3
34416	5"	Bell Chrome Cover Plate	038753-344164	25	4
34420	4"	Bell White Cover Plate	038753-344201	25	3
34421	5"	Bell White Cover Plate	038753-344218	25	5
42780	3"	Stainless steel cover plate	038753-427805	12	3
42781	4"	Stainless steel cover plate	038753-427812	12	3
42782	5"	Stainless steel cover plate	038753-427829	12	9
42783	6"	Stainless steel cover plate	038753-427836	12	9
42784	8"	Stainless steel cover plate	038753-427843	12	12



Oatey

Category **9** Residential Drainage

9



Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

BACKWATER VALVES

BACKWATER VALVES

- Protects low areas or basements from backflow or waste from street sewers.
- Elastomeric seal in quick action flapper ensures a water tight seal.
- Threaded access cap incorporates a neoprene seal for positive sealing and can be tightened or removed by hand.
- Valve hub fits DWV pipe and can be adapted for sewer and drain pipe.

43900	3"	PVC backwater valve	038753-439006	4	2.5
43902	3"	PVC backwater valve w/ access sleeve	038753-439020	1	8.0
43901	3"	ABS backwater valve	038753-439013	4	2.5
43903	3"	ABS backwater valve w/ access sleeve	038753-439037	1	8.0
43904	4"	PVC backwater valve	038753-439044	2	5.0
43906	4"	PVC backwater valve w/ access sleeve	038753-439068	1	10.0
43905	4"	ABS backwater valve	038753-439051	2	5.0
43907	4"	ABS backwater valve w/ access sleeve	038753-439075	1	10.0
43908	6"	PVC backwater valve	038753-439082	1	11.0
43909	6"	ABS backwater valve	038753-439099	1	11.0

BACKWATER ACCESSORIES

43915	3"	PVC threaded cap	038753-439150	1	.478
43916	3"	ABS threaded cap	038753-439167	1	.410
43918	4"	PVC threaded cap	038753-439181	1	1.045
43919	4"	ABS threaded cap	038753-439198	1	.752
43921	6"	PVC threaded cap	038753-439211	1	1.903
43922	6"	ABS threaded cap	038753-439228	1	1.369
43924	3"	PVC flapper w/ "O" ring	038753-439242	1	.106
43925	3"	ABS flapper w/ "O" ring	038753-439259	1	.099
43927	4"	PVC flapper w/ "O" ring	038753-439273	1	.167
43928	4"	ABS flapper w/ "O" ring	038753-439280	1	.126
43929	6"	PVC flapper w/ "O" ring	038753-439297	1	.575
43930	6"	ABS flapper w/ "O" ring	038753-439303	1	.437
43932	16"	Access sleeve for 3" backwater valve	038753-439327	1	3.602
43933		Lid for access sleeve - 3" backwater valve	038753-439334	1	.348
43934	16"	Access sleeve for 4" backwater valve	038753-439341	1	3.505
43935		Lid for access sleeve - 4" backwater valve	038753-439358	1	.615

SADDLE TEE KITS

SADDLE TEE KITS

- For tapping into a 3" or 4" Sch. 40 DWV line.
- Saddle is solvent welded to the existing line and secured with metal V-bolts, washers and nuts provided in the kit.
- The tee accepts the incoming line inside the socket, or joins with a Sch. 40 DWV fitting.

43788	3" x 2"	ABS saddle tee kit	038753-437880	6	5
43789	3" x 2"	PVC saddle tee kit	038753-437897	6	6
43790	4" x 2"	ABS saddle tee kit	038753-437903	6	7
43791	4" x 2"	PVC saddle tee kit	038753-437910	6	8
43792	4" x 3"	ABS saddle tee kit	038753-437927	6	8
43793	4" x 3"	PVC saddle tee kit	038753-437934	6	9
43794	4" x 4"	ABS saddle tee kit	038753-437941	6	9
43795	4" x 4"	PVC saddle tee kit	038753-437958	6	4
43796		Gasket for tapping into cast iron soil pipe	038753-437965	12	.3

ACCESSORIES

TRAPS

- One-piece design.
- Made from 3/4" PVC Schedule 40 DWV pipe.

42757	3/4"	PVC Condensate "P"-trap	038753-427577	24	8
42758	3/4"	PVC Condensate running trap	038753-427584	24	8

MUSHROOM VENT CAP

- Fits either 3" or 4" vent stacks.
- Shipped fully assembled.
- Includes 3 hex-head bolts.
- Made of high-impact PVC.

43805	3/4"	Mushroom Vent Cap	038753-438054	12	5
-------	------	-------------------	---------------	----	---

