



# PROFESSIONAL TOOLS



FOR PROFESSIONAL RESULTS



**Ceramic and Stone  
Installation Tools**

— SINCE 1979 —

# DEMAND THE BEST



# DEMAND QEP PRO PREFERRED

Ceramic and Stone Tools. Worldwide Leader. For a Reason.

[www.qep.com](http://www.qep.com)

*To assist in presenting QEP branded products in the most professional and efficient way, we have added the below icons to this catalog which indicate how each product is packaged. Please note the majority of QEP packaging is trilingual.*




**H** HANG CARD

Product is individually packaged on a hang card for peg hook placement. Ships in Kraft shipping carton with no perforation.




**C** COLOR CARTON

Product is individually packaged in a full color carton.



**D** DISPLAY CASE

Packed in a white corrugated case with color display label for shelf placement. Product is individually labeled and ships with a lift-off Kraft cover.



**S** SHELF CASE

Packed in a perforated Kraft corrugated case with color display label for shelf placement. Product is individually labeled.

# CONTENTS



## TILE SAWS & CUTTERS

SAWS, DIAMOND BLADES, TILE CUTTERS

04



## INSTALLATION TOOLS

MIXERS, NIPPERS, HOLE SAWS & DRILL BITS, FILES, MALLETS, GROUT SAWS, SPONGES

15



## TILE SPACERS

TILE LEVELING SYSTEMS, HORSESHOE SHIMS, TRADITIONAL & LEAVE-IN SPACERS

30



## KNEEPADS

34



## TROWELS & FLOATS

36



## UNDERLAYMENTS & BARRIERS

CORK, AQUABAR

41



## BACKERBOARD & TOOLS

BACKERBOARD, KNIVES, CEMENT BOARD SCREWS, SEAM TAPE

44



## TEAR-OUT TOOLS

SCRAPERS

46



## TILE SAWS & CUTTERS



**ACCESSORIES INCLUDED**

- Premium porcelain rated 10" blade
- Fold-out stand with heavy duty wheels
- High volume water pump (#61900Q-31)
- Laser cutting guide & LED work area light
- Side extension table
- Full coverage splash guard water containment system
- Rip/Angle cutting guide
- 2 wrenches
- Ideal for cutting large format tile including ceramic, porcelain, granite, stone and marble tile
- Rips up to a 24" tile and can diagonally cut a 18" tile
- Adjustable plunging and pivoting motor head for interior cutting, miter cuts and rip/angle cuts
- One year limited warranty

**SPECIFICATIONS**

Item No	61900Q
Motor	2.25 HP / 120V-60Hz / 15 Amps
Watts	1750
RPM	3600
Blade Capacity	10"
Arbor	5/8"
Rip Cut	24" Tile
Diagonal Cut	18" Tile
Depth of Cut	3-3/4"
Size	51" L x 33" W x 45" H (w/stand)
Weight	96 lbs (w/stand)

61900Q-31

High Volume Water Pump (1/cs)



## 24" Bridge Saw



- Direct drive 1 HP, 3420 RPM brushless motor is ideal for cutting marble, granite, porcelain, stone and tile\*
- Rips up to a 24" tile and can diagonally cut a 18" tile
- Adjustable pivoting rail allows easy angle positioning from 90° to 45° for fast and consistent miter cuts
- One year limited warranty

\* For porcelain and hard tiles, we recommend QEP's Black Widow® (#6-8008BW)

### SPECIFICATIONS

Item No	83200Q
Motor	1 HP / 120 V-60 Hz / 9.5 Amps
Watts	1100
RPM	3420
Blade Capacity	8"
Arbor	5/8"
Rip Cut	24" Tile
Diagonal Cut	18" Tile
Depth of Cut	1-3/8"
Size	43" L x 24" W x 47" H (w/stand)
Weight	106 lbs (w/stand)

### ACCESSORIES INCLUDED

- 8" continuous rim wet diamond blade for porcelain
- Fold-out stand with wheel attachments
- Rear wheel attachments (#63036)
- High volume water pump (#60098)
- Angle/rip cutting guide
- Handles



## 7" Power Pro 1HP Tile Saw



- Tested and Compliant - Exceeds the new OSHA Silica Rule 29 CFR 1926.1153
- Cuts porcelain tile, ceramic tile, marble, slate and stone\*
- Angle and rip guides for precise cutting
- Non-slip feet and fold-out bench stop keep saw in place during use
- Locking on/off switch with security key
- Interior water baffle minimize water-spray and reduces refills
- Oversized die cast aluminum table
- Tilt-up cutting table for precision 15°, 30° and 45° miter cuts

\* For porcelain and hard tiles, we recommend QEP's Black Widow® (#6-7008BW)

### SPECIFICATIONS

Item No	22900Q
Motor	1 HP / 120 V ~ 60 Hz. / 6.5 Amps
Watts	750
RPM	3600
Blade Capacity	7"
Arbor	5/8"
Rip Cut	Unlimited
Diagonal Cut	Unlimited
Depth of Cut	1-1/8"
Size	22.5" L x 18" W x 8" H
Weight	29 lbs

### ACCESSORIES INCLUDED

- 7" continuous rim wet diamond blade
- Locking rip guide
- Angle cutting guide
- Bench stop



## 7" 750XT Tile Wet Saw



- Tested and Compliant - Exceeds the new OSHA Silica Rule 29 CFR 1926.1153
- Unique back extension table to support large format tile during cut
- Powerful 3/4 Peak HP motor for cutting ceramic, slate, marble, granite and porcelain\*
- Interior water baffle minimizes water spray and reduces refills
- Tilt-up cutting table for precision 22.5° and 45° miter cuts
- Locking adjustable angle and rip guides for accurate cuts

\* For porcelain and hard tiles, we recommend QEP's Black Widow® Blade (#6-7008BW)

### SPECIFICATIONS

Item No	22750Q
Motor	3/4-Peak HP/120V~60 Hz./4.8 Amps
Watts	550
RPM	3600
Blade Capacity	7"
Arbor	5/8"
Rip Cut	Unlimited
Diagonal Cut	Unlimited
Depth of Cut	1-1/4"
Size	21" L x 22.2" W x 9.5" H
Weight	21.4 lbs

### ACCESSORIES INCLUDED

- 7" continuous rim wet diamond blade
- 45° angle guide
- Blade guard
- Rip guide
- Rear extension table



## 7" 700XT Tile Wet Saw



- Powerful 3/4 Peak HP motor for cutting ceramic, marble, stone, travertine, and porcelain\*
- Water recirculation channel
- Lock-down rip guide for fast, multiple cuts
- Non-slip feet for stability
- 22.5° and 45° angle guide for diagonal cutting
- Extension side table
- Deep water tray means no refilling

\* For porcelain and hard tiles, we recommend QEP's Black Widow® Blade (#6-7008BW)

### SPECIFICATIONS

Item No	22700Q
Motor	3/4-Peak HP/120V~60 Hz./4.8 Amps
Watts	550
RPM	3600
Blade Capacity	7"
Arbor	5/8"
Rip Cut	Unlimited
Diagonal Cut	Unlimited
Depth of Cut	1-1/4"
Size	20.08" L x 15.74" W x 9.88" H
Weight	23 lbs

### ACCESSORIES INCLUDED

- 7" continuous rim diamond blade
- Rip guide
- Angle guide
- Extension table
- Blade wrench



## 4" Torque Master XT Portable Tile Saw



- 3/5 HP, hi-torque geared motor for maximum cutting performance
- Dual extension tables add extra 5" of cutting surface
- Cuts ceramic tile, porcelain tile\*, marble, slate and stone
- Fully adjustable miter guide with unique ratchet mechanism
- Cutting table is hinged to adjust for making 22.5° and 45° miter cuts
- Water recirculation system saves time when replenishing water supply and keep work area drier
- 4" diamond blade (6-4001Q)

\* For porcelain and hard tiles, we recommend QEP's Black Widow® Blade (#6-4008BW)

### SPECIFICATIONS

Item No	22400Q
Motor	3/5-Peak HP / 120 V ~ 60 Hz. / 4 Amps
Watts	450
RPM	4600
Blade Capacity	4"
Arbor	5/8"
Rip Cut	Unlimited
Diagonal Cut	Unlimited
Depth of Cut	3/4"
Size	14.3" L x 15.8" W x 4.6" H
Weight	8 lbs

### ACCESSORIES INCLUDED

- 4" continuous rim diamond blade (#6-4003Q)
- 45° angle guide
- Blade guard
- Rip guide
- Rear extension table



## TILE SAWS AT A GLANCE

### Standing Saws

ITEM NO.	DESCRIPTION	SIZE (L x W x H)	WEIGHT (lbs)	BLADE	ARBOR	HP	AMPS	WATTS	RPM	RIP CUT (Tile Size)	DIAGONAL (Tile Size)	CUTTING DEPTH	WATER PUMP	ACCESSORIES INCLUDED
83200Q	24" Bridge Saw	43" x 24" x 47" (w/stand)	106	8"	5/8"	1	9.5	1100	3420	24"	18"	1-3/8"	#60098	A, B, D, E, G, I, J, K, L
61900Q	10" 900XT Pro Tile Saw	45" x 51" x 33" (w/stand)	96	10"	5/8"	2.25	15	1750	3600	24"	18"	3-3/4"	#61900Q-31	A, B, D, F, G, I, J, K, L, M

### Table Saws

ITEM NO.	DESCRIPTION	SIZE (L x W x H)	WEIGHT (lbs)	BLADE	ARBOR	HP	AMPS	WATTS	RPM	RIP CUT (Tile Size)	DIAGONAL (Tile Size)	CUTTING DEPTH	WATER PUMP	ACCESSORIES INCLUDED
22900Q	7" Power Pro Tile Saw	22.5" x 18" x 8"	29	7"	5/8"	1	6.5	750	3600	Unlimited	Unlimited	1-1/8"	N/A	B, G, H, I, K, N
22750Q	7" 750XT Tile Wet Saw	21" x 22.2" x 9.5"	21.4	7"	5/8"	3/4	4.8	550	3600	Unlimited	Unlimited	1-1/4"	N/A	B, F, G, H, I, K, N
22700Q	7" 700XT Tile Wet Saw	20" x 15.7" x 9.8"	23	7"	5/8"	3/4	4.8	550	3600	Unlimited	Unlimited	1-1/4"	N/A	B, F, G, H, K, N
22400Q	4" Torque Master XT Portable Tile Saw	14.3" x 15.8" x 4.6"	8	4"	5/8"	3/5	4	450	4600	Unlimited	Unlimited	3/4"	N/A	B, F, G, H, N

#### ACCESSORY GUIDE:

- |                                     |                                    |                                     |                                   |
|-------------------------------------|------------------------------------|-------------------------------------|-----------------------------------|
| A. Water Pump                       | E. Rear wheel attachments          | I. Handle(s)                        | M. Plunge cut capable             |
| B. Continuous rim wet diamond blade | F. Side/rear extension table(s)    | J. Laser cutting guide              | N. Self contained water reservoir |
| C. Heavy duty legs / fold-out stand | G. Angle/rip cutting guide         | K. Wrench, wrenches and/or hex keys |                                   |
| D. Folding stand w/ locking wheels  | H. 45° miter cutting guide / block | L. Tilting head                     |                                   |

## Tile Saw Water Pumps

#### For 83200Q Tile Saws

- Pumps 60 Gal (227.4 L) per hour using 2' tubing (tubing not included)
- Corrosion resistant plastic housing for increased durability
- Removable easy-to-clean filter included

60098 120 V Submersible Tile Saw Water Pump (1/cs)

#### For 61024BR Tile Saws

- Pumps 54 Gal (203 L) per hour using 2' long tubing (tubing not included)
- Corrosion resistant plastic housing for increased durability
- Extra large intake reservoir with removable easy-to-clean filter

60095 120 V Submersible Tile Saw Water Pump (1/cs)

## Diamond Blades

The QEP diamond blade line offers a blade for every application and budget. Whether your tile project requires the cutting of ceramic, porcelain, marble, granite, glass, slate, concrete pavers or stone, QEP has a blade that will cut it quickly and efficiently. The high quality of QEP's diamond blades is due to our stringent testing and exact specifications assuring the user a wobble-free blade that produces smooth and precise cuts.

⚠WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov. See P. 59, \*Prop 65 - 1.



### Black Series

General purpose blade for wet or dry cutting of ceramic tile.



### Gold Series

Premium blade for wet or dry cutting of ceramic, porcelain and marble tile.



### Glass Series

Premium blade for wet cutting of glass tile.



Item No.	Description	Application	Rim Height	Width	Arbor Size	Max RPM	No. in Case
6-4001Q	4" Continuous Rim	Ceramic tile - Wet/Dry	7 mm	.060	5/8" - 20 mm - 7/8"	15000	4
6-7001Q	7" Continuous Rim	Ceramic tile - Wet/Dry	7 mm	.060	7/8" - 5/8" - DM	8730	4
6-8001Q	8" Continuous Rim	Ceramic tile - Wet/Dry	7 mm	.060	7/8" - 5/8" - DM	7640	4
6-1001Q	10" Continuous Rim	Ceramic tile - Wet/Dry	7 mm	.060	7/8" - 5/8" - DM	6115	4
6-4003Q	4" Continuous Rim	Ceramic, Porcelain, Marble - Wet/Dry	7 mm	.060	5/8" - 20 mm - 7/8"	15000	4
6-7003Q	7" Continuous Rim	Ceramic, Porcelain, Marble - Wet	7 mm	.060	5/8"	8730	4
6-8003Q	8" Continuous Rim	Ceramic, Porcelain, Marble - Wet	7 mm	.060	5/8"	7640	4
6-1003Q	10" Continuous Rim	Ceramic, Porcelain, Marble - Wet	7 mm	.060	5/8"	6115	4
6-4006GLQ	4" Continuous Rim	Glass - Wet	7 mm	.060	5/8" - 20 mm - 7/8"	15000	3
6-7006GLQ	7" Continuous Rim	Glass - Wet	7 mm	.060	5/8"	8730	3
6-7006GLQC	7" Continuous Rim Only available in Canada	Glass - Wet	7 mm	.060	5/8"	8730	3

## Black Widow® Blades

The QEP Black Widow® Premium-Grade, thin-rim Diamond Blades quickly cut through the toughest ceramic, porcelain, marble and granite. Independent lab test results have proven Black Widow® Blades continuously out perform the competition in durability.



- Premium-grade, thin-rim diamond blade for fast wet cutting of porcelain, ceramic, granite and marble tile
- Ideal for high speed cutting of hard masonry tile
- Unique diamond-shaped laser cutouts prevent blade wobble and keep blade cooler for a longer life
- 7 mm rim height for a longer life and for increased cutting contact with the blade



⚠WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov. See P. 59, \*Prop 65 - 1.

Item No.	Description	Application	Rim Height	Width	Arbor Size	Max RPM	No. in Case
6-4008BW	4" Black Widow®	Ceramic, Porcelain, Marble, Granite - Wet/Dry	7 mm	.060	5/8" - 20 mm - 7/8"	15000	5
6-7008BW	7" Black Widow®	Ceramic, Porcelain, Marble, Granite - Wet	7 mm	.060	5/8"	8730	5
6-8008BW	8" Black Widow®	Ceramic, Porcelain, Marble, Granite - Wet	7 mm	.060	5/8"	7640	5
6-1008BW	10" Black Widow®	Ceramic, Porcelain, Marble, Granite - Wet	7 mm	.060	5/8"	6115	5

**SLIMLINE**



**XTREME**  
SERIES

# ENGINEERED FOR THE PROS BY THE PROS



**24**  
INCH

**30**  
INCH

**36**  
INCH



5.5 inches

**Only 5-1/2" wide and lighter than standard cutters**

- Lightweight and easy to carry from site to site
- Narrow width, less bulky than regular cutters
- Metal rip guide
- Equipped with replaceable tungsten-carbide 7/8" scoring wheel
- Reinforced thick steel base with tile support arms
- Die cast aluminum rail supports

- 10636Q 36" Slimline Manual Tile Cutter, with 4 legs (1/cs)  
Cuts tile up to 36", 25" diagonally, 1/2" thick
- 10632Q 30" Slimline Manual Tile Cutter, with 2 legs (1/cs)  
Cuts tile up to 30", 21" diagonally, 1/2" thick
- 10624Q 24" Slimline Manual Tile Cutter, with 2 legs (1/cs)  
Cuts tile up to 24", 18" diagonally, 1/2" thick

**REPLACEMENT SCORING WHEEL:**

- 21178 7/8" Titanium-Coated Tungsten Carbide Scoring Wheel (3/cs)



## LFT Manual Tile Cutter



Large breaker bar and spring loaded pads for easy snapping of tile

- Allows thick materials to be easily cut
- Cuts porcelain, floor tile, mosaics, and other materials
- Ball bearings in the cutting head allow for accurate and easy scoring
- Breaking System Lever produces max amount of pressure
- Locking slide to prevent damage in transport
- Locking swivel angle and measurement bar
- Dual breaker bar for narrow and wide tile
- Handle and wheels for easy mobility
- Equipped with with replaceable tungsten-carbide 7/8" scoring wheel
- Breaking pads are mounted on springs for better shock absorption
- Comfort grip handle
- Cut-out under breaking pads allows for tile cuttings to fall through for easy cleaning

10480Q 48" LFT Manual Cutter (1/cs)  
Cuts tile up to 48", 34" diagonally, 5/8" thick

REPLACEMENT SCORING WHEEL:  
21178 7/8" Titanium-Coated Tungsten Carbide  
Scoring Wheel (3/cs)



## 35" & 24" Professional Tile Cutters

Available in 2 Sizes:  
35" & 24"



- Ball bearing slide for smooth scoring
- Multipurpose cutter for most large format tile including ceramic and porcelain
- Side arm extensions to support large format tiles
- Equipped with replaceable 7/8" titanium-coated tungsten carbide ball bearing scoring wheel
- Durable chrome plated steel rails
- Rip/Angle guide for fast multiple cuts

10900Q 35" Professional Tile Cutter (2/cs)  
Cuts tile up to 35", 24" diagonally, 1/2" thick

10630Q 24" Professional Tile Cutter (1/cs)  
Cuts tile up to 24", 17.5" diagonally, 1/2" thick

REPLACEMENT SCORING WHEEL:  
21178 7/8" Titanium-Coated Tungsten Carbide  
Scoring Wheel (3/cs)



## 27", 25" & 22-1/2" Big Clinker Tile Cutters

Available in 3 Sizes:  
27", 25" & 22-1/2"



- Multipurpose cutter for most tile including ceramic and porcelain
- Height adjustable 4-position wheel for easy snapping in any position on tile
- Equipped with replaceable 7/8" titanium-coated tungsten carbide ball bearing scoring wheel
- Side arm extensions to support large format tiles
- Durable chrome plated steel rails
- Rip/Angle guide for fast multiple cuts
- Heavy duty cast aluminum base

10800 27" Big Clinker Tile Cutter (1/cs)  
Cuts tile up to 27", 20" diagonally, 1/2" thick

10600BR 25" Big Clinker Tile Cutter (1/cs)  
Cuts tile up to 25", 18" diagonally, 5/8" thick

10500 22-1/2" Big Clinker Tile Cutter (1/cs)  
Cuts tile up to 22-1/2", 16" diagonally, 1/2" thick

REPLACEMENT SCORING WHEEL:  
21178 7/8" Titanium-Coated Tungsten Carbide  
Scoring Wheel (3/cs)



## 21" Pro Tile Cutter



- Cuts wall and floor tile up to 21", 15" diagonally, 3/8" thick
- Cuts ceramic, porcelain, and mosaics
- Straight edge adjustable measurement guide
- Dual chrome-plated solid steel rails for smooth scoring
- Soft grip handle
- Includes replaceable titanium tungsten carbide 7/8" scoring wheel
- Powder coated steel base with extra reinforcement

10521Q 21" Pro Tile Cutter (2/cs)

### REPLACEMENT SCORING WHEEL:

21178 7/8" Titanium-Coated Tungsten Carbide Scoring Wheel (3/cs)



## 21" Professional Tile Cutter



- Cuts wall and floor tile up to 21", 15" diagonally, 3/8" thick
- Cuts ceramic and porcelain tile
- High leverage, padded handle makes cutting easier and reduces fatigue
- Durable chrome-plated solid steel rails for smooth scoring
- Soft grip handle
- Includes replaceable tungsten carbide 10 mm post scoring wheel
- Powder coated steel base with extra reinforcement

10221Q 21" Professional Tile Cutter (2/cs)

### REPLACEMENT SCORING WHEEL:

21127Q 10 mm Post Scoring Wheel (6/cs)



## 20" & 14" Professional Tile Cutter



Available in 2 Sizes:  
20" & 14"

- Equipped with replaceable 1/2" titanium-coated tungsten carbide scoring wheel
- Reinforced steel base

10220Q 20" Professional Tile Cutter (4/cs)  
Cuts tile up to 20", 14" diagonally, 1/2" thick

10214Q 14" Professional Tile Cutter (6/cs)  
Cuts tile up to 14", 10" diagonally, 1/2" thick

### REPLACEMENT SCORING WHEEL:

10010HD 1/2" Tungsten Carbide Scoring Wheel (12/cs)



## Replacement Wheels for Tile Cutters

ITEM NO.	DESCRIPTION	21127Q 10 mm Wheel	10010HD 1/2" Wheel	21123Q 7/8" Wheel	21125 7/8" Wheel	21178 7/8" Wheel
10480Q	48" LFT Manual Tile Cutter					•
10636Q	36" Slimline Tile Cutter					•
10632Q	30" Slimline Tile Cutter					•
10624Q	24" Slimline Cutter					•
10900Q	35" Tile Cutter				•	
10800	27" Big Clinker Tile Cutter			•		
10630Q	24" Tile Cutter				•	
10600BR	24" Big Clinker Tile Cutter			•		
10521Q	21" Pro Tile Cutter					•
10221Q	21" Professional Tile Cutter	•				
10500	22-1/2" Big Clinker Tile Cutter			•		
10220Q	20" QEP Tile Cutter		•			
10214Q	14" QEP Tile Cutter		•			

### 10 mm Post Scoring Wheel



- For cutting ceramic, porcelain and glass tiles
- Tungsten carbide scoring edge for long cutting life
- For use with 10221Q 21" Professional Tile Cutter

21127Q 10 mm Post Scoring Wheel (12/cs)



### 1/2" Tungsten Carbide Scoring Wheel



- For cutting ceramic, porcelain and glass tiles
- For use with 10220Q 20" QEP Tile Cutter and 10214Q 14" QEP Tile Cutter

10010HD 1/2" Tungsten Carbide Scoring Wheel (12/cs)



### 7/8" Replacement Scoring Wheels with Ball Bearings

- For cutting ceramic, porcelain and glass tiles
- Ball bearing wheel for smooth scoring
- For use with:
  - 10800 27" Big Clinker Tile Cutter
  - 10600BR 24" Big Clinker Tile Cutter
  - 10500 22-1/2" Big Clinker Tile Cutter
- For use with:
  - 10900Q 35" Tile Cutter
  - 10603Q 24" Tile Cutter
- For use with:
  - 10480Q LFT Manual Tile Cutter
  - 10636Q 36" Slimline Tile Cutter
  - 10632Q 30" Slimline Tile Cutter
  - 10624Q 24" Slimline Tile Cutter
  - 10521Q 21" Pro Tile Cutter



21123Q 7/8" Premium Tile Cutter Replacement Scoring Wheel with Ball Bearings (12/cs)



21125 7/8" Tile Cutter Replacement Scoring Wheel with Ball Bearings (12/cs)



21178 7/8" Titanium Coated Replacement Scoring Wheel for Multiple Tile Types (12/cs)





# INSTALLATION TOOLS

## Power Mixer Pro



Included Chuck Kit



- Mix thinset, grout, mortar, and other viscous materials with minimal effort
- Strong enough to mix cement
- High quality, powerful 1400 Watt motor
- High torque 2-speed motor:  
1st gear: 0-480 RPM  
2nd gear: 0-800 RPM
- Male-threaded 2-piece paddle specially designed to completely mix full bucket loads of viscous materials
- Variable speed dial controls RPM's which prevents splashing at start-up
- Includes chuck kit for use with non-threaded mixer paddles

21700 Power Mixer w/ Paddle (1/cs)

21661 One-piece replacement paddle (1/cs)

### SPECIFICATIONS

Item No	21700
Motor	120 V ~ 1300 Watts - 2-speed 1st gear: 0 - 480 RPM 2nd gear: 0 - 800 RPM
Amps	12.5
Weight	10.5 lbs



## Professional Mixing Paddle



M-14 thread




- Replacement paddle for 21660Q, 21665Q or any mixer that accepts M-14 thread
- Specially designed paddle for fast and effective mixing of thick and dense materials
- M-14 thread design for paddle stability during mixing
- Shaft diameter 1/2", length 24", blade width 5-1/2"

21661 Professional Mixing Paddle (1/cs)



## 30" XL Spiral Pro Mixer



- Preferred by professionals for fast and easy mixing of grouts, thinsets and other setting materials
- Longer shaft length for more comfort
- Designed to reduce introduction of air into mixture
- Length 30", blade width 5-1/2"

61230 30" XL Spiral Pro Mixer (6/cs)



## Professional Mixing Paddle



- Preferred by professionals for fast and easy mixing of grouts, thinsets and other setting materials
- Length 23-1/2", blade width 4-7/8"
- Chrome plated steel

61205 Professional Mixing Paddle (8/cs)



## Universal Mixing Paddle



- The special design of the blades takes the stress and high torque off the drill, excellent for cordless drills
- The optimal mixing tool for small volumes of thinsets, mortars, cement, plaster and similar viscous materials
- Length 16", blade width 3-1/4"
- Powder coated steel

61210 Universal Mixing Paddle (12/cs)



## Plastic Mixing Buckets



- Durable white opaque plastic buckets with handles

78200 5 Gallon Plastic Mixing Bucket - White (6/cs)

78208 3-1/2 Gallon Plastic Mixing Bucket - White (1/cs)

## Glass Tile Nipper

**X**TREME  
SERIES



Identify used  
cutting edges



- Designed for cutting irregular shapes in glass tiles and mosaics up to 5/16" thick
- 7/8" titanium coated tungsten carbide cutting wheels for long lasting toughness and durability
- 3-position Tile Thickness Lock minimizes hand fatigue during repeat cutting of the same tile thicknesses
- SharpTrack Cutting Wheels help identify used cutting edges
- Handle spring and shock-absorbing bumpers for all day use

32014 XTREME™ Series Glass Tile Nipper (6/cs)



## Glass Tile Nipper

**GLASS**  
CERTIFIED  
CUTTER POUR COUPER LE VERRE  
CERTIFICADO PARA CORTAR VIDRO



- Cuts irregular shapes in glass tile and mosaics from 1/32" to 1/4" thick
- Ideal for quickly cutting small mosaic pieces of glass and removing tiny points from glass tile
- Single piece, drop-forged steel construction for maximum strength with comfortable, contoured handles

32010 Glass Tile Nipper (6/cs)



## Offset Tile Nipper

**X**TREME  
SERIES



- Designed for cutting irregular shapes in tile, helps fit tile around oddly-shaped objects, like pipes or sinks
- For cutting irregular shapes in ceramic and porcelain tile up to 5/16" thick
- Steel construction with protective coating and tough, tungsten carbide tips for long lasting use
- Contoured, rubberized handle is more comfortable in the hand
- Offset tungsten carbide tips for more control when making irregular and curved cuts
- Spring and shock-absorbing bumpers for all day use

10103 XTREME™ Series Offset Tile Nipper (6/cs)



## Compound Tile Nipper

**PRO**  
PREFERRED  
**3X**  
MORE FORCE



- Compound mechanism delivers 3 times more force with less effort
- Use to cut irregular shapes in all tile from 1/8" to 1/4" thick
- Durable tungsten carbide tip provides a long cutting life
- Co-molded plastic handle with non-slip, rubber grip for comfortable repeat use

32036 Compound Tile Nipper (6/cs)



## Tile Nipper



- 8" carbide tipped nippers with offset jaws
- For cutting irregular shapes in tile from 1/8" to 1/4" thick
- Single piece, drop-forged steel construction for maximum strength

10003 Tile Nipper (12/cs)



## Tile Cutter



- Recommended for manually scoring and cutting ceramic wall tiles up to 6" x 6" and 1/4" thick
- Uses a durable tungsten carbide wheel for scoring and a breaker bar to "snap" ceramic tile

32024 Tile Cutter (6/cs)



## Diamond Drill Bit with Water Delivery System



- Ideal for cutting holes when installing towel bars, soap dishes, shelves, cabinets and shower door frames
- Diamond Grit edge drills through ceramic, glass, marble, porcelain and granite
- Convenient, single piece water delivery system keeps hole saw cool for a longer life
- Fits standard 1/2" or 3/8" drill chucks
- Kit includes 6 adhesive pads, water cooling system, drill guide and drill bit
- Only for wet use with cordless drills

10571 5/16" Porcelain Diamond Drill Bit w/Drill Guide and Water Cooling System (6/cs)

10572 1/4" Porcelain Diamond Drill Bit w/Drill Guide and Water Cooling System (6/cs)



## Diamond Hole Saw with Water Delivery System



- For cutting 1-3/8" diameter holes in glass, ceramic, porcelain, marble and granite
- Special diamond grit edge for faster smoother cuts
- Included drill guide and water cooling cup easily supplies water to drill bit (use wet-only)
- Fits standard 1/2" or 3/8" drill chucks
- Includes 6 adhesive strips, water cooling cup and 1-3/8" diameter x 3" tall drill bit
- Only for wet use with cordless drills

10569 1-3/8" Porcelain Diamond Hole Saw w/Drill Guide and Water Cooling System (6/cs)

### REPLACEMENT TAPE:

10570 1-3/8" Hole Saw Mounting Tape (12 pc/bag) (6/cs)



## wetDRY Diamond Drill Bit / Hole Saw



- For cutting holes in glass, ceramic, porcelain, marble and granite
- Advanced metallurgical technology bonds diamond grit to chrome alloy steel base to produce a long lasting cutting edge
- Extremely durable and built to last longer than conventional diamond drill bits and standard hole saws
- Simply dip in water, no need for a constant water delivery system, for quick and easy use
- 12 times longer lasting than standard hole saws
- Fits standard 1/2" or 3/8" drill chucks

10075 1/4" Diamond Drill Bit (6/cs)

10080 5/16" Diamond Drill Bit (6/cs)

10087 1-3/8" Diamond Hole Saw (6/cs)



## 3" PRO Diamond Jigsaw Blade



- For cutting hard materials, including porcelain and ceramic tile
- Cuts faster and cleaner than standard carbide blades
- Heat treated alloy steel backer for superior strength

10585 3" PRO Diamond Jigsaw Blade (6/cs)



## HANDI VICE™ Portable Clamping Device



Rubber grips for secure holding

- Quick and easy hand clamp
- Grips and holds tight while cutting
- Great for stabilizing long, thin pieces like trim, wood and pipe
- Rubber grips on feet
- Adjustable hinge
- Can be screwed into work bench
- Quick to use on any surface edge

10041Q HANDI VICE™ Portable Clamping Device (4/cs)



## Multi-Use Trim Shears



- Easily cuts quarter round, tile trim, PVC piping, tackstrip and other light materials
- Makes fast angle cuts in wood quarter round, tile trim, pvc piping, tackstrip and other materials
- Eliminates the need for a chop or miter saw
- Miter guide is clearly marked at 45, 90 and 120 degrees

10711 Multi-Use Trim Shears (6/cs)



## Locking Contour Gauge



Irregular shapes are locked into place

Combine 2 Gauges for longer profiles

- Easily forms around any shape for a precise template, reducing waste created when guessing the dimension of irregular shapes
- Locking feature holds patterns in place while tracing on any surface
- Great for marking precise cutouts in vinyl, wood, porcelain and ceramic tiles
- Durable plastic teeth will not rust or deform
- Total length: 6"

10038 Locking Contour Gauge (6/cs)



## Double Suction Cup for Large Format Tile



- Designed for maneuvering non-porous, smooth tiles, stone, marble, cultured marble, granite and glass during horizontal and vertical applications
- 132 lb. holding capacity is ideal for large format tile
- Rigid, aluminum alloy body with textured, non-slip grip
- Two, 4.75" durable rubber pads will not mar tile
- Hold-and-release levers for easy, secure use

75012 XTREME™ Series Double Suction Cup for Large Format Tile (3/cs)



## Double Suction Cup



- Maximum vacuum hold to move smooth, non-porous tile, stone and cultured marble
- Vacuum holds up to 88 lbs
- Heavy duty, aluminum frame

75003Q Double Suction Cup (3/cs)



## Suction Cup



- For easy handling of non-porous tile, marble and glass during installation
- Holds up to 12 lbs
- Suction cup pad is 4-1/2" in diameter
- 3-1/2" wide handle opening easily accommodates large hands

75000 Suction Cup (6/cs)



## Mechanical China Markers



- For marking on hard, glossy, non-porous surfaces such as porcelain, glass, ceramics or polished stone
- Grease type marking material in a mechanical pen mechanism
- Plastic outer material is more durable than standard china markers
- Resistant to moisture and easily wipes off when the job is complete
- Includes 1 red and 1 black marker for use on a variety of surface colors

38778 China Markers (12/cs)



## Tile Mallet



- Measures 70-75 on the Shore A hardness scale, for a firm hardness with minimum bounce when striking
- Designed for installing both unfinished and prefinished flooring
- Large chamfered mallet head spreads force across the flooring to move it into place during installation
- 16 oz. white rubber head will not mar tile or other surfaces
- Co-molded plastic 11.5" handle with non-slip, rubber grip for comfortable extended use

61625 Tile Mallet (3/cs)



## White Rubber Mallet



- 16 oz. non-marring rubber head securely mounted on hardwood handle
- 12-1/2" in length, 2" diameter rubber head

61613 White Rubber Mallet (12/cs)



## PRO Diamond Grit File



- The high quality diamond bond strength maintains a tough grit surface for working with the hardest materials, including ceramic, porcelain, glass and stone
- May also be used to smooth other materials, including fiberglass, laminate flooring, cement board and carbon fiber
- Flat/round profiles allow for smoothing both straight and curved edges
- Co-molded plastic handle with non-slip, rubber grip for comfortable repeat use

10586 PRO Diamond Grit File (6/cs)



## Rubbing Stone



- Dual grit surfaces smooth rough edges on freshly cut ceramic & porcelain tile, stone, marble and brick
- Medium 60-grit on one side and fine 80-grit on the other
- Ideal for dressing diamond blades by exposing fresh diamonds in the blade rim

10022 Rubbing Stone (6" x 2" x 1") (6/cs)



## Pro Grout Saw



2 BLADES INCLUDED

- Curved heavy duty carbide blades easily remove stubborn grout
- Specially designed handle design provides control and leverage
- Includes 2 blades total, 1 blade on head and 1 blade in handle
- Blade storage in handle can hold up to 2 blades
- Use 1 blade for thinner grout lines and 2 blades for wider grout lines

10093 Pro Grout Saw (6/cs)

### REPLACEMENT BLADE:

75011 Replacement Grout Saw Blades 2 pack (6/cs)



## Grout Saw



2 BLADES INCLUDED

- Strips, cleans and removes old grout and may be used on all grout types
- Includes 1 steel tooth blade for initially removing tough grout and 1 carbide grit blade for finishing and fine removal
- Use both blades for wide grout lines

10057 Grout Saw (12/cs)

### REPLACEMENT BLADE:

75011 Replacement Grout Saw Blades 2 pack (6/cs)



## Grout Saw Blades



- Replacement blades for QEP's and Pro Grout Saw 10093 and 10057

75011 Replacement Grout Saw Blades 2 pack (6/cs)



## Grout Remover



- For removing unwanted grout, mortar, thinset, calcium, caulking and surface rust
- Double-sided head with 3 durable carbide tips
- Includes 1/16", 1/8" and 3/16" tips
- Co-molded plastic handle with non-slip, rubber grip for comfortable extended use

10020 Grout Remover (12/cs)



## Thinset Removal Tool



- For removing excess thinset between tiles, during installation
- Durable, easy to clean plastic material will not scratch tile
- Clearly marked tips for most popular grout joints 1/16 in., 1/8 in., 3/16. and 1/4 in.
- Patent pending 4-in-1 flat, compact tool for easy storage and portability

62963 Thinset Removal Tool (10/cs)



## Grout Brush



- Multi-purpose cleaning brush with outstanding performance on tile and grout
- Ergonomic handle includes thumb rest for leverage and comfort
- Durable, angled nylon bristles remove grime in creases

20842 Grout Brush (12/cs)



## Grout Sealer Applicator



- Includes (2) roller wheels for multiple grout widths:  
Use 1/8" wheel for grout joints 1/8" and smaller  
Use 1/4" wheel for grout joints 1/4" and larger
- Works with all grout sealers
- Patented roller wheel system provides complete coverage
- Holds 12 oz. (355 ml)

10279 Grout Sealer Applicator (12/cs)

- Great for small projects with narrow grout joints
- Works with all grout sealers
- Plastic bottle holds up to 4 oz. of grout sealer

19999 Grout Sealer Brush Applicator (12/cs)



## Tile Installation Kit



- Complete kit containing all the tools necessary to install ceramic tile on floors
- Kit contains:  
1/4" x 1/4" x 1/4" square notch floor trowel  
1/4" x 3/8" x 1/4" square notch floor trowel  
rubber grout float  
handheld tile cutter  
sponge  
multipurpose gloves  
washable kneepads  
reusable 2.5 gallon plastic bucket with complete installation instructions

78250Q Floor & Wall Tile Installation Kit (1/cs)



## Heavy Duty All-Purpose Sponge



- Professional, heavy duty sponge for grout clean-up during floor and wall tile installation
- Foam density is engineered for quicker grout pick-up and faster rinse
- Rounded corner design prevents digging out or marring grout
- Perfect for residential, commercial, drywall, auto and marine cleaning
- 7-1/2" x 5-1/2" x 1.875"

70005-24	Heavy Duty All-Purpose Sponge, Individually bagged (24/cs)
70005Q-144	Heavy Duty All-Purpose Sponge, Individually bagged in dump display (144/cs)
70005Q-6D	Heavy Duty All-Purpose Sponge, Value 6 Pack in dump display (24/cs)
70005Q-600	Heavy Duty All-Purpose Sponge, Bulk Bale (600/bale)

QEP Canada (English/French Packaging)

70005	XL All-Purpose Sponge, Bulk Bale (600/bale)
70005C-24	XL All-Purpose Sponge, Individually bagged (36/cs)
70005QC-144	XL All-Purpose Sponge, Individually bagged in dump display (144/cs)
70005QC-6D	XL All-Purpose Sponge, Value 6 Pack in dump display (24/cs)



## Sponge Sheets



- Superior strength provides durability for all general purpose cleaning
- Can easily be cut to desired shape or size
- Large size to cover more surface area
- Flexible, thinner- able to roll, fit in odd areas
- 10" x 12" x 1/2"

70004Q-32	Sponge Sheet (32/cs)
-----------	----------------------



## Microfiber Polishing Sponge



- Microfiber side ideal for cleaning grout, applying sealer and polishing tile
- Rounded corners prevent digging out or marring of grout joints
- Rounded corners prevent digging out or marring of grout joints
- For use on sanded and non-sanded grouts
- Great for washing and polishing cars, boats, countertops and furniture
- 7-1/2" x 5-1/2" x 2"

70010	Microfiber Polishing Sponge (24/cs)
70010C-24	Microfiber Polishing Sponge (24/cs) Only available in Canada



## Scrubbing Sponge



- Designed for removing wet and drying grout during floor and wall tile installation
- Premium density, heavy duty sponge on one side and scrubbing pad on the other for all in one cleaning
- Hydrophilic design for high water holding capacity and scrub pad removes tough stains
- Rounded corner design prevents digging out or marring grout
- Perfect for residential, commercial, office, car, boat and RV cleaning
- 7-1/2" x 5-1/4" x 1.875"

70007-24	Scrubbing Sponge, Individually bagged (24/cs)
70007C-24	Scrubbing Sponge, Individually bagged (24/cs) Only available in Canada



## Tile Installation Kit



- Complete kit containing all the tools necessary to install ceramic tile on floors
- Kit contains: Molded rubber float, 1/4" x 3/8" x 1/4" square notch floor trowel, 8" tile nippers, sponge, disposable gloves and reusable 2.5 gallon plastic bucket with complete installation instructions

78220Q Tile Installation Kit (1/cs)

QEP Canada (English/French Packaging)

78220QC Tile Installation Kit (1/cs)

S

## Microfiber Grout Cleaning Cloth



- Oversized, microfiber cloth for removing grout haze, as well as general dusting, washing and cleaning
- Soft, yet durable and heavy duty material is great for wet or dry use
- 100 percent microfiber cloth, including double sided edge stitching
- Machine washable, and great for general purpose cleaning on most home surfaces, including cars and boats

70018 Microfiber Grout Cleaning Cloth 18" x 18" (12/cs)

H

## Microfiber Surface Cleaning Cloth



- High absorbency cloth absorbs up to 5 times its weight in water
- Soft microfiber on one side, non-abrasive scrubbing micro-bridles on the other
- Rows of micro-bridles safely scrub away dried grout and tough to remove dirt and grime
- Machine washable
- For maximum cleaning performance

70019Q Microfiber Surface Cleaning Cloth 14" x 14" (12/cs)

S

## Polishing Cheesecloth



- For removing grout haze after installation
- 5 square yards (36" x 180")
- Great for polishing most tile surfaces to a bright shiny finish
- 100% cotton, professional grade fine mesh

76030 Polishing Cheesecloth (12/cs)

H

## XL Grout Scrubber



- Ideal for removing dried or hard grout during and after installation
- Non-abrasive pad will not scratch tiles
- Easily cleaned with soap and warm water
- 10-1/4" x 4-1/2"

10076Q XL Grout Scrubber (12/cs)



## Toilet Installation Kit & Accessories



38229 Toilet Installation Kit with 12" Connector (1/cs)  
Includes: Wm Harvey No-Seep® No. 50 Extra Thick Wax Gasket with Polyethylene Flange, Fluidmaster® 12" SS Braided Toilet Connector, Bolt Kit - 1/4" x 2-1/4" brass-plated closet bolts with nuts and washers

38233 No-Seep Wax Ring, No. 50 (1/cs)



## Heavy Duty Multipurpose Gloves



- Protects hands from the corrosive action of grout, chemicals and other harsh substances
- 100% heavy duty latex is puncture and tear resistant
- One size fits most
- Non-slip ribbing on thumb and finger surfaces

21591 Heavy Duty Multipurpose Gloves (24/cs)



## Tiler's Gloves



- Provides excellent grip and dexterity when handling tile and stone
- Patented SureGrip™ technology provides an over 400% better grip in wet conditions and 60% better grip in dry conditions compared to standard latex and nitrile material
- Durable, lightweight mesh fabric with elastic wrist band to keep gloves in place
- Touchscreen compatible for easy smartphone and tablet use without removing gloves
- 2 pair of gloves per set
- One size fits most

21595 Tiler's Gloves (20 pairs of gloves) (10/cs)

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov. See P. 53, \*Prop 65 - 2.




## Grout Bag



- Reinforced tip for smooth application and long life
- Protects hands from grout and other harsh substances
- Made of puncture and tear resistant coated vinyl

76000 Grout Bag (12/cs)






# TILE SPACERS

## For perfect tile-to-tile leveling

The patented LASH® Tile Leveling system is designed for quick installation and reduces costly call backs by insuring that the finished floor surface is lippage-free. This time-saving system helps adjust the height of the tiles and evenly holds their edges throughout the curing process of the setting material.

- For use with all floor and wall tiles between 1/4" and 7/16" thick.
- Durable nylon construction for a secure installation
- Specially designed break-off point on clips for swift removal
- Produces 1/16" joint spacing
- May be combined with regular tile spacers for wider joints - up to 1/4"
- Wedges are reusable




Curved Clips




Flat Clips



Wedge



LASH® Flat Clip for Floor and Wall Tiles



LASH® Curved Clip for Large Format Tiles

99730	LASH® Flat Slotted Clips, Bag	100 Qty	(8/cs)
99731	LASH® Flat Slotted Clips, Box	300 pc.	(4/cs)
99740	LASH® Flat Slotted Clips, Box	1000 pc.	(1/cs)
99707Q	LASH® Flat Slotted Clips, Box	4800 pc.	Contractor Pack
99724	LASH® Curved Slotted Clips, Bag	100 Qty	(8/cs)
99758	LASH® Curved Slotted Clips, Box	300 pc.	(4/cs)
99726	LASH® Wedges, Bag	100 Qty	(8/cs)
99727	LASH® Wedges, Bag	300 Qty	(4/cs)
99703	LASH® Wedges, Box	3600 pc.	Contractor Pack



## LASH® Pro Pliers



- Speeds installation time
- Easily adjusts for different tile thickness
- Fully adjustable pliers ensure wedges are set properly in the leveling clips, every time
- Removable jaw protective caps allow pliers to accommodate both LASH® and QEP tile leveling system

99757 LASH® Pro Pliers (6/cs)



## Wall & Floor Tile Leveling System

A



A



B




- Available in 1/16" & 1/8" width
- For tiles up to 1/2" thick
- Levels, aligns, spaces and holds tiles for an even tile installation
- Extra wide, flat base design is ideal for wall tile installations

99710Q	1/16" Wall & Floor Tile Leveling Clips, Bags	100 Qty. (8/cs)
99756Q	1/16" Wall & Floor Tile Leveling Clips, Box	2,000 pc. (1/cs) (28/bp)
99718Q	1/8" Wall & Floor Tile Leveling Clips, Bags	100 Qty. (8/cs)
99721Q	1/8" Wall & Floor Tile Leveling Clips, Box	1000 Qty. (1/cs) (60/bp)
99715Q	Wall & Floor Tile Leveling Wedges, Bags	100 Qty. (8/cs)

### QEP Canada (Trilingual Packaging)

99710	1/16" Wall & Floor Tile Leveling Clips, Bags	100 Qty. (8/cs)
99756	1/16" Wall & Floor Tile Leveling Clips, Box	2,000 pc. (1/cs) (28/bp)
99718	1/8" Wall & Floor Tile Leveling Clips, Bags	100 Qty. (8/cs)
99721	1/8" Wall & Floor Tile Leveling Clips, Box	1000 Qty. (1/cs) (60/bp)
99715	Wall & Floor Tile Leveling Wedges, Bags	100 Qty. (8/cs)



H
S

## Wedge Tile Spacers

made in  
**USA**



- Crucial for achieving a level first row of wall tile
- Ideal for maintaining level horizontal grout lines during installation
- Avoids tile slippage on vertical surfaces - will not compress
- Can be used for up to 1/8" (3 mm)

10285 Wedge Tile Spacers, Bag 500 Qty (16/cs)

H
D

## Horseshoe Shims

- Non-compressive
- Ideal for marble, granite, stone, large format tiles and vertical installations.
- Allows user to lift both corners and align the joints from tile to tile

10320Q	1/16" Horseshoe Shims, Tub	200 Qty (6/cs)
10321Q	1/8" Horseshoe Shims, Tub	150 Qty (6/cs)
10322Q	3/16" Horseshoe Shims, Tub	100 Qty (6/cs)
10323Q	1/4" Horseshoe Shims, Tub	75 Qty (6/cs)

### QEP Canada (Trilingual Packaging)

10320	1/16" Horseshoe Shims, Tub	200 Qty (6/cs)
10321	1/8" Horseshoe Shims, Tub	150 Qty (6/cs)
10322	3/16" Horseshoe Shims, Tub	100 Qty (6/cs)
10323	1/4" Horseshoe Shims, Tub	75 Qty (6/cs)



1/16"  
1.5 mm



1/8"  
3 mm



3/16"  
5 mm



1/4"  
6 mm




S
---

## Traditional, Flexible Tile Spacers

made in  
USA

- Flexible, soft plastic design for easy maneuvering in tile joints
- Evenly space tiles for uniform grout lines
- For easy removal, use spacers vertically in traditional tombstone-style
- Works with all sizes of ceramic tile, porcelain, stone and marble


10334	1/16" Tile Spacers, Bag	300 Qty	(24/cs)
10335	1/8" Tile Spacers, Bag	500 Qty	(14/cs)
10336	3/16" Tile Spacers, Bag	300 Qty	(14/cs)
10005	1/4" Tile Spacers, Bag	200 Qty	(15/cs)
10027	3/8" Tile Spacers, Bag	100 Qty	(20/cs)



## Hard, Leave-in Tile Spacers

- Use as traditional vertical tombstone-style or inset leave-in installation method
- Leave-In design reduces installation time
- Will not compress when setting marble, granite, stone and large format tile
- Easy to handle, extra long prongs assure perfect 90° grout corners

10330-20	1/16" Leave-In Spacers, Bag	300 Qty	(20/cs)
10331-18	1/8" Leave-In Spacers, Bag	300 Qty	(18/cs)
10332	1/16" Tile Spacers, Bag	200 Qty	(12/cs)
10333	1/4" Leave-In Spacers, Bag	200 Qty	(10/cs)





# KNEEPADS

## F3 Stabilizer Professional Knee Pads



# STABILIZER

FORMS FITS FLEXES

## Comfort Wrap Technology with Memory Foam

- Memory foam conforms to your knee shape for a custom fit
- XL Patella Gel Zone and 5 Layer Comfort System provides extended total knee comfort
- Soft Cap Stabilizer for hard or soft surfaces
- Micro hook and loop fastening technology on the entire strap length for a perfect fit
- Convenient side pen loops for pen storage to quickly make marks



79642 F3 Stabilizer Professional Knee Pads (6/cs)

## ProMAX Gel Knee Pads



# ProMAXGel

- Gel layer is fully encapsulated in EVA foam to prevent delamination and minimize wear
- Textured cap surface for a non-slip grip and moisture-wicking neoprene liner for comfort
- Micro hook and loop fastening technology down the length of the strap for a perfect fit
- Convenient side pen loops for pen storage to quickly make marks



79645 ProMAX Gel Knee Pads (6/cs)

## Comfort Grip Knee Pads



- Comfortable EVA form-fitting foam padding for cushioning
- Soft neoprene inner lining will not adsorb sweat so the knee pads won't develop an odor
- Stretching, neoprene strap with adjustable hook and loop fasteners hold the knee pads in place
- New - Convenient side pen loops for pen storage to quickly make marks



79634 Comfort Grip Knee Pads (8/cs)

## Washable Knee Pads



- Compression molded EVA foam for easy washing with a neoprene liner for comfort
- Economical and lightweight for comfort and easy mobility
- Adjustable hook and loop fastening straps hold the knee pads in place



79640 Washable Knee Pads (14/cs)



## TROWELS & FLOATS

# LONGEST LASTING BLADES IN THE INDUSTRY


XL Cork Handle Notched Trowels	Comfort Grip Stainless Steel Notched Trowels	Wood Handle Notched Trowels	Economy Notched Trowels
 <p><b>D</b></p>	 <p><b>D</b></p>	 <p><b>D</b></p>	 <p><b>S</b></p>
<ul style="list-style-type: none"> <li>• QEP XL Cork Series trowels are engineered by the pros for the pros</li> <li>• Rustproof 12" x 4-1/2" stainless steel blade designed for long lasting durability</li> <li>• New Cork Comfort Grip for better cushion and anti-slipage in the hand</li> <li>• Extra handle-to-shank distance allows maximum hand clearance</li> <li>• Longer shank with reinforced exposed rivets for added strength</li> </ul> <p>No. in case 12</p>	<ul style="list-style-type: none"> <li>• High quality 11" x 4-1/2" trowel designed for the professional</li> <li>• Rustproof stainless steel blade</li> <li>• Large, contoured and cushioned grip handles for comfort</li> <li>• Durable 230 mm aluminum die-cast shank</li> <li>• Extra handle-to-shank clearance to allow for complete hand rotation</li> <li>• Longer shank with 9 rivets</li> <li>• First and last rivet reinforced and welded</li> </ul> <p>No. in case 12</p>	<ul style="list-style-type: none"> <li>• Quality trowel measuring 11" x 4-1/2" designed for the professional installer</li> <li>• Hardened and tempered steel blade, ground and polished for long lasting durability</li> <li>• Large wooden handle for an easy grip</li> <li>• Aluminum die-cast shank</li> <li>• Some notches available in 16" lengths</li> </ul> <p>No. in case 12</p>	<ul style="list-style-type: none"> <li>• Quality trowel measuring 9" x 4"</li> <li>• Hard, cold-rolled steel blade for longer wear</li> <li>• High-impact black plastic handle</li> </ul> <p>No. in case 30</p>

## For Tile, Marble and Stone

(C) Also available in Canada

Notch Size	Application	Cork Handle (12" Blade)	Comfort Grip (11" Blade)	Wood Handle (11" Blade)	Economy
 <p>3/16" x 5/32" V</p>	For plastic, wall, ceramic & metal tile 6" x 6" or smaller and mosaics on drywall. Also for wall base.		49917		10115Q
 <p>1/4" x 3/16" V</p>	For ceramic, metal & aluminum wall tile 6" x 6" up to 12" x 12"			49716	10116 Canada Only
 <p>1/4" x 1/4" x 1/4" SQ</p>	For thinset application of ceramic tile 8" x 8" or smaller, laminated wood plank flooring, flat milled solid & shorts or plywood	49950 49953 Canada Only	49915	49713	10113Q
 <p>1/4" x 3/8" x 1/4" SQ</p>	Thinset application of ceramic tile 8" x 8" up to 16" x 16"	49951 49954 Canada Only	49916	49714	10114Q
 <p>1/2" x 1/2" x 1/2" SQ</p>	Thinset or medium bed mortar application of natural stone, quarry tile, pavers, saltillo and ceramic tiles 12" x 12" and larger	49952 49955 Canada Only	49919	49720	10120Q

Always check adhesive/mortar manufacturer's trowel recommendations before selecting a trowel notch.  
**All Trowels Measure: Width x Depth x Space Apart**  
 Recommended notch sizes by NTCA (National Tile Contractors Association)



## Patch & Finishing Trowel



- For leveling, patching and finishing
- Hardened, tempered, ground and polished steel blade
- Die-cast aluminum shank with wood handle

49708 Patch & Finishing Trowel 11" x 4-1/2" No Notch (12/cs)

S

## Margin Trowel



- Enlarged 6 in. x 2 in. blade is made from ground, tempered and hardened steel for flexibility and durability
- Patent pending bucket hook for easy storage on the side of your bucket
- Co-molded plastic handle with non-slip, rubber grip for comfortable repeat use

42112 6" x 2" Comfort Grip Margin Trowel No Notch (12/cs)

42114 6" x 2" Margin Trowel Square Notch 1/4" x 1/4" x 1/4" (12/cs)



D

## Bucket Scoop



- Quickly scoop setting materials, stucco and more
- Large comfort grip, contoured cushion handle
- 33% longer blade to hold more material
- Curved blade fits 5 gallon buckets
- Stainless steel blade

42113Q Bucket Scoop (6/cs)

H

## Stone Grout Float



- Soft body design provides maximum flex and leverage for working grout into tile joints, with sanded and non-sanded grouts, for textured tile and natural stone
- For all grout types, including epoxy
- Inner aluminum backing plate offers strength and stability
- Comfortable, contoured and cushioned handle reduces fatigue
- Beveled sides hold edge longer
- Squared corners ensure complete coverage in corners

10069 Stone Grout Float, 10" x 3-1/2" (12/cs)



## Gum Rubber Grout Float



- Non-stick gum rubber ensures smooth application
- 2-rounded corners prevent gouging of grout joints
- 2-square corners ensure complete grout coverage in corners
- Extra thick aluminum backing plate for maximum leverage and applying grout into joints
- Premium gum rubber laminated to lightweight, closed cell core is built to last

10070 Gum Rubber Grout Float, Wood Handle, 10-1/2" x 4" (12/cs)



## Universal Grout Float



- Non-stick gum rubber ensures smooth application for all grout types including epoxy
- 2-rounded corners prevent gouging of grout joints
- 2-square corners ensure complete grout coverage in corners
- Extra thick aluminum backing plate for maximum leverage and applying grout into joints.
- Comfortable, contoured and cushioned grip handle reduces fatigue

10074 Universal Grout Float 9-1/2" x 4" (8/cs)



## Molded Rubber Grout Float



- Non-stick 5/8 in. molded gum rubber pad prevents absorption of materials
- Aluminum back plate for durability and beveled sides for a smooth application

10060 Molded Rubber Grout Float 9-1/2" x 4" (12/cs)



## Economy Rubber Grout Float



- High-impact plastic handle with closed cell foam rubber pad for a smooth application

10062Q Economy Rubber Grout Float 9" x 4" (24/cs)



## Margin Float



- Ideal for hard-to-reach areas such as kitchen backsplashes or under bath and kitchen counters
- Enlarged 6" x 2" gum rubber pad with tempered and hardened steel backing plate
- Patent pending bucket hook for easy storage on the side of your bucket
- Co-molded plastic handle with non-slip, rubber grip for comfortable repeat use

42117 6" Margin Float, Comfort Grip (12/cs)





**UNDERLAYMENTS**

## Natural Cork Sheets



- Reduces sound transmission from both the surface of a floor as well as through the floor to living spaces below
- Use under ceramic tile, stone, marble, engineered hardwood and laminate floors
- Acts as a crack isolation membrane that resists transfer of stress cracks from subfloor through to flooring surfaces
- Reduces thermal transmission, increasing the effectiveness of floor heating systems
- Each sheet: 2' x 3'

72025	2.5 mm Sheets – 696 sq. ft./case, (116/cs) Only available in Canada
72004	3/16" (4 mm) Sheets – 456 sq. ft./case, (76/cs) Only available in Canada
72005Q	1/4" (6 mm) Sheets - 30 sq. ft./pack, (5 sh/pk) (8/cs)
72005-25	1/4" (6 mm) Sheets - 150 sq. ft./pack, (25 sh/pk) (1/cs)
72001Q	1/2" (12 mm) Sheets - 150 sq. ft./case, (25 sh/pk) (1/cs)

	Test Results	IIC Rating	STC Rating	Δ Rating*
72025	With 6" cement slab and suspended ceiling	60	59	22
72005Q / 72005-25	With 6" cement slab	51	52	22
72005Q	With 6" cement slab and suspended ceiling	61	60	22

S

## Natural Cork Roll



- Reduces sound transmission from both the surface of a floor as well as through the floor to living spaces below
- Use under ceramic tile, stone, marble, engineered hardwood and laminate floors
- Acts as a crack isolation membrane that resists transfer of stress cracks from subfloor through to flooring surfaces
- Reduces thermal transmission, increasing the effectiveness of floor heating systems

72000Q	1/4" (6 mm) Natural Cork Roll – 200 sq. ft. roll, 48" x 50' (1/cs)
72003Q	1/4" (6 mm) Natural Cork Roll – 100 sq. ft. roll, 48" x 25' (1/cs)
72008Q	1/8" (3 mm) Natural Cork Roll – 200 sq. ft. roll, 48" x 50' (1/cs)

	Test Results	IIC Rating	STC Rating	Δ Rating*
72000Q	With 6" cement slab	51	52	22
72000Q	With 6" cement slab & suspended ceiling	61	60	22
72003Q	With 6" cement slab	51	52	22
72003Q	With 6" cement slab & suspended ceiling	61	60	22

\* IIC measures sound such as moving furniture and walking, STC measures sound such as voices and television. Minimum sound rating required by most building codes and architects is 50. Δ Delta Rating is the only true measurement of sound reduction from a product (not a floor assembly) in the industry.

## Cork Plus



- Constructed of natural cork and recycled EVA foam, making it more flexible and less prone to breakage than standard cork underlayment
- Acoustical sound control under ceramic tile and stone
- Enhances stress crack suppression
- Reduces thermal transmission, increasing effectiveness of floor heating systems
- Can also be used under laminate and floating floors
- Easy to install on and above grade in both glue-down and floating floor installations

72019	1/4" (6 mm) Sheets - 30 sq. ft./pack, (5 sh/pk) (8/cs)	R-Value 0.187
72019-25	1/4" (6 mm) Sheets - 150 sq. ft./pack, (25/cs)	
72002	1/4" (6 mm) Roll - 200 sq. ft. roll, 48" x 50' (1/cs)	

	Test Results	IIC Rating	STC Rating	Δ Rating*
72019	Engineered wood on a 6" cement slab	52	51	22
	Ceramic tile on a 6" concrete slab with a suspended ceiling	63	61	
72019-25	Engineered wood on a 6" cement slab	52	51	22
	Ceramic tile on a 6" concrete slab with a suspended ceiling	63	61	
72002	Engineered wood on a 6" cement slab	52	51	22
	Ceramic tile on a 6" concrete slab with a suspended ceiling	63	61	



## Aquabar® "B" Moisture Vapor Barrier



- Sub-floor barrier helps prevent buckling, cupping and cracking
- Ideal for interior installations of: ceramic, porcelain or stone over cement board, plywood or concrete; and, finished or unfinished wood floors over plywood or concrete

70-195 500 sq. ft. roll - 36 in. x 167 ft. (1/cs)

\* IIC measures sound such as moving furniture and walking, STC measures sound such as voices and television. Minimum sound rating required by most building codes and architects is 50. Δ Delta Rating is the only true measurement of sound reduction from a product (not a floor assembly) in the industry.



## **BACKERBOARD & TOOLS**

## X-TREME Cement Backer Board




Ratings	
R-Value	0.493 / in.
K-Value	2.03 BTU / °F-ft <sup>2</sup> -H

## Available as Full Container Orders Only

A better environmental alternative and upgrade to replace gypsum and cement backer boards for walls, floors and countertops

- Meets and exceeds International Building Standards
- Contains no silica, no asbestos, no VOCs, no harmful additives
- Contains up to 30% post-industrial recycled content and is recyclable
- Contributes to LEED credits and NAHB Green Building Program Credits
- Zero fire and smoke rating
- Unaffected by water or water vapor, will not swell, rot, delaminate or disintegrate
- Absorbs sound better than gypsum products
- Mold and mildew resistant
- Excellent for use with in-floor heat systems

73000	Backerboard, 1/4" Thick, 36" x 60" (50/pallet)
73002	Backerboard, 1/2" Thick, 36" x 60" (50/pallet)

## Cement Board Screws



- For use in the attachment of Durock®, WonderBoard® and HardieBacker® cement board
- No pre-drilling necessary
- Corrosion resistant coating
- Wafer head with ribbed countersinking profile for flush seating

99602Q	1-1/4" - # 8 High Low Cement Board Screws, (200 screws/pkg) (12/case)
--------	---



## Backerboard Scoring Knife



- 3-in-1 tool features carbide tips that score the backer board
- 2 tips for straight cuts, 1 chisel point tip for digging
- Dual hooks cut mesh reinforcement to completely separate backer board
- Rubber handle with non-slip grip for comfortable repeat use

10058	Backerboard Scoring Knife (12/case)
-------	-------------------------------------



## Board Seam Tape



- For use in seaming all types of cement backerboard and tile underlayment
- Alkali resistant fiberglass mesh, self-adhesive tape - reduces taping time
- Resists tears and will not shrink

99600	Board Seam Tape - 2" x 50' roll (24/cs)
99605Q	Cement Board Seam Tape - 2" x 150' roll (18/cs)





**TEAR-OUT**

## 14" Surface Scraper

made in  
USA



- Flexible 14" blade helps remove old floors and cleans up excess debris
- Great for removing vinyl, carpet glue, plaster and popcorn ceilings
- 5' long handle and flex blade made of premium quality carbon steel offer long-lasting durability

20900Q 14" Surface Scraper with Blade (6/cs)

21000Q 14" Replacement Blade (3/cs)

QEP Canada (English/French Packaging)

20902C 14" Surface Scraper with Blade (6/cs) (Made in China)



## Demolition Scraper

made in  
USA



- Unique reversible hardened steel blade can easily be converted from 5" to 3" wide (ideal for scraping in tight areas)
- Double angled design offers increased leverage during scraping and prying
- Great for removing tile, wood, laminate, stone, carpet, ice and roofing
- Resharpenable hard steel (use file or grinder)
- Galvanized steel ergonomic handle reduces fatigue

62965Q Demolition Scraper (3/cs)



## 7" Heavy Duty Floor Scraper

made in  
USA



- Thick, professional high-carbon steel 7" blade scrapes up concrete, marble, ceramic tile and wood floors
- All welded construction made of pipe steel with a replaceable rigid blade
- Rips up roofing and vinyl flooring; Chips away cement and plaster
- 4' long handle includes foot peg for better leverage on difficult projects
- Great for ice removal

75006Q 7" Heavy-Duty Floor Scraper with Blade (6/cs)

75007Q 7" Replacement Blade (3/cs)

QEP Canada (English/French Packaging)

75017C 7" Heavy-Duty Floor Scraper with Blade (6/cs)  
(Made in China)

## 8" Adjustable Razor Floor Scraper



- Twist lock adjustable telescoping handle adjusts from 3' to 6' in length
- Removes old adhesive, vinyl, carpet and other floor covering materials
- Deluxe cushioned grip handle provides added comfort
- 15° angled 8" blade head for ease of comfort when scraping
- Canvas blade guard included

62909Q 8" Adjustable Razor Floor Stripper (6/cs)

### REPLACEMENT BLADES:

62904Q 8" Stripper Blades (3 on a skincard) (10/cs)

62907Q 8" Stripper Blades (10 on a skincard) (1/cs)

QEP Canada (English/French Packaging)

62909QC 8" Adjustable Razor Floor Stripper (6/cs)



Includes  
canvas  
cover

## Floor and Wall Scraper



- Handle features internal blade storage and built-in screwdriver for easy accessibility
- Attach handle to a threaded pole for an extended reach
- Metal hammer end for use on stubborn material
- Includes five 4" stainless steel blades
- Co-molded plastic handle core with non-slip, rubber grip

62920 Floor and Wall Scraper (12/cs)

### REPLACEMENT BLADES:

62901 4" Razor Scraper Replacement Blades  
(5 on a skincard) (6/cs)



## Chisel Scraper



- Heavy duty 3 in. stainless steel blade
- Attach handle to a threaded pole for an extended reach
- Metal hammer end for use on stubborn material
- Co-molded plastic handle core with non-slip, rubber grip

62972 Chisel Scraper (6/cs)



# INDEX *By Item Number*

Item #	Description	Page	Item #	Description	Page
6-1001Q	10" Continuous Rim Diamond Blade- Black Series	10	10220Q	20" Professional Tile Cutter	13, 14
6-1003Q	10" Continuous Rim Diamond Blade- Gold Series	10	10221Q	21" Professional Tile Cutter	13, 14
6-1008BW	10" Black Widow® Blade	10	10279	Grout Sealer Applicator	24
6-4001Q	4" Continuous Rim Diamond Blade- Black Series	10	10285	Wedge Tile Spacers	30
6-4003Q	4" Continuous Rim Diamond Blade- Gold Series	10	10320	1/16" Horseshoe Shims	30
6-4006GLQ	4" Continuous Rim Diamond Blade- Glass Series	10	10321	1/8" Horseshoe Shims	30
6-4008BW	4" Black Widow® Blade	10	10322	3/16" Horseshoe Shims	30
6-7001Q	7" Continuous Rim Diamond Blade- Black Series	10	10323	1/4" Horseshoe Shims	30
6-7003Q	7" Continuous Rim Diamond Blade- Gold Series	10	10330-20	1/16" Leave-In Spacers	31
6-7006GLQ (-C)	7" Continuous Rim Diamond Blade- Glass Series	10	10331-18	1/8" Leave-In Spacers	31
6-7008BW	7" Black Widow® Blade	10	10332	3/16" Leave-In Spacers	31
6-8001Q	8" Continuous Rim Diamond Blade- Black Series	10	10333	1/4" Leave-In Spacers	31
6-8003Q	8" Continuous Rim Diamond Blade- Gold Series	10	10334	1/16" Tile Spacers	31
6-8008BW	8" Black Widow® Blade	10	10335	1/8" Tile Spacers	31
70-195	Aquabar® "B" Moisture Vapor Barrier	41	10336	3/16" Tile Spacers	31
10003	Tile Nipper	18	10480Q	48" LFT Manual Cutter	12, 14
10005	1/4" Tile Spacers	31	10500	22-1/2" Big Clinker Tile Cutter	12, 14
10010HD	Tungsten Carbide Cutting Wheel	13, 14	10521Q	21" Pro Tile Cutter	13, 14
10020	Grout Remover	23	10569	1-3/8" Porcelain Diamond Hole Saw w/Drill Guide and Water Cooling System	19
10022	Rubbing Stone	22	10570	1-3/8" Hole Saw Mounting Tape	19
10027	3/8" Tile Spacers	31	10571	5/16" Porcelain Diamond Drill Bit w/Drill Guide and Water Cooling System	19
10038	Locking Contour Gauge	20	10572	1/4" Porcelain Diamond Drill Bit w/Drill Guide and Water Cooling System	19
10041Q	HANDI VICE™	20	10585	3" PRO Diamond Jigsaw Blade	20
10057	Grout Saw	23	10586	Pro Diamond Grit File	22
10058	Backerboard Scoring Knife	43	10600BR	25" Big Clinker Tile Cutter	12, 14
10060	Molded Rubber Grout Float	38	10624Q	XTREME™ Series 24" Slimline Manual Tile Cutter	11, 14
10062Q	Economy Rubber Grout Float	38	10630Q	24" Professional Tile Cutter	12, 14
10069	Stone Grout Float	37	10632Q	XTREME™ Series 30" Slimline Manual Tile Cutter	11, 14
10070	Gum Rubber Grout Float, Wood Handle	37	10636Q	XTREME™ Series 36" Slimline Manual Tile Cutter	11, 14
10074	Universal Grout Float	37	10711	Multi-Use Trim Shears	20
10075	1/4" Diamond Drill Bit	19	10800	27" Big Clinker Tile Cutter	12, 14
10076Q	XL Grout Scrubber	27	10900Q	35" Professional Tile Cutter	12, 14
10080	5/16" Diamond Drill Bit	19	19999	Grout Sealer Brush Applicator	24
10087	1-3/8" Diamond Hole Saw	19	20842	Grout Brush	24
10093	Pro Grout Saw	23	20900Q	14" Surface Scraper with Blade	45
10103	XTREME™ Series Offset Tile Nipper	18	20902C (-C)	14" Surface Scraper with Blade	45
10113Q	Economy Notched Trowel 1/4" x 1/4" x 1/4"	35	21000Q	14" Replacement Blade	45
10114Q	Economy Notched Trowel 1/4" x 3/8" x 1/4"	35	21123Q	7/8" Titanium-Coated Tungsten Carbide Cutting Wheel	12, 14
10115Q	Economy Notched Trowel 3/16" x 5/32" V	35	21125	7/8" Titanium-Coated Tungsten Carbide Cutting Wheel	12, 14
10116	Economy Notched Trowel 1/4" x 3/16" V	35	21127Q	10 mm Post Scoring Wheel	13, 14
10120Q	Economy Notched Trowel 1/2" x 1/2" x 1/2"	35	21178	7/8" Titanium-Coated Tungsten Carbide Cutting Wheel	11-14
10214Q	14" Professional Tile Cutter	13, 14	21591	Heavy Duty Multipurpose Gloves	27

## INDEX *By Item Number Continued*

Item #	Description	Page	Item #	Description	Page
21595	Tiler's Gloves	27	62901	4" Razor Scraper Replacement Blades	46
21661	Professional Mixing Paddle	16	62904Q	8" Stripper Blade	46
21700	Power Mixer Pro	16	62907Q	8" Stripper Blade	46
22400Q	4" Torque Master XT Portable Tile Saw	8, 9	62909Q (-C)	8" Adjustable Razor Floor Stripper	46
22700Q	7" 700XT Tile Wet Saw	7, 9	62920	Floor and Wall Scraper	46
22750Q	7" 750XT Tile Wet Saw	7, 9	62963	Thinset Removal Tool	24
22900Q	7" Power Pro 1HP Tile Saw	6, 9	62965Q	Demolition Scraper	45
32010	Glass Tile Nipper	18	62972	Chisel Scraper	46
32014	XTREME™ Series Glass Tile Nipper	19	70004Q-32	Sponge Sheet	25
32024	Tile Cutter	18	70005Q-6D	Heavy Duty All-Purpose Sponge	25
32036	Compound Tile Nipper	18	70005Q-24	Heavy Duty All-Purpose Sponge	25
38229	Toilet Installation Kit	27	70005C-24(-C)	Heavy Duty All-Purpose Sponge	25
38233	No-Seep Wax Ring, No. 50	27	70005Q-144	Heavy Duty All-Purpose Sponge	25
38778	Mechanical China Marker	21	70005Q-600	Heavy Duty All-Purpose Sponge	25
42112	Comfort Grip Margin Trowel	36	70007-24	Scrubbing Sponge	25
42113Q	Bucket Scoop	36	70007C-24(-C)	Scrubbing Sponge	25
42114	Margin Trowel Square Notch	36	70010	Microfiber Polishing Sponge	25
42117	Margin Float, Comfort Grip	38	70010C-24(-C)	Microfiber Polishing Sponge	25
49708	Patch & Finishing Trowel	36	70018	Microfiber Grout Cleaning Cloth	26
49713	Wood Handle Notched Trowel 1/4" x 1/4" x 1/4"	35	70019Q	Microfiber Surface Cleaning Cloth	26
49714	Wood Handle Notched Trowel 1/4" x 3/8" x 1/4"	35	72000Q	Natural Cork Roll	40
49716	Wood Handle Notched Trowel 1/4" x 3/16" V	35	72001Q	Natural Cork Sheets	40
49720	Wood Handle Notched Trowel 1/2" x 1/2" x 1/2"	35	72002	Cork Plus Roll	41
49915	Comfort Grip Stainless Steel Notched Trowel 1/4" x 1/4" x 1/4"	35	72003Q	Natural Cork Roll	40
49916	Comfort Grip Stainless Steel Notched Trowel 1/4" x 3/8" x 1/4"	35	72004	Natural Cork Sheets	40
49917	Comfort Grip Stainless Steel Notched Trowel 3/16" x 5/32" V	35	72005-25	Natural Cork Sheets	40
49919	Comfort Grip Stainless Steel Notched Trowel 1/2" x 1/2" x 1/2"	35	72005Q	Natural Cork Sheets	40
49950	XTREME™ Cork Handle Notched Trowel 1/4" x 1/4" x 1/4"	35	72008Q	Natural Cork Roll	40
49951	XTREME™ Cork Handle Notched Trowel 1/4" x 3/8" x 1/4"	35	72019	Cork Plus Sheets	41
49952	XTREME™ Cork Handle Notched Trowel 1/2" x 1/2" x 1/2"	35	72019-25	Cork Plus Sheets	41
49953 (-C)	XTREME™ Cork Handle Notched Trowel 1/4" x 1/4" x 1/4"	35	72025	Natural Cork Sheets	40
49954 (-C)	XTREME™ Cork Handle Notched Trowel 1/4" x 3/8" x 1/4"	35	73000	XTREME™ Board - 1/4", thick, 36" x 60"	43
49955 (-C)	XTREME™ Cork Handle Notched Trowel 1/2" x 1/2" x 1/2"	35	73002	XTREME™ Board - 1/2", thick, 36" x 60"	43
60095	120 V Submersible Tile Saw Water Pump	9	75000	Suction Cup	21
60098	120 V Submersible Tile Saw Water Pump	6	75003Q	Double Suction Cup	21
61205	Professional Mixing Paddle	17	75006Q	7" Heavy-Duty Floor Scraper with Blade	45
61210	Universal Mixing Paddle	17	75007Q	7" Replacement Blade	45
61230	30" XL Spiral Pro Mixer	16	75011	Replacement Grout Saw Blades 2 pack	23
61613	White Rubber Mallet	22	75012	XTREME™ Series Double Suction Cup for Large Format Tile	22
61625	Tile Mallet	22	75017C (-C)	7" Heavy-Duty Floor Scraper with Blade	45
61900Q	10" 900XT Pro Tile Saw	5, 9	76000	Grout Bag	27
61900Q-31	High Volume Water Pump	5, 9	76030	Polishing Cheesecloth	26

## INDEX *By Item Number Continued*

Item #	Description	Page
78200	5 Gallon Plastic Mixing Bucket	17
78208	3-1/2 Gallon Plastic Mixing Bucket	17
78220Q (-C)	Tile Installation Kit	26
78250Q	Floor & Wall Tile Installation Kit	24
79634	Comfort Grip Knee Pads	33
79640	Washable Knee Pads	33
79642	F3 Stabilizer Professional Knee Pads	33
79645	ProMax Gel Knee Pads	33
83200Q	24" Bridge Saw	6, 9
99600	Board Seam Tape	43
99602Q	Cement Board Screws	43
99605Q	Cement Board Drywall Joint Tape	43
99703	LASH® Wedges	29
99707	LASH® Flat Slotted Clips	29
99710	Wall & Floor Tile Leveling Clips	30
99718	Wall & Floor Tile Leveling Clips	30
99721	Wall & Floor Tile Leveling Clips	30
99724	LASH® Curved Slotted Clips	29
99726	LASH® Wedges	29
99727	LASH® Wedges	29
99730	LASH® Flat Slotted Clips	29
99731	LASH® Flat Slotted Clips	29
99740	LASH® Flat Slotted Clips	29
99756	Wall & Floor Tile Leveling Clips	30
99757	LASH® PRO Pliers	29
99758	LASH® Curved Slotted Clips	29

# INDEX *By Description*

Description	Page
<b>B</b>	
Blades, Diamond	10
Blades, Grout Saw	23
Blades, Jigsaw	20
Blades, Scraper	45-46
Bridge Saw	6
Bucket Scoop	36
Buckets	17
<b>C</b>	
Cheesecloth	26
Clamps	20
Contour Gauge	20
Cutting Wheels	12-14
<b>D</b>	
Drill Bits	19
<b>F</b>	
Files	21
Floats	37-38
Flooring Cutters	11-14
<b>G</b>	
Gloves	27
Grout Bag	27
Grout Brush	24
Grout Saw	23
<b>H</b>	
Hole Saws	19
Horseshoe Shims	30
<b>I</b>	
Installation Kits	24
<b>K</b>	
Knee Pads	33

Description	Page
<b>M</b>	
Mallets	22
Microfiber Cloth	26
Mixers	16
Mixing Paddle	16-17
Moisture Barriers	41
<b>N</b>	
Nippers	18-19
<b>S</b>	
Scrapers	45-46
Screws, Cement Board	43
Sealer Applicators	24
Sponges	25-26
Suction Cups	21
<b>T</b>	
Tape, Cement Board	43
Thinset Removal Tool	24
Tile Cutters	11-14
Tile Leveling Systems	31,32
Tile Saws	5-9
Tile Spacers	29-31
Toilet Installation	27
Trim Shears	20
Trowels	35-36
<b>U</b>	
Underlayment, Cork	40-41
<b>W</b>	
Water Pumps	5-7, 9
<b>X</b>	
XTREME™ Board	43

# INDUSTRY PARTNERSHIPS



## About California Proposition 65

Proposition 65 is a California regulatory law that requires businesses to notify California consumers about specific chemicals in the products they purchase so they can make informed decisions about protecting themselves from exposure to these chemicals. This law requires companies to properly label products that contain chemical(s) above certain threshold levels.

As part of Q.E.P. Co. Inc.'s continued best business practice and compliance program, we comply with Proposition 65 warning requirements and provide product-associated warnings. We are dedicated to meeting consumer product safety requirements applicable to our products and strive to provide high quality and safe products.

For more information on California Proposition 65, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

\*Prop 65 - 1. **⚠ WARNING:** This product can expose you to chemicals including DEHP which is known to the State of California to cause cancer, birth defects or other reproductive harm.

\*Prop 65 - 2. **⚠ WARNING:** This product can expose you to chemicals including N, N-Dimethylformamide, which is known to the State of California to cause cancer, birth defects and other reproductive harm.

QEP®, LASH® and Black Widow® are registered trademarks of Q.E.P. Co., Inc.

Aquabar® "B" is a registered trademark of Fortifiber LLC.

Durock® is a registered trademark of United States Gypsum Company

Fluidmaster® is a registered trademark of Fluidmaster, Inc.

HardieBacker® is a registered trademark of James Hardie International Finance B.V.

No-Seep® is a registered trademark of William H. Harvey Co.

WonderBoard® is a registered trademark of Custom Building Products

The products, specifications, and Prop 65 Warnings listed in this catalog are current as of the printed date of this catalog and are subject to change.

Access product data sheets, technical bulletins, warranties and SDS documents 24 hours a day, 7 days a week through our continuously updated website.



**Providing Professional Quality  
Tile Tools and Flooring Products  
for Over 40 Years.**



1001 Broken Sound Parkway, NW | Suite A  
Boca Raton, Florida 33487

[www.qep.com](http://www.qep.com)

[www.qepcorporate.com](http://www.qepcorporate.com)

For more information call 866-435-8665

Se habla español

QEPTOOL2021