



ROBERTS™

80TH ANNIVERSARY

1938

2018

TOOL CATALOG



CELEBRATING
80 YEARS OF
INGENUITY

a quality brand of





In 1938, Roy Roberts came up with an idea of how to install wall-to-wall carpet without using the traditional method of using tacks around the edges of the room. Roy Roberts, Hugh Livie and Ken Bishop each put up \$1,000 and invested in some plywood, a Sears-Roebuck table saw, a keg of shingle nails, pliers, hammers and similar essentials. And so, the story of ROBERTS and the ROBERTS carpet gripper was born.

While traveling around the country selling and training installers on how to use 'tackless carpet strip', the three partners gained tremendous knowledge about carpet installation. It gave them an opportunity to see firsthand what other materials and products might be necessary to help modernize carpet installation techniques for the whole industry. There was an obvious need for modern tools and techniques. The partners obtained national sales rights for the most modern knee-kickers and extension stretchers they could find. They then acquired manufacturing rights and made improvements under the ROBERTS label. The company held early patents on knee kickers, carpet seaming irons, loop pile carpet cutters, carpet knives, a carpet binding machine and tack strip. As they developed new tools and new ways to install flooring, they continued to educate carpet installers on newer methods of installations.

The carpet industry had also just begun to use liquid latex for carpet seaming and repair, so the newly formed company developed a new latex formula of its own and labeled it Rubber-edge, laying the groundwork for today's thriving adhesives division of Roberts Consolidated Industries, Inc.

Now, 80 years later and with locations and product lines known throughout the world, generations of installers have grown up using ROBERTS adhesives, carpet installation tools and accessories. Worldwide, the ROBERTS name continues to be the manufacturer of choice for installation professionals who demand quality and reliability.

Supporting Professional Installers

- Since 1938 -

CONTENTS



TACK STRIP & NAILS

PREMIUM TACK STRIP, STRIP CUTTERS, NAILS

04



CARPET TOOLS

CARPET STRETCHERS, HEAT BOND IRONS, HAND TOOLS

11



CARPET CUTTING & JAMB SAWS

CARPET TRIMMERS, TUCKERS, SCISSORS, KNIVES & BLADES, JAMB SAWS

22



VINYL TOOLS

CUTTERS & BLADES, HAND TOOLS, ROLLERS

31



WOOD & LAMINATE TOOLS

FLOOR CUTTERS, INSTALL KITS, HAND TOOLS, PUTTY, PORTA-NAILS®

35



TROWELS

CARPET, VINYL, WOOD

43



PLYWOOD UNDERLAYMENTS

ACCUPLY, ENSTRON

46



UNDERLAYMENTS

LAMINATE, WOOD, LVT, VINYL, CORK

48



TAPE

INSTALLATION TAPE, RUG GRIPPER™, UNDERLAYMENT SEAM TAPE

54



TEAR-OUT TOOLS

HAND TOOLS, SCRAPERS & BLADES

57



TACK STRIP

EagleGrip Tack Strip

ROBERTS



- 1" extra wide premium tack strip
- Made from premium Arctic Birch for the strongest, flattest tack strip
- Most widely used type of carpet tack strips
- 68 pins for firm hold
- Front and back rows of pins are moved farther apart for extra strength and easier hooking with stiff carpets or thick cushion
- Use during residential and commercial installations when extra holding power is desired
- Manufactured using Carb Phase II and TSCA Title VI compliant materials
- 400 feet per case

Pre-Nailed

EG-320	Pre-Nailed Wood (Regular 3/4" ring shank nail)
EG-321	Pre-Nailed Wood (Heavy Duty 1" ring shank nail)
EG-340	Pre-Nailed Concrete (Regular 11/16" x 12 gauge nail)
EG-342	Pre-Nailed Concrete (Heavy Duty 5/8" x 10 gauge nail)

Regular Smoothedge

ROBERTS



- 7/8" wide premium plywood tack strip
- The most economical type of carpet tack strips available
- Use during routine residential and commercial installations, when cost is the most important consideration
- Manufactured using Carb Phase II and TSCA Title VI compliant materials
- 400 feet per case

Standard

RS-100	No anchoring nails
--------	--------------------

Pre-Nailed

RS-120	Wood (Regular 3/4" ring shank nail)
RS-140	Concrete (Regular 11/16" x 12 gauge nail)
RS-142	Concrete (Heavy Duty 5/8" x 10 gauge nail)
RS-180	Elastical (1-1/4" spiral concrete nail)

Extra Wide Smoothedge

ROBERTS



- 1" extra wide premium plywood tack strip
- Most widely used type of carpet tack strips
- Front and back rows of pins are moved farther apart for extra strength and easier hooking with stiff carpets or thick cushion
- Use during residential and commercial installations when extra holding power is desired
- Manufactured using Carb Phase II and TSCA Title VI compliant materials
- 400 feet per case

Standard

RS-300	No anchoring nails
--------	--------------------

Pre-Nailed

RS-320	Wood (Regular 3/4" ring shank nail)
RS-320C	Wood (Regular 3/4" ring shank nail) w/ C Pin
RS-321	Wood (Heavy Duty 1" ring shank nail)
RS-340	Concrete (Regular 11/16" x 12 gauge nail)
RS-342	Concrete (Heavy Duty 5/8" x 10 gauge nail)

Tri-tack Smoothedge

ROBERTS



- Offers a full 3 rows of pins set in a 1-1/4 inch super wide plywood strip
- An economical alternative to double stripping and full width commercial carpet strip
- Provides extra insurance on difficult residential installations
- Excellent for use on Berbers
- Manufactured using Carb Phase II and TSCA Title VI compliant materials
- 280 feet per case

Standard

RS-600 No anchoring nails

Pre-Nailed

RS-620 Wood (Regular 3/4" x 14 gauge ring shank nail)

RS-621 Wood (Heavy Duty 1" x 13 gauge nail)

RS-640 Concrete (Regular 11/16" x 12 gauge nail)

RS-642 Concrete (Heavy Duty 5/8" x 10 gauge nail)

RS-660 Dual Purpose (11/16" ring shank concrete nail)

Commercial Smoothedge

ROBERTS



- Three rows of pins are spaced equally over a 1-3/4 inch max wide carpet tack strip
- Anchoring nails are positioned closer to the wall to prevent carpet tack strip from lifting during heavy stretching
- Use on large installations when maximum holding power is required
- Manufactured using Carb Phase II and TSCA Title VI compliant materials
- 200 feet per case

Standard

RS-500 No anchoring nail

Pre-Nailed

RS-520 Wood (Regular 3/4" ring shank nail)

RS-540 Concrete (Regular 11/16" x 12 gauge nail)

RS-542 Concrete (Heavy Duty 5/8" x 10 gauge nail)

RS-560 Dual Purpose (11/16" ring shank concrete nail)

RS-560J Dual Purpose (11/16" ring shank concrete nail) w/ J Pin

Peel & Stick Tack Strip

ROBERTS



- All purpose, makes carpet installation easier
- Simply peel and stick - no anchor nails required
- Grips instantly, immediately ready for stretching
- Withstands standard power stretching pressure
- Manufactured using Carb Phase II and TSCA Title VI compliant materials
- Each strip is 4 feet

20-1400 Peel & Stick Tack Strip - 12 pack (10/cs)

20-1450 Peel & Stick Tack Strip - 3 pack (30/cs)

SureGrip Tack Strip

ROBERTS



- Use during routine residential and commercial installations, when cost is the most important consideration
- Made from thick ply poplar wood to firmly hold pins in place
- Manufactured using Carb Phase II and TSCA Title VI compliant materials
- 400 feet per case

Regular (7/8" wide, 2 pin rows)

SGR-100	Standard (No anchor nails)
SGR-120	Pre-Nailed Wood (Regular 3/4" ring shank nail)
SGR-140	Pre-Nailed Concrete (Regular 11/16" x 12 gauge nail)
SGR-180	Pre-Nailed Elasticeal (1-1/4" spiral concrete nail)

Extra-Wide Pre-Nailed (1" wide, 2 pin rows)

SGR-320	Wood (Regular 3/4" ring shank nail)
SGR-321	Wood (Heavy Duty 1" ring shank nail)
SGR-340	Concrete (Regular 11/16" x 12 gauge nail)
SGR-342	Concrete (Heavy Duty 5/8" x 10 gauge nail)
SGR-360	Dual Purpose (11/16" x 12 gauge ring shank concrete/wood nail)

Commercial Pre-Nailed (1-3/4" wide, 3 pin rows)

SGR-520	Wood (Regular 3/4" x 14 gauge ring shank nail)
SGR-540	Concrete (Regular 11/16" x 12 gauge nail)
SGR-560	Dual Purpose (11/16" x 12 gauge ring shank concrete/wood nail)

Tri-Tack Pre-Nailed (1-1/4" wide, 3 pin rows)

SGR-620	Wood (Regular 3/4" x 14 gauge ring shank nail)
SGR-640	Concrete (Regular 11/16" x 12 gauge nail)
SGR-642	Concrete (Heavy Duty 5/8" x 10 gauge nail)

Aluminum Carpet Strip

ROBERTS



- Constructed of 100% high strength aluminum, will not rust or rot
- Perfect for installing carpet in areas where water damage, termite damage, and other types of damage to plywood tack strips are risks
- For high traffic areas such as entry ways and doorways where tall pins may extend through the face of the carpet
- Can be installed with any carpet, but is particularly useful with low-pile carpet
- 1/8" pins (shorter than J-Pin), angled toward the wall for easier hooking and a stronger hold
- 1" wide, over 240 pins per 4 foot length
- Contains nail holes every 3" for easy nailing, as well as a groove for an adhesive bead if nailing is not feasible

HS-722 Aluminum Carpet Strip (1" wide x 4 feet long) (40 ft per case)

Professional 2" Strip Cutter

ROBERTS



- Long jaws cut all strip, including architectural strip
- Powerful cutting force - 8 to 1 leverage
- Rugged, forged steel construction
- Blade storage in handle

10-108 Professional 2" Strip Cutter (3/cs)
Uses replacement blades: 10-439 (see page 28)

Multi-Use Trim Shears


QEP



- Easily cuts quarter round, tile trim, PVC piping, tackstrip and other light materials
- Makes fast angle cuts in wood quarter round, tile trim, pvc piping, tackstrip and other materials
- Eliminates the need for a chop or miter saw
- Attached miter guide for precise cutting of angles
- Pre-notched guide at 45°, 60°, 75°, 90°, 105° and 120°

10711Q Multi-Use Trim Shears (6/cs)

Tack Strip Width

	Regular 2 Pin Rows	Use in: Routine Residential Installations The entry level strip. Use for routine Residential and Commercial applications when cost is the most important consideration.
	Extra-Wide 2 Pin Rows	Use in: Residential, Routine Commercial Our most popular strip. The positioning of the rows of pins and anchor nails offers a faster, easier installation. Stronger and easier to hook than Regular, use during Residential and Commercial applications when extra holding power is required.
	Tri-Tack 3 Pin Rows	Use in: Residential, Commercial Installations With three rows of pins, this strip has the right strength and width for difficult installations such as Berber. No need to double strip! Also known as Commercial Jr., this strip is an economical alternative to the full commercial solution.
	Commercial 3 Pin Rows	Use in: Commercial Installations The strongest, widest strip available. The three rows of pins have anchor nails strategically placed to prevent strip from lifting during heavy stretching. Use on large installations when maximum holding power is required.

Anchoring Nail

	REGULAR DUTY	HEAVY DUTY
CONCRETE FLOORS	 12 Gauge x 11/16" Hardened Steel <ul style="list-style-type: none">Regular duty for newer concrete floorsMachine qualityQuality high carbon hardened steel	 10 Gauge x 5/8" Hardened Steel <ul style="list-style-type: none">Heavy duty for hard, dense concreteProfessional qualityQuality high carbon hardened steel
WOOD FLOORS	 14 Gauge x 3/4" Ring Shank <ul style="list-style-type: none">Regular DutyProfessional QualityClean point for ease of installationPrecise Ring Definition for holding strength	 13 Gauge x 1" Ring Shank <ul style="list-style-type: none">Heavy DutyProfessional QualityClean point and ring definitionLonger shank for extra holding power

Specialty Products

	Standard	Elastical	Dual Purpose
	No Anchoring Nail <ul style="list-style-type: none">Works on all floor typesInstalled with tackstrip adhesive or fasteners	 12 Gauge x 1-1/4" Spiral Shank <ul style="list-style-type: none">Medium DutyFor light weight Acoustical / Elastical concrete floorsQuality high carbon hardened steelProfessional Quality Spiral Shank	 12 Gauge x 11/16" Ring Shank <ul style="list-style-type: none">Heavy DutyFor both wood and concrete floorsQuality high carbon hardened steelProfessional Quality with added rings

Pin Nail

	Pin Nail Height Chart				
C-Pin Used when installing carpet with rough or thick backings.					D-Pin Used for carpets with short, dense pile and thinner backing to avoid pins showing through the carpet face.
E-Pin <small>INDUSTRY STANDARD</small> Used in 95% of all carpet installations.	C-Pin	E-Pin	D-Pin	J-Pin Used for very thin, specialty carpets such as Velours, Velvets with extremely thin backing. Strongest pin height available.	

10 Gauge Concrete Nails

ROBERTS



- A heavy 10-gauge shank nail
- For use on extremely hard or "aged" concrete where 12 gauge could bend or break

33-081	1/2" Concrete Nails	(1 lb. Bag)	(50/cs)
33-083	1/2" Concrete Nails	(5 lb. Bag)	(10/cs)
33-085	1/2" Concrete Nails	(50 lbs. Bulk)	(1/cs)
33-100	5/8" Concrete Nails	(1 lb. Bag)	(10/cs)
33-101	5/8" Concrete Nails	(1 lb. Bag)	(50/cs)
33-103	5/8" Concrete Nails	(5 lb. Bag)	(10/cs)
33-106	5/8" Concrete Nails	(50 lbs. Bulk)	(1/cs)
33-121	3/4" Concrete Nails	(1 lb. Bag)	(50/cs)
33-123	3/4" Concrete Nails	(5 lb. Bag)	(10/cs)
33-125	3/4" Concrete Nails	(50 lbs. Bulk)	(1/cs)
33-161	1" Concrete Nails	(1 lb. Bag)	(50/cs)
33-163	1" Concrete Nails	(5 lb. Bag)	(10/cs)
33-165	1" Concrete Nails	(50 lbs. Bulk)	(1/cs)

12 Gauge Concrete Nails

ROBERTS



- 12-gauge carbon steel gives this nail its tough slim design for fast, solid driving into concrete
- The smooth shank and countersunk head makes it easier to install and prevents oversize holes and a flush finish on the surface of the substrate

32-081	1/2" Concrete Nails	(1 lb. Bag)	(50/cs)
32-083	1/2" Concrete Nails	(5 lb. Bag)	(10/cs)
32-085	1/2" Concrete Nails	(50 lbs. Bulk)	(1/cs)
32-111	11/16" Concrete Nails	(1 lb. Bag)	(50/cs)
32-113	11/16" Concrete Nails	(5 lb. Bag)	(10/cs)
32-115	11/16" Concrete Nails	(50 lbs. Bulk)	(1/cs)
32-131	13/16" Concrete Nails	(1 lb. Bag)	(50/cs)
32-133	13/16" Concrete Nails	(5 lb. Bag)	(10/cs)
32-135	13/16" Concrete Nails	(50 lbs. Bulk)	(1/cs)

9 Gauge Fluted Masonry Nails

ROBERTS



- A fluted nail has 20% greater surface area than a smooth shank nail to create more holding power
- The flutes absorb the pressure from the concrete allowing the concrete to grip the nail

34-121	3/4" Fluted Masonry Nails	(1 lb. Bag)	(50/cs)
34-123	3/4" Fluted Masonry Nails	(5 lb. Bag)	(10/cs)
34-125	3/4" Fluted Masonry Nails	(50 lbs. Bulk)	(1/cs)
34-161	1" Fluted Masonry Nails	(1 lb. Bag)	(50/cs)
34-163	1" Fluted Masonry Nails	(5 lb. Bag)	(10/cs)
34-165	1" Fluted Masonry Nails	(50 lbs. Bulk)	(1/cs)

11 Gauge Ring Shank Wood Nails

ROBERTS



- Ring shank nails provide better holding power in all wood products than smooth shank nails of the same length
- As the nail is driven the wood, the wood grabs and grips the barbed rings which increases the hold
- The 1-1/2" nail is used to install carpet strip in heavy duty installations

38-115	1-3/8" Ring Shank Wood Nails	(1 lb. Bag)	(50/cs)
38-117	1-3/8" Ring Shank Wood Nails	(5 lb. Bag)	(10/cs)
38-119	1-3/8" Ring Shank Wood Nails	(50 lbs. Bulk)	(1/cs)
38-121	1-1/2" Ring Shank Wood Nails	(1 lb. Bag)	(50/cs)
38-123	1-1/2" Ring Shank Wood Nails	(5 lb. Bag)	(10/cs)
38-125	1-1/2" Ring Shank Wood Nails	(50 lbs. Bulk)	(1/cs)

13 Gauge Drive Screw Nails Unichrome

ROBERTS



- Oval heads are designed for "flush" fit when used to anchor carpet bar and stair nosing
- As the spiral shank is driven into the substrate it forms a screw shaped hole for better grip and hold, which prevents the nail from loosening and prevents damage to the substrate

36-114	1-1/4" Drive Screw Nails Unichrome, with 3/16" Nail Head (1 lb. Bag) (50/cs)
36-116	1-1/4" Drive Screw Nails Unichrome, with 3/16" Nail Head (5 lb. Bag) (10/cs)
36-118	1-1/4" Drive Screw Nails Unichrome, with 3/16" Nail Head (50 lbs. Bulk) (1/cs)
36-120	1-1/4" Drive Screw Nails Unichrome, with 1/4" Nail Head (1 lb. Bag) (50/cs)
36-122	1-1/4" Drive Screw Nails Unichrome, with 1/4" Nail Head (5 lb. Bag) (10/cs)
36-124	1-1/4" Drive Screw Nails Unichrome, with 1/4" Nail Head (50 lbs. Bulk) (1/cs)

13 Gauge Drive Screw Nails Brass

ROBERTS



- Oval heads are designed for "flush" fit when used to anchor carpet bar and stair nosing
- As the spiral shank is driven into the substrate it forms a screw shaped hole for better grip and hold, which prevents the nail from loosening and prevents damage to the substrate

37-114	1-1/4" Drive Screw Nails Brass, with 3/16" Nail Head (1 lb. Bag) (50/cs)
37-116	1-1/4" Drive Screw Nails Brass, with 3/16" Nail Head (5 lb. Bag) (10/cs)
37-118	1-1/4" Drive Screw Nails Brass, with 3/16" Nail Head (50 lbs. Bulk) (1/cs)
37-120	1-1/4" Drive Screw Nails Brass, with 1/4" Nail Head (1 lb. Bag) (50/cs)
37-122	1-1/4" Drive Screw Nails Brass, with 1/4" Nail Head (5 lb. Bag) (10/cs)
37-124	1-1/4" Drive Screw Nails Brass, with 1/4" Nail Head (50 lbs. Bulk) (1/cs)

12.5 Gauge Elasticel (Acoustical) Nails

ROBERTS



- Special shank designed for anchoring tackless strip to acoustical and light aggregate concrete flooring

35-108	1-1/4" Elasticel (Acoustical) Nails (1 lb. Bag) (50/cs)
35-110	1-1/4" Elasticel (Acoustical) Nails (5 lb. Bag) (10/cs)
35-112	1-1/4" Elasticel (Acoustical) Nails (50 lbs. Bulk) (1/cs)

13 Gauge Plasterboard Plated Nails

ROBERTS



- Plasterboard nails have a thicker 13 gauge shank and a larger head
- Can be used for securing tackless strip, subflooring and temporary stay nailing of carpet.

40-116	1-1/4" Plasterboard Plated Nails, with 3/8" Nail Head (1 lb. Bag) (50/cs)
40-118	1-1/4" Plasterboard Plated Nails, with 3/8" Nail Head (5 lb. Bag) (10/cs)
40-120	1-1/4" Plasterboard Plated Nails, with 3/8" Nail Head (50 lbs. Bulk) (1/cs)

15 Gauge 3D Lath Plated Nails

ROBERTS



- Lath nails are economically priced general construction nails that are also used by carpet installers
- Lath nails are thin 15 gauge and have small heads

39-116	1-1/4" 3D Blue Plated Nails, with 11/64" Nail Head (1 lb. Bag) (50/cs)
39-118	1-1/4" 3D Blue Plated Nails, with 11/64" Nail Head (5 lb. Bag) (10/cs)
39-120	1-1/4" 3D Blue Plated Nails, with 11/64" Nail Head (50 lbs. Bulk) (1/cs)



CARPET TOOLS

Power-Lok Stretcher

ROBERTS

The 10-254V Value Kit includes: one power unit, tail block with wheels, six 3 ft. extension tubes, adjustable locking tube, transfer tube and the complete interlocking wheeled stretcher carrying case and tube carrying case



The Power-Lok Stretcher is the most advanced power stretcher available.

- Power-Lok swivel head locks into 17 different “stretch/pattern holding” positions
- Unique swivel head for stretching angles or corners
- Variable pin penetration for different carpet thicknesses
Low profile head with side-kicking platform makes it compatible with a knee-kicker
- Steel handle on head for better grip and repositioning
- Standard 18 in. tail block includes a foam wall protector and wheels for easy repositioning
Stretch up to 38 ft. with the Value Kit and up to 23-1/2' with the standard set

The Power-Lok Stretcher is also available as a standard set

- A standard 10-254 set includes: one power unit, tail block with wheels, three 3 ft. extension tubes, adjustable locking tube, transfer tube, and the single interlocking wheeled stretcher carrying case

10-254V	Power-Lok Stretcher Value Kit (1/cs)
10-254	Power-Lok Stretcher (1/cs)
10-254-50	Replacement Power Head for 10-254 (10/cs) (does not include tube, tail block or carrying cases)

Included with each stretcher! No. 10-250 Adjustable Locking Tube



Adjust your stretcher poles in a flash with our Adjustable Locking Tube! Just push back on your tubes to extend, push buttons and pull back to shorten. Also sold separately.

Additional Stretcher Tubes

ROBERTS

- Fits all standard Roberts Stretchers as well as most other standard carpet stretchers

10-250	Adjustable Locking Tube (1/cs)
10-230-10	3' Steel Stretcher Tube Fits 10-254 and 10-237 Stretchers (1/cs)
10-235-10	3' Aluminum Stretcher Tube (not shown) (1/cs)
10-235-05	5' Aluminum Stretcher Tube (not shown) (1/cs)



Junior Power Stretcher

ROBERTS

The 10-237V Value Kit includes: one power unit, tail block with wheels, six 3' extension tubes, adjustable locking tube, transfer tube and the complete interlocking wheeled stretcher carrying case and tube carrying case



Our most economical power stretcher is loaded with features.

- The low profile power head is easy to span with the knee kicker
- 18 in. spring-loaded tail block with wheels provides additional support
- Stretch over 38' with the Value Kit and up to 23-1/2' with the standard set

The Junior Power Stretcher is also available as a standard set.

- A standard 10-237 set includes: one power unit, tail block with wheels, three 3' extension tubes, adjustable locking tube, transfer tube, and the single interlocking wheeled stretcher carrying case

Included with each stretcher!
 No. 10-250 Adjustable Locking Tube



Adjust your stretcher poles in a flash with our Adjustable Locking Tube! Just push back on your tubes to extend, push buttons and pull back to shorten. Also sold separately.

10-237V	Junior Power Stretcher Value Kit (1/cs)
10-237	Junior Power Stretcher (1/cs)
10-237-50	Replacement Power Head for 10-237 (1/cs) (does not include tube, tail block or carrying cases)

Stretcher Cases

ROBERTS

The Roberts Stretcher Case System includes a stretcher case with wheels and a tube case that hooks onto the stretcher case for easy transportation. The cases are easily split apart to equally distribute the weight when carrying to and from the jobsite. Both cases include high-density blow molded plastic walls for exceptional durability, recessed hinges and latches and comfortable molded handles.



10-230-40



10-230-3K

- Stretcher Case with 4" Wheels holds stretcher unit, tail block with wheels, three 3 ft. extension tubes, adjustable locking tube and transfer tube (nylon web belt with quick release buckle included)
 - For use with 10-254 and 10-237 stretchers
- | | |
|-----------|--|
| 10-230-40 | Empty Stretcher Case with Wheels (1/cs) |
| 10-230-3K | Tube Case with Three 3' Extension Tubes (1/cs) |

Locking Pattern Matching & Seam Repair Stretcher

ROBERTS



ON/OFF knob provides locking or conventional operation



INCLUDES: Tailblade for stretching carpet off of tack strip



The unique locking action enables "hands-off" seam repair. Turn the Automatic Locking Mechanism "ON" and the power-head locks each 1/4" of pin plate travel for easy pattern alignment. Turn the locking action "OFF" and the stretcher works in the conventional "non-locking" mode.

- Adjustable pin depths for different carpet thicknesses
- Holds up to 300 lbs. of stretch tension
- Tailblade swivel construction allows for angle stretching in any direction off of tack strip
- Solid die cast frame stands up to years of dependable service
- Includes custom molded carrying case

10-128 Locking Pattern Matching and Seam Repair Stretcher (1/cs)
 10-117-04 Powerhead Replacement Unit (1/cs)
 10-107-03 Tailblade Replacement Unit (1/cs)

Nap Grip Head (Cotton Head)

ROBERTS



- Designed to use on low profile loop, cut pile and woven carpets

10-248 Nap Grip Head for 10-254 and 10-237 stretchers (1/cs)

Power Stretcher Tail

ROBERTS



- Needle sharp point bites through carpet and pad into wood subfloor for a firm solid stretch
- Stretch even when there are no walls to brace against
- Precision made with hand-ground tempered steel
- Fits all standard Roberts Stretchers

10-258 Power Stretcher Tail (1/cs)

Gel Pro 505 Knee Kicker

ROBERTS



80th Anniversary Limited Edition, only 1,938 units available

- Innovative lever design for easy pin depth adjustment
- Gel bumper softens impact to knee, reducing knee shock
- Angled bumper provides optimum driving impact
- Contoured, heavy duty "bullneck" body design
- Quick thumb release for adjusting the extension arm
- Comfort pad insert

- 10-505-LE Red Anniversary Edition Gel Pro 505 Knee Kicker (2/cs)
- 10-505-2 Gel Pro 505 Knee Kicker (Silver in clamshell) (2/cs)
- 10-505-200 Bumper Pad Kit (Bumper, Plate, Boot, Gel Pad) (1/cs)

GT2000 XL Knee Kicker

ROBERTS



- Scientifically engineered bumper pad significantly reduces knee shock
- 28% wider head than standard kickers provides 33% more gripping power
- Trigger easily adjusts the length from 18½" to 22½"
- Thick walled, aluminum die cast body for maximum strength
- High contour neck fits over stretcher
- Center grooved head for adjusting power stretcher head
- Smooth, precise dial adjusts pin depth

- 10-2000GT GT2000 XL Knee Kicker (3/cs)
- 10-2000-09 Replacement Bumper Pad (3" thick) (1/cs)
- 10-412-09 Replacement Bumper Pad (2" thick) (1/cs)

⚠️WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov. See P. 63, *Prop 65 - 2.

GT Knee Kicker

GOLDEN TOUCH



- Easy one button adjustments from 18-7/8" to 24" lengths
- Extra wide head for improved load distribution
- High contour neck for use over stretcher head and poles
- Center grooved head for adjusting power stretcher head
- Easy to read, easy to adjust pin depth dial

- 10-501 GT Knee Kicker (3/cs)
- 10-412-09 Replacement Bumper Pad (2" thick) (1/cs)
- 10-2000-09 Replacement Bumper Pad (3" thick) (1/cs)

Deluxe Knee Kicker

ROBERTS



The 10-412 Deluxe Knee Kicker is Roberts' most popular knee kicker and has been the "industry standard" for over 40 years.

- Trigger assembly easily adjusts the length from 17" to 21"
- Superior die cast aluminum body is lightweight and durable
- Exclusive non-slip checkered hand grip
- Foam-filled seamless bumper pad for extra comfort
- Easy to read, easy to adjust pin depth dial
- Center grooved head for adjusting power stretcher head

10-412-2	Deluxe Knee Kicker (no case) (2/cs)
10-412BKK	Deluxe Knee Kicker (black finish with case) (3/cs)
10-412-09	Replacement Bumper Pad (2" thick) (1/cs)
10-2000-09	Replacement Bumper Pad (3" thick) (1/cs)

⚠️WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov. See P. 63. *Prop 65 - 2.

Deluxe High Profile Knee Kicker

ROBERTS



The 10-422BK features the same solid construction and reliability of the 10-412 but with the added value of a number of installer-designed features.

- High contour neck for use over stretcher head and poles
- 50% thicker bumper pad for extra knee comfort
- 16% wider head for improved load distribution
- Solid, dependable trigger release adjusts from 17-1/2" to 21-1/2"
- Non-slip checkered hand grip
- Center grooved head for adjusting power stretcher head

10-422BK	Deluxe High Profile Knee Kicker (3/cs)
10-412-09	Replacement Bumper Pad (2" thick) (1/cs)
10-422-09	Replacement Thick Bumper Pad (3" thick) (1/cs)
10-2000-09	Replacement Bumper Pad (3" thick) (1/cs)

Adjustable Knee Kicker

ROBERTS



- Great for all carpeting installations - big or small
- Double locking pins to easily adjust length from 19" to 23"
- Extra heavy aluminum casting and industrial grade steel provide rugged strength
- High contour neck for use over stretcher head and poles
- Center grooved head for adjusting power stretcher head
- Easy to read, easy to adjust pin depth dial
- Durable powder coated finish

10-410	Adjustable Knee Kicker (3/cs)
10-412-09	Replacement Bumper Pad (2" thick) (1/cs)
10-2000-09	Replacement Bumper Pad (3" thick) (1/cs)

Professional Electric Stapler

ROBERTS



- Powerful, 15 amp solenoid delivers more power to drive staples deeper, 120 V
- 6-3/4" low profile head allows easy access in tight places, particularly stairs
- Heavy 14 gauge, 12' power cord offers maximum power and provides a wider range of travel without extension cords
- Hardened driver mechanism that shoots 20 gauge, 3/16" crown staples
- Quick-release bottom loading magazine for fast reloading (85 staple capacity)
- Ergonomic non-slip handle with rubber grip for maximum comfort and control
- Includes custom molded carrying case
- Accepts Duo-Fast® #5418-D Staples and other quality brand 9/16" divergent Point Staples

10-600 Professional Electric Stapler (1/cs)

Nail Driving Bar

ROBERTS



- Constructed of cold forged carbon steel for an extra long life
- Features a magnetic head to hold nails in place for easy starting
- Unique design to access hard-to-reach places such as: under radiators, toe kicks, overhangs and next to glass doors when nailing down tackless strip
- 12-3/8" in length, with soft, no-slip handle

10-151 Nail Driving Bar (6/cs)

Staple Hammer

ROBERTS



- Perfect balance, durable stamped steel, comfortable vinyl grip, and easy back-end loading
- Accepts 3/8 in. staples
- Holds 160 staples

10-109 Staple Hammer (6/cs)
 30-110 3/8" Chisel Point Staples 5000/bx (20/cs)
 30-210 3/8" Divergent Point Staples 5000/bx (20/cs)

Chisel Point Staples

ROBERTS



- Get jam-proof efficiency with its "V" shaped points that drive easily into most wood floors

30-110 3/8" Staples (5000/bx) (20/cs)

Divergent Point Staples

ROBERTS




- Easily penetrate vinyl tile, linoleum, felt and wood (including hardwoods) with its 60° point
- Get added holding power when staple legs veer in opposite directions

30-210 3/8" Staples (5000/bx) (20/cs)

Cool Shield® Heat Bond Iron

ROBERTS



The Cool Shield Heat Bond Iron melts 3" wide heat bond tape quickly and easily while maintaining a cooler top shield temperature. Even on the highest setting of 425°F the 10-482G reaches a maximum heat shield temperature of only 256°F.

- Patented double heat shield minimizes deforming of carpet backing and face yarn
- "S" shaped heating element provides even heating and longer heat retention
- Grooved non-stick base for fast, easy clean-up
- "Comb Profile" forms ridges in adhesive for stronger carpet seams
- Streamlined, low profile design allows for easy carpet seaming
- 3-way cord guide keeps the 9-1/2' cord out of the way
- Thermostat indicator light shows when iron is heating

10-482G Cool Shield Heat Bond Iron (110 V) (3/cs)

Deluxe Heat Bond Iron

ROBERTS



This best selling Heat Bond Iron is the first choice of professionals worldwide.

- Streamlined, low profile design allows for easy carpet seaming
- Even heat distribution for thorough melting
- Heat shield to prevent backings from overheating
- Non-stick coated for fast, easy clean-up
- "Comb Profile" forms ridges in adhesive for stronger seams
- 2-way pivoting cord for easier control
- Stay-cool handle and up-front thermostat make it easy to use
- Bi-color indicator light turns red to green when at desired temperature
- Approximate heat range 135°F to 425°F

10-282G-2 Deluxe Heat Bond Iron, Grooved Base (110 V) (2/cs)

6" Heat Bond Iron

ROBERTS



Get faster, more thorough bonding even near walls or in doorways.

- Custom designed to distribute heat evenly from front to tail
- Special contoured handle stays cool
- Grooved non-stick base for fast, easy clean-up
- Up-front thermostat control for easy heat-setting adjustments
- Low profile, tapered base plate design for joining carpet easily at the back of the iron
- 3-way cord guide keeps cord out of the way
- Approximate heat range 135°F to 425°F
- 110 V

10-286G 6" Heat Bond Iron (110 V) (3/cs)

4" Loop Pile Seam Roller

ROBERTS



- Extended, angled soft grip handle for better leverage
- Specifically designed for seaming loop pile and berber carpets
- Star wheels maximize hot melt transfer into carpet back for stronger seams
- Excellent for hooking carpet on tack strip

10-169 4" Loop Pile Seam Roller (3/cs)

5" Carpet Seam Roller

ROBERTS



- Specially designed for loop pile carpet
- Wide head reduces dishing in seam area
- Durable and lightweight superior die cast handle
- Get stronger seams and increased hot melt transfer into carpet back with stationary roller shaft

10-100 5" Extra Wide Carpet Seam Roller (3/cs)

4½" Deluxe Carpet Seam Roller

ROBERTS



- Specially designed for loop pile carpet
- Professionally finishes even the most demanding carpet seams
- No-slip handle and lightweight design to minimize user fatigue
- Offset, extra wide 4-1/2" rollers to reduce seam peaking and maximize adhesive penetration for stronger, longer lasting seams

10-101 4-1/2" Deluxe Carpet Seam Roller (4/cs)

4" Cut Pile Seam Roller

ROBERTS




- Extended, angled soft grip handle for better leverage
- Smooth roller forces carpet backing into seaming tape without fraying yarn ends
- Specifically designed for safe seaming of cut pile carpets, saxonies and vinyl seams

10-170 4" Cut Pile Seam Roller (3/cs)

24" Steel Tool Box

ROBERTS



Seaming Plate



Staple Storage

80th Anniversary Limited Edition, only 1,938 units available

- Heavy duty steel construction
- Durable full length piano style hinge
- Strong side handles and durable soft grip lid handle for easy carrying
- Vented nylon seaming plate mounted under tray acts as seaming weight
- Tray provides extra storage for staple and nail boxes
- 3 hardened steel hasps provide secure closure and accept padlocks for additional security
- 24" W x 9-3/4" H x 8-3/4" D

10-161-LE Red Anniversary Edition
24" Steel Tool Box (1/cs)

10-161 24" Steel Tool Box, Black (1/cs)

⚠WARNING: Cancer and Reproductive Harm-
www.P65Warnings.ca.gov. See P. 63, *Prop 65 - 1.

Carpet Installation Kit

ROBERTS



Carpet Installation Kit Includes:

- | | |
|----------|---------------------------------|
| 10-161 | 24" Steel Tool Box |
| 10-169 | Loop Pile Seam Roller |
| 10-108 | Professional 2 in. Strip Cutter |
| 10-109 | Staple Hammer |
| 10-114 | 20 oz. Ripping Hammer |
| 10-146GT | GT Cushion Back Cutter |
| 10-151 | Nail Driving Bar |
| 10-152GT | GT Loop Pile Cutter |
| 10-616-2 | Conventional Carpet Trimmer |
| 10-252 | Professional Carpet Knife |
| 10-260 | Deluxe Grip Tool Pouch |
| 10-303S | Chalk Reel |
| 10-321 | White Chalk Refill - 8 oz. |
| 10-412-2 | Deluxe Knee Kicker |
| 10-510-3 | Base Molding Lifter |
| 10-521 | 4" Extra Wide Stair Tool |
| 10-522-4 | EZ Tuk Carpet Tucker |
| 10-586-3 | 7" Duckbill Napping Shears |
| 10-920-6 | Pro Fixed Blade Utility Knife |
| 10-931 | Linoleum Knife |
| 10-140 | 30' Tape Measure |
| 10-517 | Row Finder/Separator |
| 61613 | White Rubber Mallet |

10-750 Carpet Installation Tool Kit (1/cs)

⚠WARNING: Cancer and Reproductive Harm-
www.P65Warnings.ca.gov. See P. 63, *Prop 65 - 1.

Economy Carpet Installation Kit

ROBERTS



Carpet Installation Kit Includes:

- | | |
|----------|----------------------------|
| 10-154-3 | Universal Seam Cutter |
| 10-169 | 4" Loop Pile Seam Roller |
| 10-252 | Professional Carpet Knife |
| 10-521 | 4" Extra Wide Stair Tool |
| 10-586-3 | 7" Duckbill Napping Shears |


10-751 Carpet Installation Kit (1/cs)

Carpet Rake & Groomer

ROBERTS HOME

The Roberts® Carpet Rake and Groomer is ideal for quick and easy carpet maintenance. By using a 'Push Pull' motion the rake releases trapped-in dirt, pet hair and debris and pulls it to the surface so that the vacuum can remove it. By using a 'Rake Like' motion the carpet pile is revived with a 'Like New' appearance.

- Easy and quick carpet care and maintenance
- Extra long 51" handle and 12" wide head covers large areas quickly
- Specially designed bristles reach deep into the base of carpet
- Makes vacuum tracks disappear
- Three part handle can be disassembled for easy storage



70-127-3 Carpet Rake and Groomer (3/cs)

Heavy Cargo Dollies

ROBERTS



- These rugged, durable movers are perfect for moving rolls of carpet or sheet goods, equipment, furniture and appliances
- Each dolly holds up to 1000 pounds
- Made from heavy industrial steel, with welded and bolted construction
- Easily extends from 24" to 33" with spring loaded lock pins
- 3" heavy-duty ball bearing non-mar polyurethane wheels

10-575 Heavy Cargo Dollies set of 2 (1/cs)


Dual Air Glider

ROBERTS



- A powerful, lightweight mechanism which utilizes hovercraft principles for easy and safe movement of commercial and industrial machinery, office equipment and household appliances without damaging floors
- 8-1/2" x 36" dual vacuum platforms
- 1.75 HP blower provides a 750 lbs. lift capacity
- Improved motor output connector
- Includes carrying case
- 2 Year Warranty

10-480 110 V Dual Air Glider (1/cs)





CARPET CUTTING & JAMB SAWS

Conventional Carpet Trimmer

ROBERTS / GOLDEN TOUCH



- Quickly trims carpet neatly at the wall and under toe kicks
- Five position folding handle moves easily in hard to reach areas
- Quick and positive vertical and horizontal adjustment
- Anti-slip rubber handle and hardened stainless steel guide
- 10-617GT includes dual layer spring steel blade clips

10-616-2A Conventional Carpet Trimmer (2/cs)
 (Includes 20 Heavy Duty Slotted Blades)
 Uses replacement blades: 10-444-10

10-617GT GT Carpet Trimmer (Classic Handle) (2/cs)
 Uses replacement blades: 10-444-10

Multi-Purpose Wall Trimmer

ROBERTS / GOLDEN TOUCH



This Multipurpose Wall Trimmer is not only good for cutting conventional carpet, it is great for cutting soft vinyl sheet goods, carpet tiles and cushion back for glue-down carpets.

- Make cleaner cuts without marking walls
- Hooked blades can be used to cut carpet tiles quickly and easily
- Slotted blades can be used for regular carpet or vinyl sheet goods
- Snap-on anti-friction boot glides smoothly over sheet goods
- Fully adjustable for most material thicknesses
- Stainless steel construction

10-905 Multi-Purpose Wall Trimmer (3/cs)
 Uses replacement blades: 10-436-10, 10-449, 10-438, 10-451, 10-453, 10-440

Loop Pile Cutter

ROBERTS / GOLDEN TOUCH



- Efficiently cuts most loop pile carpet regardless of thickness
- Unique two-blade design accommodates both left and right positions for cutting closer to the yarn edge
- "Direct Contact" locking design keeps blades securely in place
- Throat opening adjusts automatically for different carpet backs
- Constructed of stainless steel for maximum durability

10-152-3 Loop Pile Cutter (3/cs)
 (Includes 15 Heavy Duty Slotted Blades)

10-152GT GT Loop Pile Cutter (Classic Handle) (6/cs)
 Uses replacement blades: 10-436-10, 10-449, 10-438, 10-451, 10-453

Cushion Back Cutter

ROBERTS / GOLDEN TOUCH



- Cut all thicknesses of cushion back carpet and conventional carpet with adjustable blade depth
- Two blades that lock into position for close, precise cutting
- Direct-pressure blade knob holds blades tightly in place
- Constructed of stainless steel for maximum durability

10-146-3 Cushion Back Cutter (3/cs)
 (Includes 15 Heavy Duty Slotted Blades)

10-146GT GT Cushion Back Cutter (Classic Handle) (6/cs)
 Uses replacement blades: 10-436-10, 10-449, 10-438, 10-451, 10-453

Universal Seam Cutter

ROBERTS



- Single center mechanism holds both slotted and utility blades in place
- Superior double usage - use slotted blade for top cutting or trimmer blade for bottom cutting
- 50° blade angle permits cleaner, smoother precise cuts
- Quick release blade replacement feature for fast blade changes
- Extra long nose provides for better row separation
- Accepts all standard utility blades

10-154-3 Universal Seam Cutter (3/cs)
 Uses replacement blades: 10-436-10, 10-449, 10-438, 10-451, 10-453, 10-433, 10-429, 10-434

Row Finder/Separator

ROBERTS



- Use to separate carpet rows to minimize damage to nap and loops
- Features tapered round end for cut pile and flattened end for loop pile carpets
- Slip resistant checkered grip

10-517 Row Finder Separator (6/cs)

Rolling Carpet Tucker

ROBERTS



- Tucks 5 times faster than conventional methods saving the professional time
- Tucks all qualities of carpet against tile, wood flooring, and LVT
- Non-slip grip handle for less user fatigue and provides better grip & control

10-523 Rolling Carpet Tucker (2/cs)

T Handle Carpet Tucker

ROBERTS



- Ergonomic handle allows for better grip and tool control for superior precision
- Resulting in less impact on wrist and hand, reduced user fatigue
- Ideal for hooking on tack strip
- Chrome finish to protect against corrosion

10-524 T-Handle Carpet Tucker (3/cs)

Stair Tool

ROBERTS



- Use to set carpet into tack strip, drive carpet into gullies and crease carpet along wall line
- Heavy duty blade easily sets carpet into stairway crevices
- Made from forged, chrome-plated steel

10-521 4" Extra Wide Stair Tool (3/cs)

EZ TUK Carpet Tucker

ROBERTS



made in
USA

- Lightweight tucking tool will not mark or damage walls
- Use around toilets and ceramic tile without fear of breakage
- Square edge works well for tucking carpet into corners
- Curved edge is great for stairs
- 3-1/2 in. wide blade

10-522-4 EZ TUK Carpet Tucker (4/cs)

10" Carpet Shears

ROBERTS



made in
USA

- Precision ground cutting blades
- Superior cutting ability and durability
- Accommodates large hands comfortably with extra wide, vinyl coated cushioned handle openings
- Blade edge sharpens easily on stone
- Chrome plated with knife edges

10-123 10" Carpet Shears (6/cs)

⚠WARNING: Cancer - www.P65Warnings.ca.gov. See P. 63, *Prop 65 - 3.

8" Napping Shears

ROBERTS



made in
USA

Side angle profile



- Offset handle for easy, level napping
- Cushioned, vinyl coated handles for comfort
- Precision ground cutting blades
- Chrome plated with knife edges

10-121 8" Napping Shears (6/cs)

⚠WARNING: Cancer - www.P65Warnings.ca.gov. See P. 63, *Prop 65 - 3.

6" Duckbill Napping Shears

ROBERTS



made in
USA

Side angle profile



- Offset handle and special blade prevent gouging while napping
- Cushioned, vinyl coated handles for comfort
- Precision ground cutting blades
- Chrome plated with knife edges

10-585 6" Duckbill Napping Shears (6/cs)

⚠WARNING: Cancer - www.P65Warnings.ca.gov. See P. 63, *Prop 65 - 3.

7" Duckbill Napping Shears

ROBERTS



made in
USA

Side angle profile



- Offset handle and special blade prevent gouging while napping
- Cushioned, vinyl coated handles for comfort
- Precision ground cutting blades
- Chrome plated with knife edges

10-586-3 7" Duckbill Napping Shears (3/cs)

⚠WARNING: Cancer - www.P65Warnings.ca.gov. See P. 63, *Prop 65 - 3.

Folding Pro Carpet Knife

ROBERTS



- Comfortable finger loop for extra control and safety
- Two cutting positions provides additional leverage
- Easy one-step blade release for added efficiency
- Metal belt clip for easy storage
- Uses most standard carpet blades

10-225 Folding Pro Carpet Knife (Includes 3 Blades) (6/cs)
Uses replacement blades: 10-436-10, 10-438, 10-449,
10-451, 10-453

Professional Carpet Knife

ROBERTS



- Special thumbstop design provides safety and increased cutting pressure
- Easy push button for quick blade changing
- Knurled grip assures firm grip

10-252 Professional Carpet Knife (Includes 3 Blades) (6/cs)
Uses replacement blades: 10-436-10, 10-438, 10-449,
10-451, 10-453

Cut & Jam Carpet Knife

ROBERTS



- Patented, unique dual function design; use one end to cut carpet and the other to jam carpet into gullies
- Features an easy-open knob with bail, safety thumb and blade guards
- Checkered handle for a slip resistant grip
- Rugged lightweight precision die cast aluminum
- Handle stores up to 10 additional heavy duty slotted blades

10-220 Cut and Jam Carpet Knife (Includes 3 Blades) (6/cs)
Uses replacement blades: 10-436-10, 10-438, 10-449,
10-451, 10-453

Razor Blade Knife

ROBERTS



- Features safety guards to keep blade firmly in place
- Easy-open knob with bail to make blade changes more convenient
- Checkered handle for a slip resistant grip
- Rugged lightweight precision die cast aluminum
- Handle stores additional heavy duty slotted blades

10-215 Razor Blade Knife (Includes 3 Blades) (6/cs)
Uses replacement blades: 10-436-10, 10-438, 10-449,
10-451, 10-453

Slotted Blade Carpet Knife

ROBERTS



- Contoured handle for precise cutting
- Finger blade guard
- Extra blade storage

10-253 Slotted Blade Carpet Knife (Includes 2 Slotted Blades)
(12/cs) Uses replacement blades: 10-436-10, 10-438,
10-449, 10-451, 10-453

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.
See P. 63, *Prop 65 - 2.

Big Fatso Multi-Purpose Knife

ROBERTS



- Offset head gives knuckle room and convenient, precise cutting angle
- Large contoured handle for comfort
- Unscrew end cap and swing open for quick and easy blade change
- Uses most standard utility and hook blades with 2 or 3 positioning slots on top
- Handle stores additional standard or heavy duty utility and hook blades

10-218F Fatso Multi-Purpose Knife (Includes 3 Blades) (12/cs)
Uses replacement blades: 10-433, 10-429, 10-434, 10-440

Pro Utility Knife

ROBERTS



- Contoured handle allows for better grip and knife control
- Cuts carpet, vinyl, drywall and roofing materials
- Thumb wheel for quick blade change
- Accepts most utility and hook blades
- Easy access extra blade storage

10-221 Pro Utility Knife (Includes 3 Blades) (6/cs)
Uses replacement blades: 10-433, 10-429, 10-434, 10-440

Professional Fixed Blade Utility Knife

ROBERTS



- Easy-open knob with bail to make blade changes more convenient
- Checkered handle for a slip resistant grip
- Uses standard replacement blades with 1, 2 or 3 positioning slots on top
- Handle stores additional standard or heavy duty utility blades

10-920-6 Professional Fixed Blade Utility Knife (Includes 3 Blades)
(6/cs) Uses replacement blades: 10-433, 10-429, 10-434, 10-440

Linoleum Knife

ROBERTS



- Cuts linoleum, vinyl sheet goods
- Heavy gauge, high carbon steel blade
- Makes accurate, even cuts without burrs
- Soft, comfort grip handle with hang hole
- Double edge sharp blade will provide years of perfect cuts

10-931 Linoleum Knife (12/cs)

Heavy Duty Round-End Carpet Blades

ROBERTS



- Designed for professional installers
- Precision ground for added sharpness & durability
- Blades fits most, if not all standard carpet knives

Blade Specifications: 2.25" long x .017" thick

10-436-10 10 Blade Blister Card (10 cards/case) (100 blades)
 10-449 100 Blade Quick Blade Dispenser (5/cs) (500 blades)
 10-438 100 Blade Pack - Bulk (10 packs/case) (1,000 blades)

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.
 See P. 63, *Prop 65 - 1.

Heavy Duty Square-End Carpet Blades

ROBERTS



- Designed for professional installers
- Precision ground for added sharpness & durability
- Blades fits most, if not all standard carpet knives

Blade Specifications: 2.25" long x .017" thick

10-451 Carpet Blades, Square-End (10 packs/case) (100 blades)
 10-453 100 Blade Quick Blade Dispenser (5/case) (500 blades)

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.
 See P. 63, *Prop 65 - 1.

Heavy Duty Utility Blades

ROBERTS



- Designed for professional installers
- Precision ground for added sharpness & durability
- Blades fits most, if not all standard utility knives

Heavy Duty Blade Specifications: 2.28" long x .025" thick

10-433 10 Blade Pack (10 packs/case) (100 blades)
 10-429 100 Blade Quick Blade Dispenser (5 packs/case) (500 blades)
 10-434 100 Blade Pack - Bulk (10 packs/case) (1,000 blades)

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.
 See P. 63, *Prop 65 - 1.

Hooked Blades

ROBERTS



Fits Roberts 10-905 Multipurpose Wall Trimmer

Blade Specifications: 1.84" long x .025" thick

10-440 10 Blade Blister Card (10 cards/case) (100 blades)

Trimmer Blades

ROBERTS



- Designed for professional installers
- Precision ground for added sharpness & durability
- Blades fits most, if not all standard carpet knives

Blade Specifications: 2.18" long x .017" thick

10-444-10 10 Blade Blister Card (10 cards/case) (100 blades)

Strip Cutter Blades

ROBERTS



Fits Roberts 10-108 Strip Cutter

Blade Specifications: 1.86" long x .45" wide x .038" thick

10-439 6 Blade Blister Card (10 cards/case) (60 blades)

* For Replacement Floor Cutter Blades, see page 38. For Replacement Scraper Blades, see page 60.

Longneck Plus 6" Jamb Saw

ROBERTS



- 1-1/2" vacuum port for optimal dust containment
- Extended "tail" for maximum leverage against torque
- Powerful, 1100 watt industrial grade power unit, 120V ~ 60Hz, 9.6 AMPs
- Patented design enables saw to cut full inside corners in molding up to 1/2" thick
- Adjustable cutting depth guide prevents cutting into plaster or wall board when trimming base boards
- Easy access trigger for better control
- Precision height adjustment from "flush" to 1-1/16"
- Doors as thick as 1-3/4" can be undercut without removal
- Includes 6-3/16 in. 36-tooth carbide tip blade and masonry blade
- Includes custom molded carrying case

10-56	Longneck Plus 6" Jamb Saw (1/cs)
10-47-2	6-3/16" 36-Tooth Carbide Tip Saw Blade (2/cs)
10-47-6	6-3/16" 20-Tooth Carbide Tip Saw Blade (6/cs)
10-55-24	Masonry Blade (1/cs)



*hose not included

Super Six 6" Jamb Saw

ROBERTS



- Adjustable cutting depth guide prevents cutting into plaster or wall board when trimming base boards
- Powerful, 900 Watt industrial grade power unit has all ball and needle bearings, 120V ~ 60Hz, 7.5 AMPs
- Patented design enables saw to cut full inside corners in molding up to 1/2" thick
- Spiral ground gears for smooth, quiet operation
- Precision height adjustment from "flush" to 1-1/16"
- Doors as thick as 1-3/4" can be undercut without removal
- Includes 6-3/16" 36-tooth carbide tip blade
- Includes custom molded carrying case

10-46	Super Six 6" Jamb Saw (1/cs)
10-47-2	6-3/16 in. 36-Tooth Carbide Tip Saw Blade (2/cs)
10-47-6	6-3/16 in. 20-Tooth Carbide Tip Saw Blade (6/cs)

Jamb Saw Replacement Blades

ROBERTS



- 10-47-6 6-3/16" Carbide tipped blade provides long cutting life 20-tooth anti-snag blade resists catching on hidden nails (6/cs)
- 10-47-2 6-3/16" 36-tooth carbide tipped blade easily cuts through tough wood. Excellent for cutting door jams, baseboards and along walls (2/cs)
- 10-55-24 6" Durable masonry blade easily cuts through brick and cement block (1/cs)
- 10-42 4-1/4" Carbide tipped blade provides long cutting life 20-tooth anti-snag blade resists catching on hidden nails (6/cs)
For use with Roberts 10-40 Jamb Saw

Deluxe Grip Pouch

ROBERTS



- Holds tools firmly in place with special leather insert grips
- Professionally constructed of 100% leather and double stitching
- Slotted to fit directly on the belt
- 7-1/2" x 4" x 1"

10-260 Deluxe Grip Pouch (12/cs)

Chalk and Line Reel

ROBERTS



- Special formula prevents caking and clotting

10-303S Chalk Reel (6/cs)
 10-321 White Chalk Refill, 8 oz. (24/cs)

30' Tape Measure

ROBERTS



- 30' x 1" steel acrylic coated blade
- Rugged case with red rubber jacket
- Bright colors for "easy to find" visibility
- Strong spring return; thumb lock and steel belt clip

10-140 30' Tape Measure (12/cs)



VINYL TOOLS

18" Vinyl Tile Cutter

ROBERTS



- Moveable cutting guide for consistent and accurate repetitive cutting of Vinyl Composition Tile (VCT)
- Built-in casters for greater maneuverability and rubber feet for added stability
- Clearly marked measuring guide and 45° miter guide
- Cuts 18" tiles or 12" tiles diagonally and up to 1/8" thick
- Extended one-year warranty

10-918 18" Vinyl Tile Cutter (1/cs)

12" Vinyl Tile Cutter

ROBERTS



- Moveable cutting guide for consistent and accurate repetitive cutting of Vinyl Composition Tile (VCT)
- Built-in casters for greater maneuverability and rubber feet for added stability
- Clearly marked measuring guide and 45° miter guide
- Includes custom blow molded carrying case
- Cuts 12" tiles or 9 in. tiles diagonally and up to 1/8" thick
- Extended one-year warranty

10-900 12" Vinyl Tile Cutter (1/cs)

12" Vinyl Tile Cutter

ROBERTS



- Cuts vinyl tile up to 12" x 12" and up to 4 mm thick
- Hardened steel blades for accurate cuts
- Convenient carry handle for easy transport

10-895 12" Vinyl Tile Cutter (3/cs)

Quik-Cut Vinyl Tile Cutter

ROBERTS



- Cuts vinyl tile up to 12" x 12" and up to 4 mm thick
- Ball and needle bearings for long life and precise operation
- Hardened steel blades
- Die cast aluminum base

30002 Quik-Cut Vinyl Tile Cutter (3/cs)

Heavy Duty Linoleum Carpet Roller

ROBERTS



- Detachable transport wheel assembly kit for easy transport, upright support, and protection of segmented rollers included
- Chrome-plated segmented rollers exert even pressure on uneven surfaces
- Inset axles won't scuff walls
- 30" removable handle for convenient storage

10-950	75 lb. Roller (1/cs)
10-952	100 lb. Roller (1/cs)
10-952-04	Replacement Transport Wheel Assembly Kit (1/cs)

Lightweight 35 lb. Roller

ROBERTS



- Lightweight, easy to carry on and off the job
- Ideal for "double glue" installations
- Chrome-plated segmented rollers exert even pressure on uneven surfaces
- Inset axles won't scuff walls
- 30" removable handle for convenient storage

10-935	35 lb. Roller (1/cs)
--------	----------------------

Extendible Floor Roller

ROBERTS



- Great for rolling vinyl floor covering, carpet and cove base
- Handle extends from 17" to 27"
- Segmented rollers exert even pressure on uneven surfaces
- 7-3/8" wide non-marking rollers and inset axles won't scuff walls
- Second handle for additional leverage

10-955	Extendible Floor Roller (2/cs)
--------	--------------------------------

VCT Seam Roller

ROBERTS



- Use to roll seams on VCT and sheet vinyl
- Rounded outside edge
- 2" x 2" polished steel rollers mounted on 2 smooth rolling ball bearings
- Case hardened brackets resist axle wear

10-960 VCT Seam Roller (6/cs)

"Snuzzle" Adhesive Applicator

ROBERTS



- Exclusive design spreads 11 rows of adhesive
- Creates a flat, well-bonded installation
- Fits all standard open end caulking guns
- Works with both 11 oz. and 30 oz. cartridges

10-981-25 "Snuzzle" Adhesive Applicator (25/cs)

Canada (English/French Packaging)

10-981 "Snuzzle" Adhesive Applicator (25/cs)

Topset Gouge

ROBERTS



- Grooves the back of vinyl or rubber cove base to allow the material to be tightly wrapped around corners
- 5/32" wide blade adjusts for depth and can be sharpened

Only available in Canada

10-279A Topset Gouge (12/cs)

Mozart Weld Rod Trimmer

MOZART



- Prevents nearly all damage to the floor covering, using one hand
- Unique cutting principle: the bottom of the blade hugs the floor allowing the highest points on the floor covering to determine where the wire is cut
- No sharpening needed - includes interchangeable, industrially manufactured, economical trimming blades
- Includes swivelling MOZART spacer claw, eliminating need for guide plate

Only available in Canada

10-1600 Mozart Weld Rod Trimmer (1/cs)

10-8678 Mozart Trimmer Blades (5-pack blister card) (10/cs)

10-8679 Mozart Weld Rod spacer claw 0.5 mm (1 guide on blister card) (10/cs)

10-8700 Mozart Weld Rod spacer claw 0.7 mm (1 guide on blister card) (10/cs)


10-041 Fixing Attachments (Spares, 1 screw with 3 spring washers) (10/cs)



WOOD & LAMINATE TOOLS

25" Pro Flooring Cutter

ROBERTS



Applications

- Carpet Tile
- Laminate and Engineered Wood Flooring
- Vinyl Flooring
- Vinyl Siding
- VCT Tile
- PVC and more
- Cuts Carpet Tile, Wood Planks and flooring up to 25" wide, 17" diagonal and 16 mm thick
- Extendible handle provides extra leverage for more cutting power with less effort
- Cutting guide swivels for angle cuts and is adjustable to maintain perfect 90° cuts
- Replaceable, resharpenable 4 mm thick tungsten blade

10-95 25" Pro Flooring Cutter (1/cs)
 10-468 25" Tungsten Carbide Rep. Blade (1/cs)

18" Multi-Floor Cutter

ROBERTS



Applications

- LVT flooring
- Laminate and Engineered Wood Flooring
- Vinyl Flooring
- VCT Tile
- MDF baseboard
- Cuts Carpet Tile, Wood Planks and flooring up to 18" wide, 12.5" diagonal and 16 mm thick
- Extruded aluminum base with solid plastic surface as a comfortable working area
- Long handle provides extra leverage for more cutting power with less effort
- Replaceable tungsten-steel blade provides a long-lasting working life and sharp and clean cutting edge

10-99 18" Multi-Floor Cutter (1/cs)
 10-990 18" Tungsten Carbide Rep. Blade (1/cs)

13" Multi-Floor Cutter

ROBERTS



Applications

- LVT flooring
- Laminate and Engineered Wood Flooring
- Vinyl Flooring
- VCT Tile
- MDF baseboard
- Cuts Carpet Tile, Wood Planks and flooring up to 13" wide, 8.5" diagonal and 16 mm thick
- Extruded aluminum base with solid plastic surface as a comfortable working area
- Long handle provides extra leverage for more cutting power with less effort
- Replaceable tungsten-steel blade provides a long-lasting working life and sharp and clean cutting edge

10-94 13" Multi-Floor Cutter (1/cs)
 10-940 13" Tungsten Carbide Rep. Blade (1/cs)

9" Multi-Floor Cutter

ROBERTS



Applications

- LVT flooring
- Laminate and Engineered Wood Flooring
- Vinyl Flooring
- VCT Tile
- MDF baseboard
- Cuts Carpet Tile, Wood Planks and flooring up to 9" wide, 5.5" diagonal and 5/8" thick
- Extruded aluminum base with solid plastic surface as a comfortable working area
- Long handle provides extra leverage for more cutting power with less effort
- Replaceable tungsten-steel blade provides a long-lasting working life and sharp and clean cutting edge

- 10-91 9" Multi-Floor Cutter (1/cs)
- 10-910 9" Tungsten Carbide Rep. Blade (1/cs)

13" Multi-Floor Cutter

ROBERTS



Applications

- Vinyl Plank
- Vinyl Tile
- Laminate Flooring
- Engineered Wood
- Extendible handle provides extra leverage for more cutting power with less effort
- Table miter gauge for angled cuts 0° - 45°
- Replaceable, resharpenable blade
- Cuts up to 13" wide and 12 mm thick material

- 10-63 13" Multi-Floor Cutter (1/cs)
- 10-463 13" Tungsten Carbide Replacement Blade (1/cs)

9" Flooring Cutter

ROBERTS



Applications

- Laminate and engineered wood flooring
- Heavy duty steel "T" base design for maximum stability
- Extra long handle for better cutting leverage
- Long lasting 9", resharpenable 4 mm tungsten blade
- Versatile angle guide for 45° cuts
- Sturdy, positionable "V" support keeps planks level while cutting

- 10-60 9" Flooring Cutter (1/cs)
- 10-460 9" Tungsten Carbide Replacement Blade (1/cs)

Plank Width	Max Cutting Thickness
5 1/2"	up to 16 mm thick
7"	up to 12 mm thick
8 1/2"	up to 9.5 mm thick

⚠WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov. See P. 63, *Prop 65 - 4.

8" Laminate Cutter

ROBERTS



- Cuts laminate up to 8" wide and 10 mm thick
- Heavy duty steel frame for maximum stability
- Positionable "V" support keeps planks level while cutting

10-35 8" Laminate Cutter (1/cs)

Replacement Flooring Cutter Blades

ROBERTS



High quality 4 mm Tungsten Carbide replacement blades:

10-460	9" Replacement Blade for 10-60 (1/cs)
10-463	13" Replacement Blade for 10-63 (1/cs)
10-464	13" Replacement Blade for 10-64 (1/cs)
10-466	18" Replacement Blade for 10-66 (1/cs)
10-468	25" Replacement Blade for 10-68 and 10-95 (1/cs)
10-910	9" Replacement Blade for 10-91 and 10-60 (1/cs)
10-940	13" Replacement Blade for 10-94 and 10-63 (1/cs)
10-990	18" Replacement Blade for 10-99 and 10-66 (1/cs)

Universal Repair Kit

ROBERTS



- Quickly repairs scratches, cracks and other damage
- For use with wood floors, vinyl floors and counters, wood cabinets, moldings and furniture
- 5 colors to custom mix and create unlimited shades to match any project

10-33 Universal Repair Kit (6/cs)

Wood, Laminate & Vinyl Putty

ROBERTS



- Fills gaps, nicks and scratches on flooring
- Acrylic based putty is easy to use and fast drying
- Can be sanded, painted or stained
- 9 color choices to match a wide variety of flooring
- 3 oz. tubes

PC7725	Brown Repair Putty (6/cs)
PC7726	Light Repair Putty (6/cs)
PC7727	Light Red Repair Putty (6/cs)
PC7728	Gray Repair Putty (6/cs)
PC7729	Gold Tones Repair Putty (6/cs)
PC7730	Tan Repair Putty (6/cs)
PC7731	Dark Red Repair Putty (6/cs)
PC7732	Dark Brown Repair Putty (6/cs)
PC7733	Light Gray Putty (6/cs)

* For Replacement Knife Blades, see page 28. For Replacement Scraper Blades, see page 60.

Plank Tapping Block

ROBERTS



- Grooved on one side to mate with laminate tongues to avoid damage
- Distributes tapping force equally to protect the edges of the plank
- Large plastic handle to move and position the block quickly
- 3" wide x 7-1/16" long x 3/4" thick

10-44 Plank Tapping Block (6/cs)

Pro Pull Bar

ROBERTS



- Used for floating floor and glue down installations of all brands of tongue and groove flooring
- 16-1/4" long; premium steel construction
- Angled profile allows planks to be tapped together in tight areas and at walls
- Soft felt backing protects floors from scratches during installation

10-18-8 Pro Pull Bar (8/cs)

Tapping Block

ROBERTS




- Used to install all brands of tongue and groove flooring
- High density polypropylene base provides extended product life
- 20" profile equally distributes maximum tapping force
- Comfortable large grip handle

10-17-8 Tapping Block (8/cs)

Universal Tapping Block

ROBERTS



Combination Edge Design

- Unique combination edge design for use with most types of flooring
- Edges specifically designed for:
Resilient Vinyl Tile and Plank Flooring
Tongue and Groove Floors
Click Floors

10-25 Universal Tapping Block (8/cs)

Flooring Installation Kit

ROBERTS



- Used to install all brands of tongue and groove flooring
- Use with glue down and floating floor applications
- Kit contains: Spacers, Tapping Block, Pull Bar

10-26 Flooring Installation Kit (contains 30 wedge spacers) (10/cs)

10-27 Laminate Wedge Spacers Only (30 wedges/bag) (6/cs)

10-28 Flooring Installation Kit (contains 50 wedges spacers) (6/cs)

Portamatic Evolution

PORTA-NAILS



Applications

- 3/8" to 3/4" engineered wood, solid wood, and bamboo flooring
- 3/8" to 5/8" stranded or woven bamboo products

SPECIFICATIONS

Operating Pressure	80 psi @ 3.8 cfm
Fastener Capacity	110
Fastener Style	18 Ga "L" Cleats

- Unique ram design can be hit at any angle to get closer to the wall
- Cam operated height adjustment
- Quick access to the valve and main piston
- Safety mechanism is built into the base of the tool

418A 18 Ga Floor Nailer (1/cs)

Porta-Nailer Hammerhead

PORTA-NAILS



Applications

- 5/8", 3/4" and 33/32" domestic solid wood flooring
- 3/8" to 9/16" solid wood flooring (40230 accessory shoe required)
- 1/2" to 9/16" engineered wood flooring (40230 accessory shoe required)

SPECIFICATIONS

Operating Pressure	Manual
Fastener Capacity	100
Fastener Style	16 Ga "T" Cleats

- Blind nail 3/8" - 33/32" and face nail tongue and groove flooring using interchangeable shoe attachments
- Multi-hit minimizes fatigue while providing greater impact and floor tightness - no need to hit tool hard
- Ratcheting ram allows for single or multi-hit, guaranteeing nails are properly set every time
- Includes extension handle, mallet, angled shoe for 5/8" - 33/32" tongue and groove flooring, wrenches and rugged carrying case

402A 16 Ga Manual Floor Nailer (1/cs)
 40225 Face Nail Shoe (1/cs)
 40230 Thin Flooring Shoe (3/8" to 9/16" solid wood floors) (1/cs)

*Not recommended for stranded bamboo products

3-in-1 Portamatic 465SLT

PORTA-NAILS



Applications

- 5/8", 3/4" and 33/32" domestic solid wood flooring
- 3/8" to 9/16" solid wood flooring
- 9/16" engineered wood flooring

SPECIFICATIONS

Operating Pressure	70-115 psi
Fastener Capacity	100-120 pieces
Fastener Style	16 Ga "T" & "L" Cleats / 15.5 Ga Staples

- 3-in-1 design allows for cleats or staples
- Mallet activated to ensure the tightest floor possible
- Integrated safety prevents accidental firing
- Includes mallet, wrenches, pneumatic lubricant, safety goggles, (2) shoe bases for nailing 1/2" and 3/4" flooring, and carrying case

465SLT 16 Ga 3-in-1 Floor Nailer/Stapler (1/cs)

⚠WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov. See P. 63, *Prop 65 - 5.

Portamatic Elevator

PORTA-NAILS



Applications

- 3/8" to 5/8" engineered wood, solid wood, and bamboo* flooring

SPECIFICATIONS

Operating Pressure	100 psi @ 1.93 cfm
Fastener Capacity	150
Fastener Style	18 Ga 1/4" Staples


- Tool-free adjustable 'Elevator Shoe' for precise adjustment of varying flooring geometry
- Safety mechanism is built into the base of the tool
- Tool-free adjustable exhaust deflector
- Includes carrying case, safety goggles, air inlet, connector and hex wrenches

461A 18 Ga Floor Stapler (1/cs)

*Not recommended for stranded bamboo products

Porta-Jack Pro Hardwood Flooring Jack

PORTA-NAILS



Applications

- Solid wood flooring
- Engineered wood flooring
- Tightens and holds flooring strips in place for nailing
- Versatile features allow use up against walls or in the middle of the floor
- Straightens crooked or bowed flooring strips
- 'Non-stick' coated base provides protection for pre-finished floors
- Includes 2 knob screws for easy front lip removal
- Delivers over one ton of force

47100 Porta-Jack Pro Hardwood Flooring Jack (1/cs)

⚠WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov. See P. 63, *Prop 65 - 2.

Flooring Mallet

PORTA-NAILS



- 60 oz. heavy duty mallet for use with mallet actuated nailers and staplers
- Balanced head to maximize striking force
- Flat face insures solid contact with the flooring tool
- Features a hickory handle and a non-marring rubber cap

40009 Flooring Mallet (1/cs)

Fasteners - Cleats

"L" Head Flooring Porta-Nails Cleats

Model #	DESCRIPTION	PER PACK	PER CASE	CASE WEIGHT	APPLICATION	TOOL MODEL
4702	2" L-Porta-Nails, 16 Ga	1000	5	19 lbs.	1/2" to 3/4" Solid Wood	465SLT
4703	1-3/4" L-Porta-Nails, 16 Ga	1000	5	18 lbs.	1/2" to 3/4" Solid Wood	465SLT
4704	1-1/2" L-Porta-Nails, 16 Ga	1000	5	16 lbs.	1/2" to 33/32" Solid Wood	465SLT
47080	2" L-Porta-Nails, 16 Ga STAINLESS STEEL*	1000	1	4 lbs.	1/2" to 33/32" Solid Wood & ACQ Treated Wood	465SLT
41801	1-1/4" L-Porta-Nails, 18 Ga	2000	5	19 lbs.	3/8" to 9/16" Engineered Wood, Solid Wood & Stranded Bamboo	418A
41802	1-1/2" L-Porta-Nails, 18 Ga	1200	5	16 lbs.	3/8" to 3/4" Engineered Wood, Solid Wood & Stranded Bamboo	418A
41803	1-3/4" L-Porta-Nails, 18 Ga	1200	5	17 lbs.	3/8" to 3/4" Engineered Wood, Solid Wood & Stranded Bamboo	418A

"T" Head Flooring Porta-Nails Cleats

Model #	DESCRIPTION	PER PACK	PER CASE	CASE WEIGHT	APPLICATION	TOOL MODEL
42640	1-1/2" T-Porta-Nails, 16 Ga	1000	5	15 lbs.	1/2" to 3/4" Solid Wood	465SLT, 402A
42629	2" T-Porta-Nails, 16 Ga	1000	10	42 lbs.	1/2" to 33/32" Solid Wood	465SLT, 402A
42660	2" T-Porta-Nails, 16 Ga STAINLESS STEEL*	1000	1	4 lbs.	1/2" to 33/32" Solid Wood & ACQ Treated Wood	465SLT, 402A

*Stainless steel nails are recommended for use with "ACQ" decking.

Fasteners - Staples

1/2" Crown Flooring Staples

Model #	DESCRIPTION	PER PACK	PER CASE	CASE WEIGHT	APPLICATION	TOOL MODEL
47271	1-1/2" Crown Staples, 15-1/2 Ga, BCS Type	1000	5	20 lbs.	1/2" to 3/4" Solid Wood	465SLT
47261	2" Crown Staples, 15-1/2 Ga, BCS Type	1000	5	24 lbs.	1/2" to 33/32" Solid Wood	465SLT
4723	2" Crown Staples, 15-1/2 Ga, BCS Type	7700	1	36.4 lbs.	1/2" to 33/32" Solid Wood	465SLT


1/4" Crown Flooring Staples

Model #	DESCRIPTION	PER PACK	PER CASE	CASE WEIGHT	APPLICATION	TOOL MODEL
46196	1" Crown Staples, 18 Ga	5000	1	5.2 lbs.	3/8" to 7/16" Engineered & Solid Wood	461A
46197	1-1/4" Crown Staples, 18 Ga	5000	1	6.6 lbs.	3/8" to 9/16" Engineered & Solid Wood	461A
46198	1-1/2" Crown Staples, 18 Ga	5000	1	6.2 lbs.	3/8" to 5/8" Engineered & Solid Wood	461A

NWFA recommends that you follow the flooring manufacturers' installation guidelines regarding the tool and fastener to be used on your floors. The recommendations in this catalog are intended to be a guide to assist the user in placing the flooring fastener in the correct position, protect the pre finished surface and to obtain optimum installation results using industry standard guidelines. Always test the flooring for nail placement before full installation.

Flooring Nail Set

PORTA-NAILS



- Wide, anti-slip tip is designed to fit T and L flooring Nails/ Cleats or 18 Ga Flooring Staples
- Properly sets nails that are not counter set
- Black oxide finish inhibits rust
- Made of hardened tool steel

42620 Flooring Nail Set (1/cs)



TROWELS

Comfort Grip Trowels

ROBERTS



- Rustproof stainless steel blade
- Large, contoured and cushioned grip handles for comfort
- High quality 11" x 4-1/2" trowel designed for the professional
- Durable 230 mm zinc die-cast shank
- Extra handle-to-shank clearance to allow for complete hand rotation
- Longer shank with 9 rivets
- First and last rivet reinforced and welded

No. in case 12

Wood Handle Trowels

ROBERTS



- Hardened and tempered steel blade, grounded and polished for long lasting durability
- Large wooden handle for an easy grip
- Quality trowel measuring 11" x 4-1/2" designed for the professional installer
- Aluminum die-cast shank
- Some notches available in 16" lengths

No. in case 6

Economy Notched Trowels

ROBERTS



- Hard, cold-rolled steel blade for longer wear
- High-impact black plastic handle
- Quality trowel measuring 9" x 4"

No. in case 30
 Unless noted as -12

made in
USA

Wall Base Spreader

ROBERTS



- Durable cold-rolled steel blade for applying wall base adhesives
- Conveniently fits into a quart can

10033 Wall Base Spreader - V-Notch 3/16" x 5/32" (24/cs)

"Snuzzle" Adhesive Applicator

ROBERTS



- Exclusive design spreads 11 rows of adhesive
- Creates a flat, well-bonded installation
- Fits all standard open end caulking guns
- Works with both 11 oz. and 30 oz. cartridges

10-981-25 "Snuzzle" Adhesive Applicator (25/cs)

Canada (English/French Packaging)

10-981 "Snuzzle" Adhesive Applicator (25/cs)

made in
USA

For Carpet, Vinyl Sheet, LVT, VCT and Wood


Notch Size	Application	Comfort Grip (11" Blade)	Wood Handle (11" Blade)	Economy
1/16" x 1/16" x 1/16" SQ	For carpet tile, fiberglass sheet, felt-backed sheet, luxury vinyl tile, plank, and cork underlayment			10125 10-180*
1/16" x 1/16" x 1/16" SQ	For carpet tile, fiberglass sheet, felt-backed sheet, luxury vinyl tile and plank	10-823 (with 10° blade angle)	10-810 (with 10° blade angle)	
1/8" x 1/8" x 1/8" SQ	For pre-finished parquet and wall base			10123-12
1/16" x 1/16" x 3/32" U	For fiberglass sheet, felt-backed sheet, VCT, luxury vinyl tile and plank		49736	10121-12
3/32" x 3/32" x 3/32" Flat-Top V	For smooth backed carpet	10-833 (with 10° blade angle)	10-820 (with 10° blade angle)	
1/8" x 1/8" x 1/16" Flat-Top V	For secondary-backed carpet, direct glue-down, sheet vinyl installations, and cork underlayment		49737	10137-12
1/16" x 1/32" x 1/32" U	For VCT, vinyl, vinyl tile, and vinyl plank	10-829 (with 10° blade angle)	10-816 (with 10° blade angle)	10111-12
1/16" x 1/32" x 1/32" U	For VCT, vinyl, luxury vinyl tile and plank			10-180* 10-180-12*
1/16" x 1/32" x 5/64" U	For carpet tile, fiberglass sheet, felt-backed sheet, and VCT		49738	10122
1/4" x 1/4" x 1/4" SQ	For thinset application of ceramic tile 8" x 8" or smaller, laminated wood plank flooring, flat milled solid & shorts or plywood	49915Q(C) (QEP)	49713Q(C) (QEP)	10113Q (QEP)
1/4" x 1/4" x 1/4" Flat-Top V	For pre-finished engineered wood plank, solid wood, bamboo and acrylic impregnated plank flooring		10-850	10142-12
3/8" x 5/16" V	For bamboo, solid and engineered wood flooring from 1/2 to 3/4 in. thick			10143 (12/cs)
1/4" x 3/16" Tiger Tooth®	For bamboo, solid and engineered wood flooring up to 1/2 in. thick		10-840	10144 (12/cs)
3/16" x 1/4" x 1/2" Flat-Top V	For laminated wood plank, solid wood, bamboo and acrylic impregnated plank flooring		49730	

* Double Sided Trowels

Always check adhesive/mortar manufacturer's trowel recommendations before selecting a trowel notch.

All Trowels Measure: Width x Depth x Space Apart

Recommended notch sizes by NTCA (National Tile Contractors Association)



Seam Adhesive Dispenser

ROBERTS



- Designed to apply seam sealer to the seams of carpet and vinyl flooring
- Use with the "stepped" applicator tip for best results
- Holds up to 8 ounces


1000-8 Seam Adhesive Dispenser (12/cs)



PLYWOOD UNDERLAYMENTS

Accuply® Premium Underlayment

ROBERTS



- Constructed of 100% Arctic Birch
- Rugged solid core construction with no voids
- Manufactured using Carb Phase II and TSCA Title VI compliant materials
- Smooth and sanded on both sides for perfect finish
- Exceptional exterior glue performance
- Unique pre-printed nailing pattern for quicker installation
- 6 mm available in 4 x 4', 4 x 5', and 4 x 8' boards
- 9 mm available in 4 x 4' and 4 x 8' boards
- Limited lifetime warranty

- AC-844-6P Accuply® Premium Underlayment
6 mm (.25 inches) thick - 4' x 4' (65/pallet)
- AC-845-6P Accuply® Premium Underlayment
6 mm (.25 inches) thick - 4' x 5' (65/pallet)
- AC-848-6P Accuply® Premium Underlayment
6 mm (.25 inches) thick - 4' x 8' (65/pallet)
- AC-844-9P Accuply® Premium Underlayment
9 mm (.375 inches) thick - 4' x 4' (44/pallet)
- AC-848-9P Accuply® Premium Underlayment
9 mm (.375 inches) thick - 4' x 8' (22/pallet)



Enstron Underlayment Plus

ROBERTS



- Surface hardness properties over 1000 psi with no voids
- Formaldehyde free, exempt from CARB regulations
- Sanded to a 0.005" tolerance
- Moisture resistant
- Available in 5/16" thickness
- Available in 4' x 4' and 4' x 8"
- 15 Year lifetime warranty

- HC-844 Enstron Underlayment Plus
8 mm (5/16 inches) thick - 4' x 4' (53/pallet)
- HC-848 Enstron Underlayment Plus
8 mm (5/16 inches) thick - 4' x 8' (53/pallet)





BLACKBACK
FLOATING FLOOR UNDERLAYMENT
THIS SIDE UP
CE CÔTÉ VERS LE HAUT
ESTE LADO ARRIBA



ROBERTS

UNDERLAYMENTS

Quiet Cushion®

ROBERTS



- 2 mm Progressive Foam Technology (PFT) designed for supreme sound reduction
- Extra fine, cross linked foam for advanced moisture protection and shock absorption
- Delta Rating of 21 - one of the best in the industry
- Excellent for radiant heat floors, mold and mildew resistant
- Anti-crush technology for excellent performance and long life
- Includes adhesive strip and 3" overlap film
- For use under engineered and laminate flooring

70-180 100 sq. ft. roll - 43.5 in. x 27.5 ft. (12/cs)

IIC Rating*	STC Rating*	Δ Rating*
71	67	21

First Step Premium 3-in-1

ROBERTS



made in USA

- Sound resistant underlayment for use under all laminate and engineered hardwood floating floors
- Excellent moisture resistance
- Reduces ambient noise
- 4" overlap with adhesive strip for installation
- Outstanding compression resistance over time
- For use with below, on and above grade subfloors
- Ideal in condos and multi-level dwellings

70-102-12 100 sq. ft. roll - 40 in. x 30 ft. (12/cs)
 70-102-1 630 sq. ft. roll - 40 in. x 189 ft. (1/cs)

IIC Rating*	STC Rating*	R-Value*
68	67	0.39

SoundBarricade

ROBERTS



- For use under vinyl, laminate or wood flooring
- Rubber foam technology provides superior acoustical properties
- Built in moisture guard with lip and tape protects against subfloor moisture
- Crush-proof
- Retains cushion and shape through use of recycled tire crumb particles

70-197 200 sq. ft. roll - 33 in. x 66 ft. (12/cs)

Flooring	IIC Rating*	STC Rating*	Δ IIC*
LVT & Planks	69	63	25
Laminate & Wood	68	63	22

Super Felt®

ROBERTS



- Made from 80% recycled fibers, provides deep, rich sound by absorbing noise instead of deflecting it
- Extremely high temperature manufacturing process treats fibers
- Excellent for radiant heat floors, mold and mildew resistant
- 3 mm thick pad corrects minor sub-floor imperfections
- 2 mil thick top film protects from harmful moisture vapor
- Added R-Value to chilly floors
- Includes adhesive strip and 3" overlap film
- For use under engineered and laminate flooring


70-190 100 sq. ft. roll - 44 in. x 27.3 ft. (1/cs)
 70-193 360 sq. ft. roll - 44 in. x 98 ft. (1/cs)

IIC Rating*	STC Rating*	R-Value*	Δ Rating*
67	66	0.59	21

* IIC measures sound such as moving furniture and walking, STC measures sound such as voices and television. Minimum sound rating required by most building codes and architects is 50. R-Value is the rating used to measure resistance to heat flow. Δ Delta Rating is the only true measurement of sound reduction from a product (not a floor assembly) in the industry.

4-in-1 Silent Warmth Ultra

ROBERTS




- Premium cushioning makes floors softer to walk on
- Thermal insulation makes floors warmer and more comfortable
- Suitable for use over radiant heated floors
- For use with laminate and engineered wood
- Folding, lightweight and easy to install
- Lip and tape connecting system
- Made from recycled materials
- 3 mm thick

70-183 103 sq. ft. roll - 47.2 in. x 26.2 ft. (12/cs)

IIC Rating*	STC Rating*	Δ Rating*
68	61	21

3-in-1 Silent Warmth

ROBERTS



- Protects floors from moisture vapor
- Suitable for use over radiant heated floors
- Folding, lightweight and easy to install
- For use under laminate and engineered wood flooring
- Lip and tape connecting system
- Made from recycled materials
- 2 mm thick

70-182 103 sq. ft. roll - 47.2 in. x 26.2 ft. (12/cs)

IIC Rating*	STC Rating*	Δ Rating*
67	61	21

Thermawave™

ROBERTS



- Thermawave™ design eliminates re-rolling for easier installation
- Aluminum backing provides moisture protection and thermal insulation
- Dense foam provides excellent sound reduction
- Mold and mildew resistant
- 2 mm foam cushions floor

70-177 100 sq. ft. roll - 43.5 in. x 27.5 ft. (12/cs)
 Includes adhesive strip and 3" overlap film
 Only available in Canada

IIC Rating*	STC Rating*
69	65

Black Jack

ROBERTS



- 2.5 mm thick foam provides optimal floor cushion
- Reduces surface noise as well as sound transference between floors
- Dense closed-cell structure provides high moisture resistance
- Mold and mildew resistant
- For use with below, on and above grade uses under laminate and engineered wood flooring
- Includes overlap and adhesive strip to seal out moisture and join multiple rolls

70-026 100 sq. ft. roll - 43 in. x 28 ft. (12/cs)
 70-026-XL 600 sq. ft. roll - 43 in. x 167.5 ft. (2/cs)

IIC Rating*	STC Rating*	Δ Rating*
70	66	21

* IIC measures sound such as moving furniture and walking, STC measures sound such as voices and television. Minimum sound rating required by most building codes and architects is 50. R-Value is the rating used to measure resistance to heat flow. Δ Delta Rating is the only true measurement of sound reduction from a product (not a floor assembly) in the industry.

Soft Stride®

ROBERTS



- 2 mm dense foam provides excellent sound reduction under engineered and laminate flooring
- Closed cell foam for excellent moisture protection
- Excellent for radiant heat floors, mold and mildew resistant
- Anti-crush technology for excellent performance and long life
- Includes adhesive strip and 3" overlap film

70-185 100 sq. ft. roll - 43.5 in. x 27.5 ft. (12/cs)

IIC Rating*	STC Rating*	Δ Rating*
69	66	21

Unison® 2-in-1

ROBERTS



- 3/32" polyethylene foam increases cushioning between flooring and subfloor
- 4" film overlap with adhesive strip for seamless protection
- Top film protects from harmful moisture vapor

70-025 100 sq. ft. roll - 48 in. x 25 ft. (12/cs)

Roberts Canada (English/French Packaging)
70-025-C 100 sq. ft. roll - 48 in. x 25 ft. (12/cs)

IIC Rating*	STC Rating*
61	54

Serenity Foam

ROBERTS



- 3/32" polyethylene foam underlayment for laminate and engineered wood flooring
- Ideal for above grade uses
- Corrects minor subfloor imperfections

70-010 100 sq. ft. roll - 48 in. x 25 ft. (60/cs)
70-010-XL 400 sq. ft. roll - 49 in. x 100 ft. (1/cs)

Roberts Canada (English/French Packaging)
70-010 100 sq. ft. roll - 48 in. x 25 ft. (65/cs)

Underlayment Seam Tape

ROBERTS



- For joining underlayment, carpet padding, packing and sealing
- Multipurpose and general repair
- Moisture resistant

50-040 Underlayment Seam Tape - (12/cs)
1-7/8" x 100' roll

⚠WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov.
See P. 63, *Prop 65 - 1.

* IIC measures sound such as moving furniture and walking, STC measures sound such as voices and television. Minimum rating required by most building codes and architects is 50. R-Value is the rating used to measure resistance to heat flow. Δ Delta Rating is the only true measurement of sound reduction from a product (not a floor assembly) in the industry.

Natural Cork Sheets

ROBERTS



- Reduces sound transmission from both the surface of a floor as well as through the floor to living spaces below
- Use under ceramic tile, stone, marble, engineered hardwood and laminate floors
- Acts as a crack isolation membrane that resists transfer of stress cracks from subfloor through to flooring surfaces
- Reduces thermal transmission, increasing the effectiveness of floor heating systems
- Each sheet: 2' x 3'

70-175 1/4" (6 mm) Sheets - 300 sq. ft./case, (50 sh/pk)

Test Results	IIC Rating	STC Rating	Δ Rating*
70-175 - with 6" cement slab	51	52	22
70-175 - with 6" cement slab & suspended ceiling	61	60	22

Natural Cork Roll

QEP



- Reduces sound transmission from both the surface of a floor as well as through the floor to living spaces below
- Use under ceramic tile, stone, marble, engineered hardwood and laminate floors
- Acts as a crack isolation membrane that resists transfer of stress cracks from subfloor through to flooring surfaces
- Reduces thermal transmission, increasing the effectiveness of floor heating systems

72000Q 1/4" (6 mm) Natural Cork Roll - 200 sq. ft. roll, 48" x 50' (1/cs)
 72003Q 1/4" (6 mm) Natural Cork Roll - 100 sq. ft. roll, 48" x 25' (1/cs)
 72008Q 1/8" (3 mm) Natural Cork Roll - 200 sq. ft. roll, 48" x 50' (1/cs)

Test Results	IIC Rating	STC Rating	Δ Rating*
72000Q - with 6" cement slab	51	52	22
72000Q - with 6" cement slab & suspended ceiling	61	60	22
72003Q - with 6" cement slab	51	52	22
72003Q - with 6" cement slab & suspended ceiling	61	60	22

Moisture Barricade

ROBERTS



- Use with standard foam underlayments to protect against moisture
- 6 mil. thick polyethylene film for long life
- Roll unfolds to cover an extra large 10 ft. x 12 ft. area
- Includes adhesive strip

70-115 120 sq. ft. sheet - 10 ft. x 12 ft. (12/cs)

* IIC measures sound such as moving furniture and walking, STC measures sound such as voices and television. Minimum sound rating required by most building codes and architects is 50. R-Value is the rating used to measure resistance to heat flow. Δ Delta Rating is the only true measurement of sound reduction from a product (not a floor assembly) in the industry.

SVS Silicone Vapor Shield

ROBERTS



- Recommended for staple and nail down installations of solid and engineered wood floors
- Reduces vapor flow without trapping moisture
- Helps reduce dust and noise levels
- Meets perm ratings recommended by the National Wood Flooring Association
- Can be used with radiant heat systems - No asphalt odor

70-198 200 sq. ft. roll, 33.5 in. x 72 ft. (6/cs)

Roberts Canada (English/French Packaging)

70-198-C 200 sq. ft. roll, 33.5 in. x 72 ft. (6/cs)

Aquabar® "B" Moisture Vapor Barrier

QEP



- Sub-floor barrier helps prevent buckling, cupping and cracking
- Ideal for interior installations of: ceramic, porcelain or stone over cement board, plywood or concrete; and, finished or unfinished wood floors over plywood or concrete

70-195 500 sq. ft. roll - 36 in. x 167 ft. (1/cs)

Waxed Paper Roll

ROBERTS



- 30-lb. heavy duty Kraft paper waxed on both sides for use with hardwood or engineered nail-down installations
- Use as a barrier between wood subfloor and new floor on above grade installations
- Helps in reducing squeaks in plywood subfloors
- Use to slide boards into place with ease


70-120 750 sq. ft. roll - 36 in. x 250 ft. (1/cs)
Only available in Canada



TAPE

Max Grip® Vinyl Floor Installation Tape

ROBERTS



- For the permanent installation of vinyl flooring, wall base, stairs and treads and vinyl trim
- Will adhere to any clean and dry subflooring (concrete, wood, etc...)
- Perfect for modified loose lay vinyl sheet flooring installation
- Aggressive, acrylic adhesive with reinforced scrim webbing for extra strength
- Great for flooring repairs

50-540 Vinyl Installation Tape - 1-7/8" x 50' (12/cs)

QEP Canada (English/French Packaging)

50-540-C Vinyl Installation Tape - 1-7/8" x 50' (12/cs)

Max Grip® Carpet Installation Tape

ROBERTS



- For the permanent installation of carpet, moldings and trim
- Aggressive, acrylic adhesive with reinforced scrim webbing for extra strength
- Works on indoor and outdoor installations
- Ideal for stairs and treads

50-550 Carpet Installation Tape - 1-7/8" x 75' (12/cs)

50-560 Carpet Adhesive Strip - 1" x 164' roll (6/cs)

50-565 Carpet Adhesive Strip - 3" x 164' roll (3/cs)

QEP Canada (English/French Packaging)

50-550-C Carpet Installation Tape - 1-7/8" x 75' (12/cs)

Rug Traction™ Anti-Slip Rubber Tape

ROBERTS HOME



- Specially designed non-slip strip for holding rugs and mats in place
- One side attaches permanently to the rug and the other side provides a non-slip surface for additional traction
- Easy to apply and requires no clean up

50-545 Rug Traction™ Anti-Slip - 2-1/2" x 25' Individually Boxed (12/cs)

QEP Canada (English/French Packaging)

50-545-C Rug Traction™ Anti-Slip - 2-1/2" x 25' Individually Boxed (12/cs)

Duct Tape

ROBERTS



- Great for general repairs, projects, packing, seaming and sealing
- Easily tears by hand
- Conforms easily to uneven surfaces

50-555 Duct Tape - 1-7/8" x 60 yds, Individually Packaged (36/cs)

Rug Gripper™

ROBERTS HOME



made in USA

- Holds rugs and mats in place on all floor surfaces
- Safe for all floor surfaces, including carpet
- Removable, repositionable

50-580 Rug Gripper™ for Small Rugs – 2-1/2" x 25' roll (6/cs)
 50-582 Rug Gripper™ for Small Rugs Value Roll – 2-1/2" x 60' roll (6/cs)
 50-584 Rug Gripper™ Sheet – 10" x 20" sheet (12/cs)
 50-588 Rug Gripper™ Roll – 3" x 60' roll (6/cs)

QEP Canada (English/French Packaging)

50-580-C Rug Gripper™ for Small Rugs – 2-1/2" x 25' roll (8/cs)
 50-582-C Rug Gripper™ for Small Rugs, Value Roll – 2-1/2" x 60' roll (6/cs)

Stay 'N' Place™

ROBERTS HOME



- Holds accent rugs and mats up to 3' x 5' in place
- High holding power for hard surfaces
- Removable, repositionable

50-547 Stay 'N' Place™ – 4" x 4" Tabs (24/cs)

Tread Tape

ROBERTS HOME



- Anti-slip safety strip
- Extra traction on stairs, ramps, loading docks and ladders
- Coarse, grit sandpaper surface provides traction to prevent slipping and falling

50-585 Tread Tape Roll – 2" x 15' (6/cs)

Underlayment Seam Tape

ROBERTS



- For joining underlayment, carpet padding, packing and sealing
- Multipurpose and general repair
- Moisture resistant

50-040 Underlayment Seam Tape –
 1-7/8" x 100' roll (12/cs)

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov. See P. 63, *Prop 65 - 1.


Filament Tape

ROBERTS



- General purpose, clear fiberglass-reinforced tape with a synthetic rubber resin adhesive
- Ideal for light duty strapping, wrapping and strengthening
- Provides good adhesion on fiberboard surfaces, plastics and metal surfaces

50-050 Filament Tape – 5/8" x 150' roll (12/cs)



TEAR-OUT

Pro Carpet Knee Pads

ROBERTS



- Padded upper strap specifically designed to be used during knee kicking
- Soft, non-pinching straps
- Wide straps that hold knee pads in place
- A must-have for any installer

79034 Pro Carpet Knee Pads (6/cs)

Hard Cap Knee Pads

ROBERTS



- Hard cap glides easily on soft flooring
- Nylon fabric with foam cushion
- Adjustable Velcro® straps

79023-6 Hard Cap Knee Pads (6/cs)

20 oz. Ripping Hammer

ROBERTS



- Sturdy, quality hickory construction
- Long straight claw is ideal for pulling up old tack strip
- 20 oz. head
- Contoured handle provides optimal strength while minimizing impact shock
- 14" long

10-114 20 oz. Ripping Hammer (6/cs)

Carpet Puller

ROBERTS



- Unique design provides maximum pulling power
- Serrated clamps provide firm carpet grip, great for removing carpet
- Large comfortable handle
- Die-cast aluminum

10-10 Carpet Puller (2/cs)

⚠ WARNING: Cancer - www.P65Warnings.ca.gov. See P. 63, *Prop 65 - 2.

Pro Mini Pry Bar

ROBERTS



- Perfect angles provide ideal leverage for removing base molding and tack strip
- New deep bevel nail slot for easy nail removal
- Constructed from high carbon forged steel with bright nickel plating
- 10-1/2" long

10-503 Pro Mini Pry Bar (3/cs)

Pro 18" Floor & Wall Scraper

ROBERTS



- Ball cap fits in the palm of your hand for comfortable scraping
- Provides less user fatigue for tough jobs
- Use in a variety of wall and floor stripping applications
- Heavy duty construction for tough, stubborn glue removal

10-188 Pro 18" Floor/Wall Scraper (6/cs)
 10-462 8" Floor/Wall Scraper Replacement Blade (10 pcs.) (10/cs)

Floor & Wall Scraper

ROBERTS



- Tool-less, easy blade change
- Built-in screwdriver in handle
- Change blades in a matter of seconds
- Use in a variety of wall and floor stripping applications
- Convenient and easy 5 blades in handle with storage tube

10-187 Floor/Wall Scraper (12/cs)
 10-442-10 4" Floor/Wall Scraper Replacement Blade (10 pcs.) (10/cs)
 10-459 4" Floor/Wall Scraper Replacement Blade (40 pcs.) (40/cs)

Floor & Wall Scrapers

ROBERTS



- Angled head provides "clean shaving" cutting action, perfect for stripping floors, walls and wallpaper
- Features three blade clamp screws for maximum blade holding power and flex-grip anti-fatigue vinyl hand grip

10-194 4" Floor/Wall Scraper - 12" handle (10/cs)
 10-294 4" Floor/Wall Scraper - 18" handle (10/cs)
 10-442-10 4" Floor/Wall Scraper Replacement Blade (10 pcs.) (10/cs)

Stand-Up Scraper

ROBERTS



- Professional stand-up scraper
- Steel shank molded into head, welded to steel handle
- Deluxe cushioned grip handle, adjustable from 3' to 6'
- Sturdy construction with an 8" hardened steel blade and locking cam
- Features a 15° angled head

10-296 Stand-Up Scraper (6/cs)
 10-458 8" Floor/Wall Scraper Replacement Blades (10 blades) (10/cs)

Heavy Duty 6" Convertible Scraper

ROBERTS



- Dependable heavy duty scraper easily converts to a stand-up scraper with the addition of a stretcher extension tube (sold separately)
- "Action lock" handle adjusts 360° to any position
- Comfortable molded handle maximizes thrust and conserves energy
- Includes a 6" hardened steel blade, heavy duty cast aluminum scraper head and a hardened steel locking cam
- Add 3' stretcher extension tubes to achieve desired length

10-195 Heavy Duty 6" Convertible Scraper (1/cs)
 10-195-01 6" Hardened Steel Replacement Blade (1/cs)
 10-230-10 3' Steel Stretcher Tube (1/cs)

4" Floor/Wall Scraper Blades

ROBERTS



- Fits Roberts 10-194, 10-294 Floor Scraper and all standard 4" scrapers
- Precision ground high speed carbon steel blade for professional installers
- Increased sharpness & durability
- Blades branded with Roberts logo
- Made in USA

Blade Specifications: 4 in. long x .015 in. thick

10-442-10 10 Blade Blister Card (10 cards/case) (100 blades)

10-459 Scraper Blades (10 cs) (40 blades)

8" Floor/Wall Scraper Blades

ROBERTS



- Fits Roberts 10-296 Stand-Up Scraper, and all standard 8" scrapers
- Precision ground high speed carbon steel blade for professional installers
- Increased sharpness & durability
- Blades branded with Roberts logo
- Made in USA

Blade Specifications: 8" long x 0.74" wide x .035" thick

10-458 10 Blade Tube (1 tube) (10 blades)

10-462 Scraper Blades (10 cs) (5 blades)

INDEX *By Item Number*

Item #	Description	Page	Item #	Description	Page	Item #	Description	Page
10-10	Carpet Puller	58	10-254	Power-Lok Stretcher	12	10-900	12" Vinyl Tile Cutter	32
10-17-8	Tapping Block	39	10-254-50	Replacement Power Head	12	10-905	Multi-Purpose Wall Trimmer	23
10-18-8	Pro Pull Bar	39	10-254V	Power-Lok Stretcher Value Kit	12	10-910	9" Tungsten Carbide Replacement Blade	37, 38
10-25	Universal Tapping Block	39	10-258	Power Stretcher Tail	14	10-918	18" Vinyl Tile Cutter	32
10-26	Flooring Installation Kit	39	10-260	Deluxe Grip Pouch	30	10-920-6	Professional Fixed Blade Utility Knife	27
10-27	Laminate Wedge Spacers Only	39	10-279A	Topset Gouge	34	10-931	Linoleum Knife	27
10-28	Flooring Installation Kit	39	10-282G-2	Deluxe Heat Bond Iron, Grooved Base	18	10-935	Lightweight 35 lb. Roller	33
10-33	Universal Repair Kit	38	10-286G	6" Heat Bond Iron	18	10-940	13" Tungsten Carbide Replacement Blade	36, 39
10-35	8" Laminate Cutter	38	10-294	4" Floor/Wall Scraper - 18" handle	59	10-950	Heavy Duty Linoleum Carpet Roller	33
10-42	4-1/4" Carbide Tipped Blade	29	10-296	Stand-Up Scraper	59	10-952	Heavy Duty Linoleum Carpet Roller	33
10-44	Plank Tapping Block	39	10-303S	Chalk Reel	30	10-952-04	Replacement Transport Wheel Kit	33
10-46	Super Six 6" Jamb Saw	29	10-321	White Chalk Refill, 8 oz.	30	10-955	Extendible Floor Roller	33
10-47-2	6-3/16" 36-Tooth Carbide Tip Saw Blade	29	10-410	Adjustable Knee Kicker	16	10-960	VCT Seam Roller	34
10-47-6	6-3/16" 20-Tooth Carbide Tip Saw Blade	29	10-412-09	Replacement Bumper Pad	15, 16	10-981-25	"Snozzle" Adhesive Applicator	34, 44
10-55-24	6" Masonry Blade	29	10-412-2	Deluxe Knee Kicker	16	10-981	"Snozzle" Adhesive Applicator	34, 44
10-56	Longneck Plus 6" Jamb Saw	29	10-412BKK	Deluxe Knee Kicker	16	10-990	18" Tungsten Carbide Replacement Blade	36, 38
10-60	9" Flooring Cutter	39	10-422-09	Replacement Thick Bumper Pad	16	10-1600	Mozart Weld Rod Trimmer	34
10-63	13" Multi-Floor Cutter	37	10-422BK	Deluxe High Profile Knee Kicker	16	10-2000-09	Replacement Bumper Pad	15, 16
10-91	9" Flooring Cutter	37	10-429	Quick Utility Blade Dispenser	28	10-2000GT	GT2000 XL Knee Kicker	15
10-94	13" Flooring Cutter	36	10-433	Heavy Duty Utility Blades	28	10-8678	Mozart Trimmer Blades	34
10-95	25" Pro Flooring Cutter	36	10-434	Heavy Duty Utility Blades - Bulk	28	10-8679	Mozart Weld Rod Spacer Claw 0.5 mm	34
10-99	18" Flooring Cutter	36	10-436-10	Carpet Blades, Heavy Duty Round-End	28	10-8700	Mozart Weld RodSpacer Claw 0.7 mm	34
10-041	Mozart Fixing Attachments	34	10-438	Carpet Blades, Heavy Duty Round-End	28	20-1400	Peel & Stick Tack Strip - 12 pack	6
10-100	5" Extra Wide Carpet Seam Roller	19	10-439	Strip Cutter Blades	7, 28	20-1450	Peel & Stick Tack Strip - 3 pack	6
10-101	4-1/2" Deluxe Carpet Seam Roller	19	10-440	Hooked Blades	28	30-110	3/8" Chisel Point Staples	17
10-107-03	Tailblade Replacement Unit	14	10-442-10	4" Floor/Wall Scraper Replacement Blade	59, 60	30-210	3/8" Divergent Point Staples	17
10-108	Professional 2" Strip Cutter	7	10-444-10	Trimmer Blades	28	32-081	12 Gauge Concrete Nails	9
10-109	Staple Hammer	17	10-449	Quick Carpet Blade Dispenser	28	32-083	12 Gauge Concrete Nails	9
10-114	20 oz. Ripping Hammer	58	10-451	Carpet Blades, Square-End	28	32-085	12 Gauge Concrete Nails	9
10-117-04	Powerhead Replacement Unit	14	10-453	Quick Carpet Blade Dispenser	28	32-111	12 Gauge Concrete Nails	9
10-121	8" Napping Shears	25	10-458	8" Floor/Wall Scraper Replacement Blades	59, 60	32-113	12 Gauge Concrete Nails	9
10-123	10" Carpet Shears	25	10-459	4" Floor/Wall Scraper Replacement Blade	59, 60	32-115	12 Gauge Concrete Nails	9
10-128	Locking Pattern Matching & Seam Repair Stretcher	14	10-460	9" Tungsten Carbide Replacement Blade	37, 38	32-131	12 Gauge Concrete Nails	9
10-140	30' Tape Measure	30	10-462	8" Floor/Wall Scraper Replacement Blade	59, 60	32-133	12 Gauge Concrete Nails	9
10-146-3	Cushion Back Cutter	23	10-463	13" Tungsten Carbide Replacement Blade	37, 38	32-135	12 Gauge Concrete Nails	9
10-146GT	GT Cushion Back Cutter	23	10-464	13" Replacement Blade for 10-64	38	33-081	10 Gauge Concrete Nails	9
10-151	Nail Driving Bar	17	10-466	18" Replacement Blade for 10-66	38	33-083	10 Gauge Concrete Nails	9
10-152-3	Loop Pile Cutter	23	10-468	25" Tungsten Carbide Replacement Blade	36, 38	33-085	10 Gauge Concrete Nails	9
10-152GT	GT Loop Pile Cutter	23	10-480	Dual Air Glider	21	33-100	10 Gauge Concrete Nails	9
10-154-3	Universal Seam Cutter	24	10-482G	Cool Shield Heat Bond Iron	18	33-101	10 Gauge Concrete Nails	9
10-161	24" Steel Tool Box, Black	20	10-501	GT Knee Kicker	15	33-103	10 Gauge Concrete Nails	9
10-161-LE	24" Steel Tool Box, Red Anniversary Ed.	20	10-503	Pro Mini Pry Bar	58	33-106	10 Gauge Concrete Nails	9
10-169	4" Loop Pile Seam Roller	19	10-505-2	Gel Pro 505 Knee Kicker (Silver)	15	33-121	10 Gauge Concrete Nails	9
10-170	4" Cut Pile Seam Roller	19	10-505-200	Gel Bumper Pad Kit	15	33-123	10 Gauge Concrete Nails	9
10-180	Double Sided Economy Trowel	45	10-505-LE	Gel Pro 505 Knee Kicker (Red)	15	33-125	10 Gauge Concrete Nails	9
10-180-12	1/16" x 1/32" x 1/32" U, Economy Trowel	45	10-517	Row Finder Separator	24	33-161	10 Gauge Concrete Nails	9
10-187	Floor/Wall Scraper	59	10-521	Extra Wide Stair Tool	24	33-163	10 Gauge Concrete Nails	9
10-188	Pro 18" Floor/Wall Scraper	59	10-522-4	EZ TUK Carpet Tucker	24	33-165	10 Gauge Concrete Nails	9
10-194	4" Floor/Wall Scraper - 12" handle	59	10-523	Rolling Carpet Tucker	24	34-121	9 Gauge Fluted Masonry Nails	9
10-195	Heavy Duty 6" Convertible Scraper	59	10-524	T-Handle Carpet Tucker	24	34-123	9 Gauge Fluted Masonry Nails	9
10-195-01	6" Hardened Steel Replacement Blade	59	10-55-24	6" Masonry Blade	29	34-125	9 Gauge Fluted Masonry Nails	9
10-215	Razor Blade Knife	26	10-55-24	Masonry Blade	29	34-161	9 Gauge Fluted Masonry Nails	9
10-218F	Fatso Multi-Purpose Knife	27	10-575	Heavy Cargo Dollies	21	34-163	9 Gauge Fluted Masonry Nails	9
10-220	Cut and Jam Carpet Knife	26	10-585	6" Duckbill Napping Shears	25	34-165	9 Gauge Fluted Masonry Nails	9
10-221	Pro Utility Knife	27	10-586-3	7" Duckbill Napping Shears	25	35-108	12.5 Gauge Elasticel (Acoustical) Nails	10
10-225	Folding Pro Carpet Knife	26	10-600	Professional Electric Stapler	17	35-110	12.5 Gauge Elasticel (Acoustical) Nails	10
10-230-10	3' Steel Stretcher Tube	12, 59	10-616-2A	Conventional Carpet Trimmer	23	35-112	12.5 Gauge Elasticel (Acoustical) Nails	10
10-230-3K	Stretcher Tube Case with Three 3' Extension Tubes	13	10-617GT	GT Carpet Trimmer	23	36-114	13 Gauge Drive Screw Nails Unichrome	10
10-230-40	Stretcher Case with Wheels	13	10-750	Carpet Installation Tool Kit	20	36-116	13 Gauge Drive Screw Nails Unichrome	10
10-235-05	5' Aluminum Stretcher Tube	12	10-751	Economy Carpet Installation Kit	20	36-118	13 Gauge Drive Screw Nails Unichrome	10
10-235-10	3' Aluminum Stretcher Tube	12	10-810	SQ-Notch Wood Handle Trowel	45	36-120	13 Gauge Drive Screw Nails Unichrome	10
10-237	Junior Power Stretcher	13	10-816	U-Notch Wood Handle Trowel	45	36-122	13 Gauge Drive Screw Nails Unichrome	10
10-237-50	Replacement Power Head	13	10-820	Flat-Top V, Wood Handle Trowel	45	36-124	13 Gauge Drive Screw Nails Unichrome	10
10-237V	Junior Power Stretcher Value Kit	13	10-823	SQ-Notch Comfort Grip Trowel	45	37-114	13 Gauge Drive Screw Nails Brass	10
10-248	Nap Grip Head (Cotton Head)	14	10-829	U-Notch, Comfort Grip Trowel	45	37-116	13 Gauge Drive Screw Nails Brass	10
10-250	Adjustable Locking Tube	12	10-833	Flat-Top V, Comfort Grip Trowel	45	37-118	13 Gauge Drive Screw Nails Brass	10
10-252	Professional Carpet Knife	26	10-895	12" Vinyl Tile Cutter	32	37-120	13 Gauge Drive Screw Nails Brass	10
10-253	Slotted Blade Carpet Knife	26				37-122	13 Gauge Drive Screw Nails Brass	10
						37-124	13 Gauge Drive Screw Nails Brass	10

Item #	Description	Page	Item #	Description	Page	Item #	Description	Page
38-115	11 Gauge Ring Shank Wood Nails	9	40009	Flooring Mallet	41	SGR-100	SureGrip Tack Strip	7
38-117	11 Gauge Ring Shank Wood Nails	9	40225	Face Nail Shoe	40	SGR-120	SureGrip Tack Strip	7
38-119	11 Gauge Ring Shank Wood Nails	9	40230	Thin Flooring Shoe	40	SGR-140	SureGrip Tack Strip	7
38-121	11 Gauge Ring Shank Wood Nails	9	41801	1-1/4" L-Porta-Nails, 18 Ga	42	SGR-180	SureGrip Tack Strip	7
38-123	11 Gauge Ring Shank Wood Nails	9	41802	1-1/2" L-Porta-Nails, 18 Ga	42	SGR-320	SureGrip Tack Strip	7
38-125	11 Gauge Ring Shank Wood Nails	9	41803	1-3/4" L-Porta-Nails, 18 Ga	42	SGR-321	SureGrip Tack Strip	7
39-116	15 Gauge 3D Lath Plated Nails	10	42629	2" T-Porta-Nails, 16 Ga	42	SGR-340	SureGrip Tack Strip	7
39-118	15 Gauge 3D Lath Plated Nails	10	42640	1-1/2" T-Porta-Nails, 16 Ga	42	SGR-342	SureGrip Tack Strip	7
39-120	15 Gauge 3D Lath Plated Nails	10	42660	2" T-Porta-Nails, 16 Ga	42	SGR-360	SureGrip Tack Strip	7
40-116	13 Gauge Plasterboard Plated Nails	10	46196	1" Crown Staples, 18 Ga	42	SGR-520	SureGrip Tack Strip	7
40-118	13 Gauge Plasterboard Plated Nails	10	46197	1-1/4" Crown Staples, 18 Ga	42	SGR-540	SureGrip Tack Strip	7
40-120	13 Gauge Plasterboard Plated Nails	10	46198	1-1/2" Crown Staples, 18 Ga	42	SGR-560	SureGrip Tack Strip	7
50-040	Underlayment Seam Tape	51, 56	47080	2" L-Porta-Nails, 16 Ga	42	SGR-620	SureGrip Tack Strip	7
50-050	Filament Tape	56	47100	Porta-Jack Pro Hardwood Flooring Jack	41	SGR-640	SureGrip Tack Strip	7
50-540 (-C)	Max Grip® Vinyl Floor Installation Tape	55	47261	2" Crown Staples, 15-1/2 GA	42	SGR-642	SureGrip Tack Strip	7
50-545 (-C)	Rug Traction™ Anti-Slip Rubber Tape	55	47271	1-1/2" Crown Staples, 15-1/2 GA	42			
50-547	Stay 'N' Place™ Tabs	56	49713Q(-C)	Square Notch, Wood Handle Trowel	45			
50-550 (-C)	Max Grip® Carpet Installation Tape	55	49730	Flat-Top V, Wood Handle Trowel	45			
50-555	Duct Tape	55	49736	U-Notch, Wood Handle Trowel	45			
50-560	1" Carpet Adhesive Strip	56	49737	Flat-Top V, Wood Handle Trowel	45			
50-565	3" Carpet Adhesive Strip	56	49738	U-Notch, Wood Handle Trowel	45			
50-580 (-C)	Rug Gripper™ for Small Rugs	56	49915Q(-C)	SQ-Notch Comfort Grip Trowel	45			
50-582 (-C)	Rug Gripper™ for Small Rugs, Value Roll	56	72000Q	1/4" (6 mm) Natural Cork Roll	52			
50-584	Rug Gripper™ Sheet	56	72003Q	1/4" (6 mm) Natural Cork Roll	52			
50-585	Tread Tape Roll	56	72008Q	1/8" (3 mm) Natural Cork Roll	52			
50-588	3" Rug Gripper™ Roll	56	79023-6	Hard Cap Knee Pads	58			
70-010	Serenity Foam	51	79034	Pro Carpet Knee Pads	58			
70-010-XL	Serenity Foam	51	AC-844-6P	Accuply® Underlayment- 6 mm thick	47			
70-025 (-C)	Unison® 2-in-1	51	AC-845-6P	Accuply® Underlayment- 6 mm thick	47			
70-026	Black Jack	50	AC-848-6P	Accuply® Underlayment- 6 mm thick	47			
70-026-XL	Black Jack	50	AC-844-9P	Accuply® Underlayment- 9 mm thick	47			
70-102-1	First Step Premium 3-in-1	49	AC-848-9P	Accuply Underlayment- 9 mm thick	47			
70-102-12	First Step Premium 3-in-1	49	EG-320	EagleGrip Tack Strip	5			
70-115	Moisture Barricade	52	EG-321	EagleGrip Tack Strip	5			
70-120	Waxed Paper Roll	53	EG-340	EagleGrip Tack Strip	5			
70-127-3	Carpet Rake and Groomer	21	EG-342	EagleGrip Tack Strip	5			
70-175	1/4" (6 mm) Natural Cork Sheets	52	HC-844	Enstron Underlayment Plus	47			
70-177	Thermawave™	50	HC-848	Enstron Underlayment Plus	47			
70-180	Quiet Cushion®	49	HS-722	Aluminum Carpet Strip	7			
70-182	3-in-1 Silent Warmth	50	PC7725	Brown Repair Putty	38			
70-183	4-in-1 Silent Warmth Ultra	50	PC7726	Light Repair Putty	38			
70-185	Soft Stride®	51	PC7727	Light Red Repair Putty	38			
70-190	Super Felt®	49	PC7728	Gray Repair Putty	38			
70-193	Super Felt®	49	PC7729	Gold Tones Repair Putty	38			
70-195	Aquabar B	53	PC7730	Tan Repair Putty	38			
70-197	Sound Barricade	49	PC7731	Dark Red Repair Putty	38			
70-198 (-C)	SVS Silicone Vapor Shield	53	PC7732	Dark Brown Repair Putty	38			
402A	Porta-Nailer Manual Floor Nailer	40	PC7733	Light Gray Repair Putty	38			
418A	Portamatic Evolution, 18 Ga Floor Nailer	40	RS-100	Regular Smoothedge Tack Strip	5			
42620	Flooring Nail Set	42	RS-120	Regular Smoothedge Tack Strip	5			
461A	Portamatic Elevator, 18 Ga Floor Stapler	41	RS-140	Regular Smoothedge Tack Strip	5			
465SLT	3-in-1 Floor Nailer/Stapler	40	RS-142	Regular Smoothedge Tack Strip	5			
1000-8	Seam Adhesive Dispenser	45	RS-180	Regular Smoothedge Tack Strip	5			
4702	2" L-Porta-Nails, 16 Ga	42	RS-300	Extra Wide Smoothedge Tack Strip	5			
4703	1-3/4" L-Porta-Nails, 16 Ga	42	RS-320	Extra Wide Smoothedge Tack Strip	5			
4704	1-1/2" L-Porta-Nails, 16 Ga	42	RS-320C	Extra Wide Smoothedge Tack Strip	5			
4723	2" Crown Staples, 15-1/2 GA	42	RS-321	Extra Wide Smoothedge Tack Strip	5			
10033	Wall Base Spreader - V-Notch	44	RS-340	Extra Wide Smoothedge Tack Strip	5			
10111-12	U-Notch Economy Trowel	45	RS-342	Extra Wide Smoothedge Tack Strip	5			
10113Q(-C)	SQ-Notch Economy Trowel	45	RS-500	Commercial Smoothedge Tack Strip	6			
10121-12	U-Notch Economy Trowel	45	RS-520	Commercial Smoothedge Tack Strip	6			
10122	U-Notch Economy Trowel	45	RS-540	Commercial Smoothedge Tack Strip	6			
10123-12	SQ-Notch Economy Trowel	45	RS-542	Commercial Smoothedge Tack Strip	6			
10125	SQ-Notch Economy Trowel	45	RS-560	Commercial Smoothedge Tack Strip	6			
10137-12	Flat-Top V, Economy Trowel	45	RS-560J	Commercial Smoothedge Tack Strip	6			
10142-12	Flat-Top V, Economy Trowel	45	RS-600	Tri-tack Smoothedge Tack Strip	6			
10143	V-Notch Economy Trowel	45	RS-620	Tri-tack Smoothedge Tack Strip	6			
10144	Tiger Tooth® Economy Trowel	45	RS-621	Tri-tack Smoothedge Tack Strip	6			
10711Q	Multi-Use Trim Shears	7	RS-640	Tri-tack Smoothedge Tack Strip	6			
30002	Quik-Cut Vinyl Tile Cutter	32	RS-642	Tri-tack Smoothedge Tack Strip	6			
			RS-660	Tri-tack Smoothedge Tack Strip	6			

Roberts®, AirGuard®, Cool Shield®, the e® logo, Golden Touch®, Max Grip®, Quiet Cushion®, Soft Stride®, Super Felt®, Tiger Tooth® and Unison® are registered trademarks of Roberts Consolidated Industries, Inc.

Accuply®, Porta-Nails® and Suspend-It® are registered trademarks of Q.E.P. Co., Inc.

Aquabar® "B" is a registered trademark of Fortifiber, LLC.

CRI™ is a trademark of The Carpet and Rug Institute

DUO-FAST® is a registered trademark of Illinois Tool Works Inc.

Primpat® is a registered trademark of Laboratoire Primatex Inc.

Rug Gripper™ is a trademark of Optimum Technologies, Inc.

VELCRO® is a registered trademark of Velcro B.V.B.A.

INDEX *By Description*

Description	Page		
A		Knee Pads	58
Adhesive Applicator, "Snuzzle"	34, 44	Knives	26, 27
Adhesive Dispenser	45	L	
Adhesive Strip	55	Laminate Cutters	36-38
Air Gliders	21	Linoleum Knives	27
B		L-Nails	42
Blades, Carpet	28	M	
Blades, Hooked	28	Mallets	41
Blades, Jamb Saw	29	Mozart Trimmers	34
Blades, Laminate Cutter	36, 38	N	
Blades, Laminate Cutter	36, 38	Nailers	40
Blades, Masonry	29	Nails, Acoustical	10
Blades, Scraper	59, 60	Nails, Concrete	9
Blades, Strip Cutter	7, 28	Nails, Drive Screw	10
Blades, Trimmer	28	Nails, Elasticel	10
Blades, Utility	28	Nails, Fluted Masonry	9
C		Nails, Lath	10
Carpet Tuckers	24	Nails, L-Nails	42
Chalk	30	Nails, Plasterboard	10
Chalk Reel	30	Nails, Ring Shank Wood	9
Cork Underlayment	52	Nails, T-Nails	42
Cushion Back Cutters	23	Napping Shears	25
Cutters, Laminate	36-38	P	
Cutters, Vinyl	32	Putty	39
D		R	
Dollies	21	Rollers, Floor	33
H		Rollers, Seam	19, 34
Hammers	58	Row Finder Separator	24
Heat Bond Irons	18	S	
K		Scrapers	59
Kits	20, 39	Seam Cutters	23-24
Knee Kickers	15-16	Seam Rollers	19
		Shears, Napping	25
		Staple Hammers	17
		Staplers	17
		Staplers, Manual/Pneumatic	40-41
		Staples	42
		Staples, Chisel Point	47
		Staples, Divergent Point	17
		Stretcher Cases	13
		Stretcher Tubes	12
		Stretchers	14
		Stretchers	12-13
		Strip Cutters	7
		T	
		Tack Strip	5-7
		Tape Measure	30
		Tape, Carpet	55-56
		Tape, Vinyl	55
		T-Nails	42
		Tool Box	20
		Tool Pouch	30
		Topset Gouge	34
		Trimmers	23
		Trowels	44-45
		Trowels, Comfort Grip	45
		Trowels, Double Sided	45
		Trowels, Economy	45
		U	
		Underlayment	49-52
		Underlayment Seam Tape	51, 56
		Underlayment, Plywood	47
		V	
		Vapor Barriers	53
		Vinyl Tile Cutters	32

About California Proposition 65

Proposition 65 is a California regulatory law that requires businesses to notify California consumers about specific chemicals in the products they purchase so they can make informed decisions about protecting themselves from exposure to these chemicals. This law requires companies to properly label products that contain chemical(s) above certain threshold levels.

As part of Q.E.P. Co. Inc.'s continued best business practice and compliance program, we comply with Proposition 65 warning requirements and provide product-associated warnings. We are dedicated to meeting consumer product safety requirements applicable to our products and strive to provide high quality and safe products.

For more information on California Proposition 65, go to www.P65Warnings.ca.gov.

- *Prop 65 - 1. **⚠️WARNING:** This product can expose you to chemicals including DEHP, which is known to the State of California to cause cancer, birth defects and other reproductive harm.
- *Prop 65 - 2. **⚠️WARNING:** This product can expose you to chemicals including Lead, which is known to the State of California to cause cancer, birth defects and other reproductive harm.
- *Prop 65 - 3. **⚠️WARNING:** This product can expose you to chemicals including Nickel (Metallic), which is known to the State of California to cause cancer.
- *Prop 65 - 4. **⚠️WARNING:** This product can expose you to chemicals including Lead and DEHP which is known to the State of California to cause cancer, birth defects or other reproductive harm.
- *Prop 65 - 5. **⚠️WARNING:** This product can expose you to chemicals including Toluene Diisocyanate, which is known to the State of California to cause cancer and Butadiene which is known to the State of California to cause cancer, birth defects or other reproductive harm.

INDUSTRY PARTNERSHIPS



1001 Broken Sound Parkway, NW | Suite A
Boca Raton, Florida 33487

www.qepcorporate.com

www.robertsconsolidated.com www.porta-nails.com www.qep.com

For more information call 866-435-8665

The products, specifications, and Prop 65 Warnings listed in this catalog are current as of the printed date of this catalog and are subject to change. Access product data sheets, technical bulletins, warranties and SDS documents 24 hours a day, 7 days a week through our continuously updated website.