



Toter[®]


Built for Extremes[™]

EVRII[®] **CARTS**



INDUSTRY-LEADING DURABILITY

There's no other curbside collection cart that's built to last quite like a Toter. Constructed using Toter's Advanced Rotational Molding™ process, Toter carts are built to keep working long after others fail - more than 2x longer. They're backed by a 12-year body warranty, the best in the industry. Toter carts are extremely flexible, impact-resistant, and easily handle the day-to-day abuse of curbside waste collection.



Toter carts feature a heavy-duty wear strip to withstand dragging across rough surfaces.



Only Toter carts have a Rugged Rim® to extend the life of the cart.

Think Tough.

Toter's Advanced Rotational Molding™ process creates a stronger can that is built for toughness and maximum impact resistance.

- Stress-free, zero-pressure process, unlike injection molded carts
- No seams means superior strength
- Tough and durable
- 12-year body warranty
- Fade-resistant



Toter carts are extremely impact-resistant – they flex, but don't break.



Toter carts are easy to tilt and roll to the curb.

Built for Extremes!

EXTREME PURPOSE

Toter carts are designed and built for function, with craftsman-like attention to detail. With ideal handle height, rugged wheels, and best-in-class ergonomics, maneuvering is a breeze, even when completely full.

EXTREME STABILITY

Stable and steady, Toter carts can easily stand up to wind as well as the day-to-day abuse of curbside collection. And they won't fall over when they're returned to the curb after dumping.


ToterTrax

INDUSTRY-LEADING CART TRACKING TECHNOLOGY

Toter's industry-leading cart delivery and tracking solution, ToterTrax, gives you the power to track your carts in real-time through its state-of-the-art RFID tracking technology. Designed specifically for waste and recycling assembly and delivery projects, ToterTrax provides you with control of your assets from a simple-to-use web portal. Cart delivery is verified through our GPS and time stamping system and instantly sends data to your fingertips when the route is complete.

ToterTrax Features:

- Real-time asset management
- Real-time visibility of current delivery status
- Real-time visibility of geo coordinates and time stamp data
- Unique RFID tag number with matching serial number for superior accuracy
- User-friendly web portal



ToterTrax provides real-time visibility of delivery services and data – right from the comfort of your office.

CART FEATURES

Rugged Rim® adds rigidity and reinforced material in critical wear areas, extending the life of the cart.

Ideal handle height and best-in-class ergonomics provide easier maneuverability.



Textured surface resists scuffs and scratches and hides unsightly dirt.

5/8" axle provides over 2,000 lbs. of bending strength. Molded-in axle journal provides 6x more support than drilled holes.

Factory-installed 360° rotating steel stop bar is compatible with automated garbage collection trucks.

Rugged wheels make maneuvering a breeze – even when completely full.

Advanced Rotational Molding™ creates a stronger can that is built for toughness and maximum resistance.



OPTIONS

- Unique industry-leading aerodynamic design prevents cart from falling down when lid is flipped back
- Toter carts meet ANSI standard Z245.30 for safety and Z245.60 for lifter compatibility
- Multi-lingual user safety instructions molded on top and underside of lid
- Bottom wear strip provides added abrasion protection

- One-color hot stamps and raised imprint on lid
- Large, four-color in-mold label on lid
- Cart identification barcode
- UHF RFID tag mounted inside handle
- Large area on the side for custom graphics including one-color hot stamps, raised imprints or four-color in-mold labels



96-gallon EVR® II Universal / Nestable

Part Number:
79296
Size (l x w x h)
35-1/2" X 29-3/4" X 43-1/2"
Load Rating
335 lbs/151.9 kg
Wheel Diameter
10"



35-gallon EVR® II Universal*

Part Number:
79235
Size (l x w x h)
23-3/4" X 19-3/4" X 38-1/4"
Load Rating
122 lbs/55 kg
Wheel Diameter
10"



64-gallon EVR® II Universal / Nestable

Part Number:
79264
Size (l x w x h)
31-1/2" x 24-1/4" x 41-3/4"
Load Rating
224 lbs/101.6 kg
Wheel Diameter
10"



32-gallon EVR® II Universal / Nestable

Part Number:
79232
Size (l x w x h)
24" x 19-3/4" x 37-1/2"
Load Rating
112 lbs/50.8 kg
Wheel Diameter
8"



48-gallon EVR® II Universal / Nestable

Part Number:
79248
Size (l x w x h)
28-3/4" x 23-1/2" x 37-1/2"
Load Rating
168 lbs/76.3 kg
Wheel Diameter
10"



21 & 24-gallon EVR® II Universal**

Part Number:
79221 & 79224*
Size (l x w x h)
23-1/2" X 19-3/4" X 34-1/2"
Load Rating
21 gal- 73.5 lbs/33.4 kg
24 gal- 84.0 lbs/38.1 kg
Wheel Diameter
10"

* Does not nest when fully assembled.

** Does not nest when fully assembled, and is below Type B saddle height, which requires the collector to lift the cart approx. 3 inches for semi-automated lifters.

ORGANICS CARTS



EXCEEDS ANSI STANDARD
Independently tested to withstand 6-1/4 lbs per gallon.

Toter two-wheel carts and caster carts are specifically designed to withstand heavy, wet organic waste. These heavy-duty, commercial-grade carts feature impressive load ratings up to 300 lbs. (load ratings vary by cart size). Molded-in, sealed stop-bar journal prevents leakage.

OPTIONAL FEATURES:


- Lids to keep critters out with a locking gravity latch that opens automatically when cart is picked up by the waste collector

Available in 21-, 32-, 48-gallon sizes

Part	Size	Dimensions (L x W x H)	Wheel Size	Load Rating
79321	21-gallon	23-1/2" x 19-3/4" x 34-1/2"	10"	131 lbs / 59 kg
79332	32-gallon	24" x 19-3/4" x 37-1/2"	8"	200 lbs / 91 kg
79348	48-gallon	28-3/4" x 23-1/2" x 37-1/2"	10"	300 lbs / 136 kg

AVAILABLE COLORS

Toter carts are available in a variety of colors and textures. Granite finishes mask normal wear by helping hide scuffs, scratches, and dirt, keeping carts looking new for years.



Colors shown are as accurate as printing allows. Actual product colors are subject to variation from printed sample.
*Available at an additional charge.

UNIVERSAL WASTE INDUSTRY COMPATIBILITY

Toter's EVR-II Series carts are built with a universal design – they're compatible with ANSI compliant fully-automated truck arms and semi-automated lifters.



Toter carts are compatible with both fully automated arms (left) and semi-automated lifters (right).



STACKABLE, NESTABLE, AND READY TO-ROLL

Toter's EVR-II Series carts are stackable and nestable – even when fully assembled. When shipped fully assembled, they're ready-to-roll, and can be delivered more quickly, more efficiently, and with fewer trips. Toter carts can also be shipped assembled with everything except wheels, significantly reducing labor and delivery expenses. Toter also offers optional on-route assembly and delivery service.



Toter® carts support sustainability in a variety of ways:

1) REDUCED MATERIAL CONSUMPTION IN MANUFACTURING

Each 96-gallon Toter cart is manufactured with up to 5 fewer lbs. of plastic compared to other carts. Plus, engineered steel components use up to 2 lbs. less steel. Manufactured with Advanced Rotational Molding™ using medium density polyethylene (MDPE), Toter carts feature a superior strength-to-weight ratio with less material consumption compared to injection-molded carts.

2) LONGEST SERVICE LIFE

Toter offers a 15-20+ year service life (compared to 10-year service life with injection-molded carts). By eliminating early cart replacement, material consumption is reduced by at least 50%.

3) RECYCLED CONTENT

Toter carts are manufactured with up to 50% recycled content, with steel components constructed with 80% to 100% recycled steel.

4) RECYCLABLE

Toter carts are fully recyclable. In fact, Toter recycles used carts into new carts!

5) REDUCED FUEL COSTS AND LOWER EMISSIONS

With a 0.2% warranty claim rate – the industry's lowest – Toter carts are virtually maintenance-free. Toter's lower annual failure rate reduces the number of repairs and replacement trips. Plus, Toter carts nest, allowing service providers to deliver up to 3x more carts per trip.



SUSTAINABILITY

MORE PRODUCTS AVAILABLE AT TOTER.COM





Toter[®]

Built for Extremes[™]

PO Box 5338
841 Meacham Road
Statesville, NC 28677
800-424-0422
704-872-8171
sales@wastequip.com
www.toter.com